CHICAGO TRANSIT AUTHORITY Advertisement for Bids

Sealed bids will be received for the following by Chicago Transit Authority at the Bid Office -2^{nd} Floor, 567 W. Lake Street, Chicago, IL, 60661-1498, no later than 11:00 a.m. on Friday, February 10, 2012 at which time all such bids will be opened publicly and read aloud:

Req No: B120P00854, Spec. No. CTA (Various).
General fastener hardware: washers as required for a period of thirty-six (36) months from the date of contract execution.

PROPOSAL GUARANTEE: NONE

Req No: B12OP04122, Spec. No. CTA 9548-12 Furnish and deliver tactile floor tiles as required for a period of thirty-six (36) months from the date of contract execution.

PROPOSAL GUARANTEE: NONE

For additional information, please contact Leonard Kutkowski, Procurement Administrator, 312/681-2658.

Req No: C110P101182255, Spec. No. CTA 9886-11 Pre-filter modification and cleaning of existing CTA owned HVAC pre-filters. PROPOSAL GUARANTEE: NONE

For additional information, please contact Parker Hand, Senior Procurement Administrator, 312/681-2470.

Req No: C110P101212360, Spec. No. CTA 6848-11 390 Pcs of emergency rail jumpers. PROPOSAL GUARANTEE: NONE

For additional information, please contact Greta Harris, Procurement Administrator, 312/681-2463.

Any contract resulting from this advertisement will be awarded to the lowest responsive and responsible bidder.

Chicago Transit Authority hereby notifies all bidders that it will affirmatively ensure that in regard to any contract entered into pursuant to this advertisement, Disadvantaged Business Enterprise will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, or national origin in consideration for an award.

PLEASE NOTE: Where bids are sent by mail, delivery service or delivered in-person to the CTA Bid Office, the bidders shall be responsible for their delivery only to the Bid Office before the advertised date and hour for the opening of the bids. The Bid Office hours are Monday through Friday from 8:00 a.m. to 4:30 p.m. Chicago time, except holidays.

The right is reserved to accept any bid or any part or parts thereof or to reject any and all bids.

All inquiries should be directed to and copies of bid documents obtained from the Bid Office $-2^{\rm nd}$ Floor, 567 W. Lake Street, Chicago, Illinois 60661-1498.

CHICAGO TRANSIT AUTHORITY

By: Marina Popovic
Vice President, Purchasing

January 20, 2012



PROCUREMENT SPECIFICATIONS AND CONTRACT DOCUMENTS FOR:

GENERAL FASTENER HARDWARE: WASHERS AS REQUIRED FOR A PERIOD OF UP TO 36 MONTHS FROM DATE OF CONTRACT

REQUISITION NO.: B12OP00854

SPECIFICATION NO.: CTA 633-06(R11); 3370-04(R11);

4758-08(R11)

DRAWING NO.:

None

PROJECT NO .:

None

INSURANCE REQUIRED: No

BID DEPOSIT AMOUNT: None Required

FOR INFORMATION CONTACT:

Sr. Procurement Administrator:

LEONARD KUTKOWSKI

Phone Number:


(312) 681-2658

BID PACKAGES TO BE RETURNED TO:

By Mail, In Person Drop-off or Delivery Service

Chicago Transit Authority Bid Office - 2nd Floor 567 W. Lake Street Chicago, IL 60661-1498

All Signatures to be sworn before a Notary Public



ISSUED BY

Purchasing Department, Chicago Transit Authority 567 W. Lake Street, Chicago IL 60661-1498 Marina Popovic, Vice President, Purchasing & Warehousing Forrest Claypool, President Terry Peterson, Chairman

CONTRACT FOR SUPPLIES REQUIREMENTS FOR BIDDING AND INSTRUCTIONS TO BIDDERS

Bids will be received by the CHICAGO TRANSIT AUTHORITY, a Municipal Corporation, in accordance with the Contract Documents set forth herein.

1. **DEFINITIONS**:

The term "Authority" means the Chicago Transit Authority acting by and through the Chicago Transit Board or its duly authorized agent, servant or employee in connection with these Contract Documents. The term "Purchasing Agent" means the Purchasing Agent of the Chicago Transit Authority, whose duties and responsibilities are more particularly described in the "Purchase and Sales Regulations and Ordinances of the Chicago Transit Board," and the term "Designee" means any person or persons authorized by the Purchasing Agent to act for the Purchasing Agent in connection with this Contract. The singular shall include the plural and the masculine includes the feminine.

2. COMPLIANCE WITH LAWS:

The bidders shall at all times observe and comply with all laws, ordinances, regulations and codes of the Federal, State, City, and other local government agencies, which may in any manner affect the preparation of bids or the performance of the Contract.

3. BID DEPOSIT:

A bid shall, when required in the advertisement, be accompanied by cash, a cashier's check, a certified check, a money order or an approved bid bond in the amount shown in the advertisement, and as may be prescribed in the Contract Documents.

All certified, cashier's checks or money orders shall be drawn on a responsible organization doing business in the Untied States and shall be made payable to the order of the Chicago Transit Authority.

Any bid bond submitted must reference the specific CTA inquiry numbers and have an Alfred M. Best Company "B+" Policyholders Rating and an "X" Financial Rating or better.

The period of the bond must be for not less than ninety (90) days from the date of bid opening.

4. PREPARATION OF BID:

The bidder shall prepare his bid in DUPLICATE on the attached bidding forms, submit one (1) copy and retain one (1) for your records. Unless otherwise stated on the bidding form, all blank spaces on the bid, applicable to the subject specification, must be correctly filled in. Either a unit price or a lump sum price, as the case may be, must be stated for each and every item, either typed in or written in ink, in figures, and if required, in words.

If bidder is a Corporation, the President or Vice-President and Secretary or Assistant Secretary, shall execute both copies of the bid. The Corporation shall affix its seal to both copies. In the event that this bid is executed by someone other than the President or Vice-President, a certified copy of that section of the Corporate By-Laws or resolution of the Corporation which permits the person to execute the offer for the Corporation shall be furnished with the bid.

If bidder is a Partnership or Joint-Venture, all partners or joint-ventures shall execute both copies of the bids unless one partner or joint-venture has been authorized to sign for the Partnership or Joint-Venture, in which case, evidence of such authority satisfactory to the Purchasing Agent shall be submitted with the bid.

If bidder is a Sole Proprietor, he shall execute both copies of the bid.

A "Partnership," "Joint-Venture" or "Sole Proprietor" operating under an Assumed Name must be registered with the Illinois County in which located, as provided in the Assumed Business Name Act, 805 ILCS 405 et seq., as amended.

ALL SIGNATURES MUST BE SWORN TO BEFORE A NOTARY PUBLIC

5. SUBMISSION OF BIDS:

All prospective bidders shall submit <u>ONE (1) SEALED BID</u> in the envelope provided for that purpose to the CHICAGO TRANSIT AUTHORITY, Bid Office -2^{nd} Floor, 567 W. Lake Street, Chicago, Illinois 60661-1498; or, if the bid is submitted in an envelope other than those so provided for this purpose, then the sealed envelope submitted by the prospective bidder shall carry the following information on the face of the envelope: bidder's name, address, subject matter of bid, including identifying numbers, advertised date of bid opening, and the hour designated for the bid opening as shown on the advertisement.

Where bids are sent by mail to the CTA Bid Office, the bidders shall be responsible for their delivery to the Bid Office before the advertised date and hour for the opening of bids. If the mail is delayed beyond the date and hour set for the bid opening, bids thus delayed will not be considered and will be returned unopened.

Where bids are sent by delivery service or delivered in-person to the CTA Bid Office, the bidders shall be responsible for their delivery to the Bid Office before the advertised date and hour for the opening of bids. If the delivery of the bid is delayed beyond the date and hour set for the bid opening, bids thus delayed will not be considered and will be returned unopened. The Bid Office hours are Monday through Friday from 8:00 am to 4:30 pm Chicago time, except holidays.

6. WITHDRAWAL OF BIDS:

Bidders may withdraw their bids at any time prior to the date and hour specified in the advertisement for the receipt of bids. However, no bidder shall withdraw or cancel his bid for a period of ninety (90) calendar days after said advertised date and hour for the receipt of bids.

7. RESPONSIBILITY OF BIDDER:

The Authority reserves the right to refuse to accept any bid from any person, firm or corporation that is in arrears or is in default to the Chicago Transit Authority upon any debt or contract, or that is a defaulter, as surety or otherwise, upon any obligations to the Authority, or had failed to perform faithfully any previous contract with the Authority.

The bidder, if requested, must present within two (2) working days, evidence satisfactory to the Purchasing Agent or his designee, of performance ability and possession of necessary facilities, pecuniary resources and adequate insurance to comply with the terms of these specifications and Contract Documents.

8. CONSIDERATION OF BIDS:

The Authority reserves the right to extend the bid opening date and to reject any or all bids or any part thereof. The Authority further reserves the right to excuse informalities in the bids and bidding when, in the judgment of the Authority, the best interests of the Authority will be served and the spirit of competition will be maintained.

9. **NEGOTIATED CONTRACTS:**

The Authority reserves the right to reject all bids received and negotiate a contract with any an all responsible bidders, if the bids received are at unreasonable prices but otherwise acceptable, or for other reasons determined to be clearly in the public's best interest and in accordance with established guidelines.

In the event that negotiations are conducted, the Authority or its duly authorized representative shall have the right to examine and audit books, records, documents and other evidence and accounting procedures and practices, sufficient to reflect properly all costs claimed to have been incurred or anticipated in performing this contract. The Contractor agrees to include in first-tier subcontracts under this contract a clause to the effect that the Authority or duly authorized representatives have access to and the right to examine any of the subcontractor's directly pertinent books, documents, papers, or other records involving transactions related to the subcontract.

10. ACCEPTANCE OF BIDS:

The Authority will accept in writing one or more of the bids or reject all bids within ninety (90) days from the date of opening the bids, unless the lowest responsible bidder, upon request of the Purchasing Agent or his designee, extend the time of acceptance.

The contract shall not be in force and effect until the Chairman of the Board of the Chicago Transit Authority, or his designee, has affixed his signature to the Contract Document.

11. PERFORMANCE-PAYMENT BOND AND INSURANCE:

When required by the Contract Documents, the successful bidder or bidders shall, within ten (10) working days after acceptance of the bid by the Authority, furnish a performance-payment bond in the full amount of the contract on an approved American Institute of Architects (A.I.A.) bond form and/or furnish and keep in force, during the life of the contract, any and all insurance in amounts designated, as provided in the Insurance Requirements, form CTA 415.27 (Revised) attached hereto, with insurance companies acceptable to the Chicago Transit Authority. Any insurance company with less than a (B+) policyholder rating by Alfred M. Best Co. will not be acceptable to the Chicago Transit Authority.

12. FAILURE TO FURNISH BOND OR INSURANCE:

In the event that the bidder fails to furnish the performance-payment bond and/or insurance requirements in said period of ten (10) working days after acceptance of the bid, then, the bid deposit of the bidder may be retained by the Authority. This bid deposit may be used as liquidated damages, not as a penalty, to partially cover costs and losses by the Authority.

13. INTERPRETATION OF CONTRACT DOCUMENTS:

If any person contemplating submitting a bid is in doubt as to the meaning of any part of the Contract Documents, he may submit to the Purchasing Agent a written request for an interpretation thereof. The person submitting the request will be responsible for its prompt delivery. Any interpretation of the proposed documents will be made only by Addendum duly issued by the Purchasing Agent or his designee. A copy of such addendum will be mailed or delivered to each person receiving a set of such Contract Documents and to such other prospective bidders as shall have requested that they be furnished with a copy of each Addendum. Failure on the part of the prospective bidder to receive a written interpretation prior to the time of the opening of bids will not be grounds for withdrawal of bid. Oral explanation will not be binding. Bidder must acknowledge receipt of each addendum issued in space provided on the signature page of Bid Documents.

14. CATALOGS:

Subsequent to bid opening, when requested by the Purchasing Agent or his designee, each bidder shall submit in **DUPLICATE**, catalogs, descriptive literature, and detailed drawings, fully detailing features, designs, construction, appointments, and finishes, necessary to fully describe the material or work he proposes to furnish. This information will be furnished to the Authority within ten (10) calendar days from date of request. Failure to furnish this information may result in the disqualification of the Bid.

15. TRADE NAMES:

In cases where an item is identified by a manufacturer's name, trade name, catalog number, or reference, it is understood that the bidder proposes to furnish the item so identified and does not propose to furnish an "equal" unless the proposed "equal" is definitely indicated by the bid.

The reference to the manufacturer's name, trade name, catalog number, or reference, is intended to be descriptive but not restrictive and only to indicate to the prospective bidder articles that will be satisfactory. Bids on other makes and catalogs will be considered, provided each bidder clearly states on the face of his bid exactly what he proposes to furnish, or forwards with the bid, a cut, illustration, or other descriptive matter which will clearly indicate the character of the article covered by his bid.

The Purchasing Agent, or his designee, hereby reserves the right to approve an "equal" or to reject as not being an "equal," any article the bidder proposes to furnish which contains variations from specification requirements.

16. RETURN OF BID DEPOSIT:

The bid deposit of all bidders, except the two apparent lowest bidders on each contract, will be returned within ten (10) calendar days after the opening of bids. The bid deposit of the two apparent lowest bidders will be returned after the bid has been accepted by the Authority including the acceptance by the Authority of satisfactory performance-payment bond and/or insurance where such bond or insurance are required.

Within 10 days after the date of opening of bids a bidder may request that a bid bond be substituted for the bid deposit. The Manager, Material Management, may allow substitution of a bid deposit upon application in writing to the Manager, Materials Management, and submittal of a bid bond in an amount equal to the bid deposit. Any bid bond submitted must reference the specific CTA inquiry number and have an Alfred M. Best Company "B+" Policyholders Rating and an "X" Financial Rating.

The period of the bond must be for not less than ninety (90) days from the date of bid opening.

17. TAXES:

Federal Excise Tax does not apply to materials purchased by the Chicago Transit Authority by virtue of Exemption Certificate No. 36-73-0234K. Illinois Retailers' Occupation Tax, Use Tax, and Municipal Retailers' Occupational Tax does not apply to materials or services purchased by the Authority by virtue of Statute Chapter 111 2/3 and Section 333, Illinois Revised Statutes as amended. These taxes shall not be included in any of the prices quoted herein. Illinois Tax Exemption Identification number is E9978-2987-05. The prices quoted herein shall agree with all Federal Laws and Regulations.

18. ORDER OF PRECEDENCE OF COMPONENT PARTS OF THE CONTRACT DOCUMENTS:

The order of precedence of the component parts of the Contract Documents shall be as follows:

- 1. General Conditions
- 2. Special Conditions
- 3. Plans and Drawings, if any
- 4. Detailed Specifications
- Standard Requirements of State and Federal Government, if any
- 6. Bid and Signature and Acceptance forms
- 7. Advertisement for Bids
- 8. Instructions to Bidders
- 9. Bond, if required
- 10. Insurance, if required

Any Addenda, which may be issued, shall be a part of these Contract Documents and shall take precedence over any other part of the Contract Documents wherever they conflict therewith.

The foregoing order of precedence shall govern the interpretation of the Contract Documents in all cases of conflict or inconsistency therein, except as may be otherwise expressly provided in other component parts of the Contract Documents.

19. NOTICE:

All communications and notices provided herein shall be in writing, delivered personally or by mail, to the name and address of the accepted bidder as provided on the signature page of the bid hereof, or to the Chicago Transit Authority. Attention, Purchasing Agent. 567 W. Lake Street, Chicago, IL 60661-1498.

CONTRACT FOR SUPPLIES GENERAL CONDITIONS

1. NON-DISCRIMINATION:

The Contractor, in performing under this Contract, shall not discriminate against any worker, employee or applicant or any member of the public, because of race, creed, color, age, sex ancestry, handicap or national origin, nor otherwise commit an unfair employment practice. The Contractor further agrees that this Article will be incorporated by the Contractor in all contracts entered into with suppliers of materials or services, contractors and subcontractors, and all labor organizations furnishing skilled, unskilled and craft union skilled labor, or who may perform any such labor or services in connection with the Contract.

The Contractor's attention is called to the provisions of the Illinois Human Rights Act, which are hereby incorporated by reference.

To demonstrate compliance, the Contractor and his subcontractors will furnish such reports and information as requested by Chicago Transit Authority or any Federal, State or local government or agencies that may require such information as a condition of financial assistance in whole or in part.

2. DISADVANTAGED BUSINESS ENTERPRISES:

All parties are hereby notified that in regard to any contract resulting from this invitation to bid, Disadvantaged Business Enterprises will be afforded full opportunity to participate, and will not be discriminated against because of race, color, sex, or national origin in consideration for an award.

3. INDEMNIFICATION:

The contractor shall indemnify, keep and hold harmless the Chicago Transit Authority, its officers, employees and agents against all injuries, deaths, losses, damages, claims, suits, liabilities, judgments, costs and expenses, of whatever kind, including but not limited to attorney's fees, which may accrue against the Chicago Transit Authority, its officers, employees and agents arising out of, as a result of, or in consequence of the acts or omissions of the Contractor in furtherance of the contract, including acts or omissions of the Contractor's servants, employees, subcontractors, agents, or officers, in the performance of the work covered by the contract.

4. SUBLETTING OR ASSIGNMENT OF CONTRACT OR CONTRACT FUNDS:

No contracts shall be assigned or sublet in whole or in part without the written approval of the Purchasing Agent, and in no case shall such written approval relieve the Contractor from his obligations or change the terms of the Contract Documents.

The Contractor shall not transfer or assign any contract funds or claims due or to become due without the written approval of the Purchasing Agent having been first obtained.

5. GUARANTEES AND WARRANTEES:

All guarantees and warrantees required shall be furnished by the Contractor and shall be delivered to the Purchasing Agent or his designee before final payment on the contract is issued.

6. DELIVERY:

All materials shipped to the Chicago Transit Authority must be shipped F.O.B. destination location. Chicago Metropolitan Area, Illinois. If prior delivery notification is specified, arrangements must be made by the vendor with the Authority's designated receiving location at least 24 hours in advance to arrange for receipt of the materials. The material must then be delivered where directed and as agreed upon.

Unless otherwise specified or agreed upon, truck deliveries to locations other than 567 W. Lake will be accepted not earlier than 7:00 A.M. and not later than 3:00 P.M. on weekdays only. No deliveries will be accepted on Saturdays, Sundays or Holidays. Deliveries to 567 W. Lake shall be made between 8:00 A.M. and 4:00 P.M., on weekdays only.

The quantity of material delivered by truck shall be ascertained from a weight certificate issued by a duly licensed Chicago Public Weigh-Master upon request. In the case of delivery by rail, weight will be ascertained from bill-of-lading from originating line, but the Authority reserves the right to re-weigh at the nearest available railroad scale.

7. DEMURRAGE AND RE-SPOTTING:

The Authority will be responsible for demurrage charges only when such charges accrue because of the Authority's failure to unload the material.

The Authority will pay railroad charges due to the re-spotting of cars, only when such re-spotting is ordered by the Authority.

8. MATERIALS INSPECTION AND RESPONSIBILITY:

The Purchasing Agent, or his designee, shall have a right to inspect any materials to be used in carrying out this contract.

The Authority does not assume any responsibility for the availability of any controlled materials or other materials and equipment required under this contract. All materials and equipment furnished under the contract shall be new, unless otherwise specifically stated.

The Contractor shall be responsible for the contracted quality and standards of all materials, components or completed work furnished under this contract.

Materials, components or completed work not complying therewith may be rejected by the Purchasing Agent or his designee and shall be replaced by the Contractor at no cost to the Authority.

Any materials or components rejected shall be removed within a reasonable time from the premises of the Authority, at the entire expense of the Contractor, after written notice has been mailed by the Authority to the Contractor that such materials or components have been rejected.

9. ORDER OF PRECEDENCE OF BEST PRICE:

In determining the best price, the Authority reserves the right to consider the bids in the following order of precedence:

- A. Firm fixed price or charge;
- B. Base price or charge plus escalation specified in Special Conditions, if any;
- C. Base price or charge plus maximum percent or dollar escalation.

In the event that a contract is awarded that includes an escalation provision, the Authority reserves the right to require evidence satisfactory to the Authority which justifies any and all price or charge increases provided under the escalation provision. Such evidence shall be requested in writing within ten (10) working days from receipt of invoices, clearly designating that part of the billing, which reflects the escalated price or charge.

10. PAYMENT:

Payment to Contractor shall be as specified in Special Conditions of this contract.

11. CASH BILLING DISCOUNT:

Cash Billing or percentage discount for payment of invoices within a specified period of time will **not** be considered by CTA in evaluating bids. When determining if it has earned a cash billing discount offered by the contractor, CTA will consider the date of the invoice plus two days for mailing or the date of receipt of the goods or services, whichever is later, and will end on the date the check is mailed in payment of the invoice. If a discount period ends on a Saturday, Sunday or legal holiday, the discount periods will be extended to the next succeeding workday.

12. INVOICES:

Invoices must be sent to the Chicago Transit Authority, Accounts Payable, 567 W. Lake Street, Chicago, IL 60661-1498. Invoices must bear the order number and, if an annual contract, release number as issued. Invoices must not cover more than one order or release number.

13. PRICE REDUCTION:

If the Contractor to whom a contract has been awarded makes a general price reduction effective on or after the date of his bid in the comparable price of any material covered by the contract to customers generally, an equivalent price reduction based on similar quantities and/or considerations shall apply to the contract for the duration of the contract period (or until the price is further reduced). Such price reductions shall be effective at the same time and in the same manner as the reduction in the price to customers generally. For the purpose of this provision, a "general price reduction" shall mean any horizontal reduction in the price of an article or service offered—(1) to Contractor's customers generally, or (2) in the Contractor's price schedule for the class of customers, i.e., wholesalers, jobbers, retailers, etc., which was used as the basis for bidding on this contract. An occasional sale at a lower price, or sale of distressed merchandise at a lower price, would not be considered a "general price reduction" under this provision. The Contractor shall invoice the Authority as such reduced prices, indicating on the invoice that the reduction is pursuant to the "Price Reduction" provision of the Contract Documents. The Contractor, in addition, shall within ten (10) days of any general price reduction notify the Purchasing Agent of the Chicago Transit Authority of such reduction by letter. Failure to do so may require termination of this contract.

The Contractor, when required by the Purchasing Agent within ten (10) days after the end of the contract period, shall furnish a statement certifying either—(1) that no general price reduction, as defined herein, was made after the date of the bid or offer, or (2) if any such general price reductions were made, that, as provided herein, they were reported to the Purchasing Agent within ten (10) days, and the Authority was billed at the reduced prices. Where one or more such general price reductions were made, the statement furnished by the Contractor shall include, with respect to each price reduction,—(1) the date when notice of any such reduction was issued, (2) the effective date of the reduction, and (3) the date when the Purchasing Agent was notified of any such reduction.

14. DEFAULT:

(a)The Authority may, subject to the provision of Paragraph (c) below, by written notice of default to the Contractor, terminate the whole or any part of this contract in any one of the following circumstances:

- (i) if the Contractor fails to make delivery of the supplies or to perform the services within the time specified herein or any extension thereof: or
- (ii) if the Contractor fails to perform any of the other provisions of this contract, or so fails to make progress as to endanger performance of this contract in accordance with its terms, and in either of these two circumstances does not cure such failure within a period of ten (10) days (or such other period as the Purchasing Agent may authorize in writing) after receipt of notice from the Purchasing Agent specifying such failure.

(b)In the event the Authority terminates this contract in whole or in part as provided in Paragraph (a) of this clause, the Authority may procure, upon such terms and in such manner as the Purchasing Agent may deem appropriate, supplies or services similar to those so terminated, and the Contractor shall be liable to the Authority for any excess costs for such similar supplies or services. **Provided:** That the Contractor shall continue the performance of this contract to the extent not terminated under the provisions of this clause.

(c)The Contractor shall not be liable for any excess costs if acceptable evidence has been submitted to the Purchasing Agent that failure to perform the contract was due to causes beyond the control and without the fault or negligence of the Contractor.

15. DISPUTES:

Except as otherwise provided in this contract, any dispute concerning a question of fact arising under this contract which is not disposed of shall be decided after hearing by the Purchasing Agent who shall reduce his decision to writing. This decision shall be final and binding. A copy of the decision shall be communicated to the Contractor as herein provided.

16. EXECUTION:

All business which submit responses or bids and all businesses awarded contracts by the CTA are hereby notified that no contract, modification, amendment, change order or extension, if any, shall be effective, or in any way obligate the CTA, until it has been executed by the CTA signatory duly authorized by the CTA's Regulations, By Laws, and Procedures.

SPECIAL CONDITIONS DISADVANTAGED BUSINESS ENTERPRISE COMMITMENT INVITATION FOR BIDS REQUISITION NUMBER: B120P00854

I. POLICY AND TERMS

- A. The policy of the Chicago Transit Authority is to create a level playing field on which Disadvantaged Business Enterprises (DBE) as defined in United States Department of Transportation (USDOT) Regulation 49 C F.R. Part 26.
- B. The Authority has established the following DBE participation goal for this project:

Disadvantaged Business Enterprise Goal: 0%

- C. The DBE participation goal shall be expressed as a percentage of the total contract price. However, in the event this is a revenue generating contract, the DBE participation goal is based on the bidder's operating expenses and not on the total anticipated revenue to be generated by the contract. The bidder may also meet the goal by showing good faith efforts to meet the goal as described in 49 C.F.R. Part 26 and as set forth in Section V below. Any evidence of good faith efforts must be submitted with the sealed bid or the bid will be rejected in its entirety.
- **D.** The DBE participation goal shall apply to the total dollar value of this contract, inclusive of all amendments, modifications, options, and change orders. The bidder agrees to make its best effort to include DBE participation in any contract modification work.
- E. The goal may be met, as further explained in Section IV hereof, by the bidder's status as a DBE, by a joint venture with one or more DBEs, by subcontracting a portion of the work to one or more DBEs, by the purchase of materials used in the performance of the contract from one or more DBEs or by any combination of the above or through a showing of good faith efforts as defined in Section V hereof.
- **F.** A bidder who fails to meet the DBE goal and fails to demonstrate sufficient and reasonable good faith efforts shall not be eligible to be awarded the contract. All documentation of good faith efforts by a bidder **must** be included in the envelope or package containing the bid.
- **G.** The Authority prohibits agreements between a bidder and a DBE in which the DBE promises not to provide subcontracting quotations to other bidders.

II. DEFINITIONS

A. "Area of Specialty" means the description of the DBE's business, which has been determined by the General Manager, DBE Program, to be most reflective of the DBE's claimed specialty or expertise. Credit toward the DBE participation goal for this contract shall be limited to the participation of firms performing within their Area of Specialty. The Authority reserves the right to investigate and determine active DBE participation and applicable DBE credit specifically identified for this contract prior to award.

NOTICE: The Authority does not make any representations concerning the ability of any DBE to perform work within its Area of Specialty. It is the responsibility of the bidder to determine the capability and capacity of the DBE firms to satisfactorily perform the work proposed.

- B. "Bid" includes the following Authority purchasing requests: Invitation for Bids (IFB).
- **C.** "Bidder" includes bidders and contractors. The terms "Bidder" and "Contractor" may be used interchangeably in these Special Conditions.
- **D.** "Disadvantaged Business Enterprise" or "DBE" means a small business certified by the Illinois Universal Certification Program (IL UCP) as a business owned and controlled by socially and economically disadvantaged individuals in accordance with USDOT Regulation 49 CFR, Part 26.
- **E.** "Directory" means the Directory of Certified Disadvantaged Business Enterprises maintained and published by IL UCP and entitled the "IL UCP DBE Directory." The directory will be available on the Authority's web site. Bidders are responsible for verifying the current certification status of all proposed DBE's.
- F. "Good Faith Efforts" means efforts to achieve a DBE contract goal as specified in 49 CFR, Part 26 and Section V hereof.
- G. "IL UCP" means the Illinois Unified Certification Program.
- H. "Joint Venture" means an association of two or more businesses to carry out a single business enterprise for profit, and for which purpose they combine their expertise, property, capital, efforts, skill and knowledge. Bidders may develop joint venture agreements as an instrument to provide participation by DBEs in contract work. A joint venture seeking to be credited for DBE participation may be formed among DBE firms or between a DBE firm and non-DBE firm.

In order to qualify for credit as a DBE, the DBE must be responsible for a distinct, clearly defined portion of the work and the DBE must share in the capital contribution, control, management, risks and profits of the joint venture commensurate with its ownership interest.

- "Purchasing Agent" means the Authority employee who holds the position of General Manager, Purchasing, or the successor position.
- J. "Small Business Concern" means a small business as defined pursuant to Section 3 of the Small Business Act and relevant regulations promulgated pursuant thereto except that a small business concern shall not include any concern or groups of concerns controlled by the same socially and economically disadvantaged individual or individuals which has annual average gross receipts in excess of \$22.41 million, or as revised from time to time, over the three (3) previous fiscal years.
- K. "Socially and Economically Disadvantaged Individuals" means any individual who is a citizen of the United States (or lawfully admitted permanent residents) and who is in the following groups, the members of which are rebuttably presumed to be socially and economically disadvantaged:

- 1. "Black Americans", which includes persons having origins in any of the Black racial groups of Africa;
- 2. "Hispanic Americans", which includes persons of Mexican, Puerto Rican, Cuban, Dominican, Central or South American, or other Spanish or Portuguese culture or origin, regardless of race;
- 3. "Native Americans", which includes persons who are American Indians, Eskimos, Aleuts, or Native Hawaiians;
- 4. "Asian-Pacific Americans", which includes persons whose origins are from Japan, China, Taiwan, Korea, Burma (Myanmar), Thailand, Malaysia, Indonesia, Vietnam, Laos, Cambodia (Kampuchea), the Philippines, Brunei, Samoa, Guam, the U.S. Trust Territories of the Pacific (Republic of Palau), and the Commonwealth of the Northern Marianas Islands, Macao, Fiji, Tonga, Kirbati, Jauvlu, Nauru, Federated States of Micronesia or Hong Kong; and
- **5.** "Subcontinent Asian Americans", which includes persons whose origins are from India, Pakistan, Bangladesh, Bhutan, the Maldives Islands, Nepal or Sri Lanka.
- 6. "Women"
- 7. Any additional groups whose members are designated as socially and economically disadvantaged by the SBA, at such time as the SBA designation becomes effective.

The General Manager, DBE Program, may determine on a case-by-case basis that individuals who are not members of one of the above-listed groups are socially and economically disadvantaged.

L. "USDOT" or "DOT" refers to the U.S. Department of Transportation.

III. JOINT VENTURES

The General Manager, DBE Program, will evaluate the joint venture agreement submitted on behalf of the proposed joint venture and all related documents to determine whether these DBE requirements have been satisfied. In addition, the General Manager, DBE Program, will consider the record of the joint venturers as joint venturers on other Authority contracts, if anv.

NOTE: DBE/non-DBE joint ventures are creditable at any tier. Whenever a joint venture is proposed as the prime Contractor, Authority requires that each joint venturer sign the bid submitted to the Authority.

IV. COUNTING DBE PARTICIPATION TOWARD THE CONTRACT GOAL

The inclusion of any DBE by the bidder in its bid documents shall not conclusively establish the bidder's eligibility for full DBE credit for the firm's participation in the contract. The amount of DBE participation credit shall be based upon an analysis by the General Manager, DBE Program, of the specific duties which will be performed by the DBE.

The bidder may count toward its DBE goal only expenditures to firms which are currently certified by the IL UCP and which perform a commercially useful function. A firm is considered to perform a commercially useful function when it is responsible for the performance of a distinct element of the work and carries out its responsibilities by actually performing, managing and supervising the work involved.

To determine whether a firm is performing a commercially useful function, the General Manager, DBE Program, will evaluate the amount of work subcontracted, industry practices and other relevant factors. The General Manager, DBE Program, reserves the right to deny or limit DBE credit to the bidder where any DBE is found to be engaged in substantial pass-through activities with others.

DBE participation shall be counted toward the DBE goal in the contract as follows:

- A. Once a DBE is determined to be eligible in accordance with these rules, the total dollar value of the contract awarded to the DBE may be counted toward the DBE goal except as indicated below.
- **B.** A bidder may count toward its DBE goal that portion of the total dollar value of a contract with an eligible joint venture equal to the distinct, clearly defined portion of the work of the contract that the DBE performs with its own forces.
- C. Consistent with normal industry practices, a DBE may enter into subcontracts. If a DBE subcontracts more than thirty percent (30) or a significantly greater portion of the work of the contract than would be expected on the basis of normal industry practices, the DBE shall be presumed not to be performing a commercially useful function. Evidence may be presented by the bidder involved to rebut this presumption.
- **D.** When a DBE subcontracts a part of the work under the contract to another firm, the value of the subcontracted work may only be counted towards the DBE goal if the DBE's subcontractor is itself a DBE. Work that a DBE subcontracts to a non-DBE firm does not count towards the DBE goal.
- E. The bidder may count one-hundred percent (100) of its expenditures for materials and supplies required under the contract and which are obtained from a DBE manufacturer towards the DBE goal. The bidder may count sixty percent (60) of its expenditures for material and supplies under the contract obtained from a DBE regular dealer towards its DBE goal. The terms "manufacturer" and "regular dealer" are defined in 49 C.F.R. Part 26.55(e)(1)(ii) and (2)(ii).
- **F.** The bidder may count towards its DBE goal expenditures to DBEs which are not manufacturers or regular dealers, such as fees or commissions charged for services and assistance in the procurement of essential personnel, facilities, equipment, materials or supplies and transportation charges as set forth in 49 C.F.R. Part 26. However, the General Manager, DBE Program, must determine the fee or charge to be reasonable and not excessive as compared with fees or charges customarily allowed for similar services.
- **G.** The bidder must use good business judgment when negotiating with subcontractors and take a DBE's price and capabilities into consideration. The fact that there may be some additional costs involved in finding and using DBE firms is not sufficient reason to fail to meet the DBE goal set forth in the contract, as long as such costs are reasonable.

V. GOOD FAITH EFFORTS

In order to be responsive, a bidder must make good faith efforts to meet the DBE participation goal set forth in the contract. The bidder must document the good faith efforts it made in that regard. Thus, the Bid submitted to the Authority must be accompanied by written documentation prepared by the bidder evidencing all of its sufficient and reasonable good faith efforts toward fulfilling the goal. These efforts must be active steps, and ones, which could reasonably be expected to lead to sufficient DBE participation to meet the contract DBE participation goal. Mere *pro forma* efforts are not acceptable and will be rejected by the General Manager, DBE Program.

Good Faith Efforts require that the bidder consider all qualified DBEs, who express an interest in performing work under the contract. This means that the bidder cannot reject a DBE as unqualified unless the bidder has sound reasons based on a thorough investigation of the DBE's capabilities. Further, the DBE's standing within its industry, membership in specific groups, organizations or associations and political or social affiliation (for example, union vs. non-union employee status) are not legitimate causes for the rejection or non-solicitation of bids in the Contractor's efforts to meet the contract DBE participation goal.

The following list, which is not exclusive or exhaustive, sets forth the types of actions, which indicate good faith efforts on the part of a bidder to meet the DBE goal. The extent and type of actions required will vary depending on such things as industry practice; the time available for submitting a bid and the type of contract involved.

- **A.** Attendance at a pre-bid meeting, if any, scheduled by the Authority to inform DBEs of subcontracting opportunities under a given solicitation.
- **B.** Advertisement in general circulation media, trade association publications, and minority-focus media for at least twenty (20) days before bids are due. If 20 days are not available, publication for a shorter reasonable time is acceptable.
- C. Written notification to capable DBEs that their interest in the contract is solicited.
- D. Documentation of efforts to negotiate with DBEs for specific sub-contracts including at a minimum:
 - 1. The names, addresses, and telephone numbers of DBEs that were contacted and the date(s) of contact.
 - 2. A description of the information provided to DBEs regarding the plans and specifications for portions of the work to be performed.
 - 3. A statement explaining why additional agreements with DBEs were not reached.
- **E.** For each DBE the bidder contacted but rejected as unqualified, the reason for the bidder's conclusion.
- F. Documentation of efforts made to assist the DBEs contacted that needed assistance in obtaining bonding or insurance required by the bidder or the Authority.

- **G.** Documentation of efforts to utilize the services of small business organizations, community and contractor groups to locate qualified DBEs.
- **H.** Documentation that the bidder has broken out contract work items into economically feasible units in fields where there are available DBE firms to perform the work.
- Evidence that adequate information was provided to interested DBEs about the plans, specifications
 and requirements of the contract, and that such information was communicated in a timely manner.
- Documentation of any efforts made to assist interested DBEs in obtaining necessary equipment, supplies, materials or related assistance or services.

VI. GOOD FAITH EFFORTS RECONSIDERATION

If it is determined that the apparent successful low bidders have failed to meet the requirements of the contract goal/good faith efforts, the Authority will provide them with **ONE** opportunity for administrative reconsideration, before the Authority awards the contract. This reconsideration will include the following:

- A. The bidder will be permitted to either provide written evidence or to present oral argument at a pre-scheduled time that the documentation it submitted with its bid met the DBE goal and/or showed good faith efforts to do so. No new evidence of good faith efforts may be presented after the bid submission deadline.
- **B.** The Authority's Reconsideration Officer will review the evidence presented by the bidder and issue a written determination that the bidder has: 1) met the DBE goal; 2) not met the DBE goal but has made adequate good faith efforts to do so; or 3) has not met the DBE goal and the good faith efforts made were not adequate.
- C. The decision of the Authority's Reconsideration Officer is final and may not be appealed to the Authority or its funding agencies.
- D. The Authority will not award a contract to any bidder who does not meet the contract DBE participation goal or show good faith efforts to meet that goal. Thus, it is essential that all bidders submit ALL relevant documentation concerning the DBE goal and/or good faith efforts in the envelope or package containing their sealed bid.

VII. PROCEDURE TO DETERMINE BID COMPLIANCE

The bidder must complete and sign Schedule D to the Contract documents and must sign Schedule C. If the bidder is a joint venture, the bidder MUST complete and sign Schedule B. Schedule C MUST be completed and signed by the DBE subcontractor(s). All three Schedules MUST be submitted at the same time as or prior to submittal of the sealed bid. In addition, any documentation evidencing the bidder's good faith efforts to meet the contract DBE goal must be submitted with the bid. Any bids submitted without completed and executed Schedules C & D and/or evidence of good faith efforts, if applicable, will be deemed non-responsive and will be rejected by the Authority.

A. Letters of Certification

- A copy of each proposed DBE firm's current Letter of Certification or re-certification from the IL UCP should be submitted with the bid. ALL CERTIFICATIONS BY THE IL UCP MUST BE PRE-CERTIFICATIONS. This means that the DBE's certification must be issued by the IL UCP before the due date for bids.
- 2. All Letters of Certification or Re-certification issued by the IL UCP must include a statement of the DBE firm's area of specialization and appropriate DBE goal credit (see Section IV. COUNTING DBE PARTICIPATION TOWARD THE CONTRACT GOAL). The DBE firm's scope of work set forth on Schedule C must conform to its stated area of specialization. Where a DBE is proposed to perform work not covered by its area of specialization, the DBE firm must request an expansion of its area of specialization from the Authority in writing plus any other documentation required by the Authority to process said request prior to the time set by the Authority for bid opening. Further, the DBE's request must be agreed to by the General Manager, DBE Program, and the DBE firm must be certified prior to **DUE DATE OF** BIDS.

B. Joint Ventures

- Where the bidder proposes to include in its bid a DBE, which is a joint venturer, the bidder must submit a fully executed copy of the joint venture agreement with its bid. The joint venture agreement must show that the DBE firm will be responsible for a clearly defined portion of the work to be performed, and that the DBE firm's capital contribution, control, management, risks and profits are commensurate with its ownership interest.
- 2. Further, the proposed joint venture agreement shall include specific details related to: 1) contributions of capital and equipment; 2) work items to be performed by the DBE's own forces; 3) work items to be performed under the supervision of the DBE; 4) the DBE management, supervisory and operating personnel to be dedicated to the performance of the project; and (5) the authority of each joint venturer to contractually obligate the joint venture and to expend funds. Failure to submit a copy of the joint venture agreement will cause the firm to be considered by the Authority to be non-responsible.

VIII. REPORTING REQUIREMENTS DURING THE TERM OF THE CONTRACT

A. The bidder shall, within seven (7) calendar days of contract award, or prior to any work being performed by the DBE subcontractor, execute written subcontracts or purchase orders with the DBE subcontractors included in the bid. In the event the bidder cannot complete the agreement with one or more DBE subcontractors within this seven day period, the bidder must provide a written explanation for the delay and an estimated date by which the written agreement will be completed to the General Manager, DBE Program. These written agreements shall be made available to the General Manager, DBE Program, upon request. All contracts between the bidder and its subcontractors must contain a prompt payment clause as set forth in Section IX herein.

- B. During the term of annual contracts, the bidder shall submit regular "Status Reports of DBE Subcontract Payments" in a form acceptable to the Authority. The frequency with which these reports are to be submitted, will be determined by the General Manager, DBE Program, but in no event will reports be required less frequently than quarterly. In the absence of written notice from the General Manager, DBE Program, the bidder's first "Status Report of DBE Subcontract Payments" will be due ninety (90) days after the date of contract award, with additional reports due quarterly thereafter.
- C. In the case of a one-time procurement with either a single or multiple deliveries, a "Status Report of DBE Subcontract Payments," in a form acceptable to the Authority, indicating final DBE payments shall be submitted directly to the General Manager, DBE Program. The information must be submitted prior to or at the same time as the bidder's final invoice to the Authority user department identified in the solicitation. (NOTICE: The original invoices must be submitted directly to the Authority's department identified in the contract documents and the Status Report of DBE Subcontract Payments must be submitted directly to the General Manager, DBE Program.) Failure to follow these directions may delay final payment.
- D. The address for the General Manager, DBE Program, is: CTA DBE-General Manager, Diversity Department, 567 W. Lake Street, Chicago, IL 60661-1465.

IX. PROMPT PAYMENT TO SUBCONTRACTORS

- A. The Contractor is required to pay all Subcontractors for all work that the Subcontractor has satisfactorily completed, no later than seven (7) calendar days after the Contractor has received payment from the Authority. All of the Contractor's contracts with its Subcontractors must state that the Subcontractor will receive payment within 7 days of the date that the Contractor has received payment from the Authority.
- B. In addition, all Retainage amounts must be paid by the Contractor to the Subcontractor no later than fourteen (14) calendar days after the Subcontractor has, in the opinion of the VP Construction, satisfactorily completed its portion of the Work. All of the Contractor's contracts with its Subcontractors must state that the Subcontractor will receive payment of Retainage within fourteen (14) calendar days of the date that the Subcontractor has, in the opinion of the VP Construction, satisfactorily completed its portion of the Work.
- **C.** A delay in or postponement of payment to the Subcontractor requires good cause and prior written approval of the General Manager, Purchasing.
- **D.** The Contractor is required to include, in each subcontract, a clause requiring the use of appropriate arbitration mechanisms to resolve all payment disputes.
- E. The Authority will not pay the Contractor for work performed unless and until the Contractor ensures that the Subcontractors have been promptly paid for the work they have performed under all previous payment requests, as evidenced by the filing with the Authority of lien waivers, canceled checks (if requested), invoices and the Contractor's sworn statement that it has complied with the prompt payment requirements. Prime Contractors must submit a prompt payment affidavit, (form to be provided by the Authority) which identifies each subcontractor (both DBE and non-DBE) and

- the date and amount of the last payment to such subcontractor, with every payment request filed with the Authority, except for the first payment request, on every contract with the Authority.
- F. Failure to comply with these prompt payment requirements is a breach of the Contract which may lead to any remedies permitted under law, including, but not limited to, Contractor debarment. In addition, Contractor's failure to promptly pay its Subcontractors is subject to the provisions of 50 ILCS 505/9.

X. DBE SUBSTITUTIONS

- A. Arbitrary changes by the bidder of the commitments previously indicated in **Schedule D** are prohibited. No changes may be made by the bidder to the DBE firms listed on Schedule D after the opening of bids but prior to contract award. However, in the event the Purchasing Agent, after consulting with the DBE Department, determines that a critical DBE subcontractor is non-responsible, the Authority may require that bidder replace the non-responsible DBE subcontractor with a responsible, certified DBE subcontractor or show adequate good faith efforts as set forth Section V hereof, must submit all information required in subsection C.5 hereof, and must receive the prior written approval of the General Manager, DBE Program for such substitution.
- **B.** Further, after entering into each approved DBE subcontract, the Contractor shall neither terminate the subcontract for convenience, nor reduce the scope of the work to be performed by the DBE, nor decrease the price to the DBE, without receiving prior written approval of the General Manager, DBE Program. Such approval is required even if the DBE agrees with the change to the DBE's contract desired by the Contractor.
- **C.** It may become necessary, at times, to substitute a new subcontractor in order to complete the contract work. The substitution procedure to be followed is:
 - 1. The Contractor must immediately notify the General Manager, DBE Program, in writing, of the proposed substitution of subcontractor. The Contractor's notification must include the specific reasons it intends to reduce the scope of or terminate a DBE subcontract; adequate documentation to support the Contractor's proposed action; and a proposed substitute firm to complete the DBE's portion of work.
 - 2. The following is a non-exclusive list of the types of reasons, which justify substitution: the DBE was found not to be able to perform, or not to be able to perform on time; the DBE's work product was not acceptable; the DBE demands an unreasonable escalation of its price.
 - 3. The following is a non-exclusive list of the types of reasons which do not justify substitution: a replacement firm has been recruited by the Contractor to perform the same work under more advantageous terms; performance issues by the DBE were disputed and every reasonable effort to have the dispute resolved or mediated has not been taken; the DBE has requested a reasonable price escalation which may be justified due to unforeseen circumstances (e.g., a change in scope of DBE's work).

- **4.** If the subcontractor to be substituted for the DBE is not a DBE, the Contractor must show adequate good faith efforts as set forth in Section V hereof.
- 5. The Contractor's request for approval of a substitution must include the name, address, and principal official of the proposed substitute subcontractor and the dollar value and scope of work of the proposed subcontract. If the new subcontractor is a DBE, all DBE affidavits and documents required by **Schedule C** shall be attached.
- 6. The Authority will evaluate the submitted documentation and respond within fifteen (15) calendar days to the request for approval of a substitution. The Authority's response may approve the request, seek more information, request an interview to clarify the problem or reject the proposed DBE substitution, with the reasons for the rejection stated in the Authority's response. In the case of an expressed emergency need to receive the necessary decision for the sake of job progress, the Authority will respond as soon as practicable.
- 7. Actual substitution by the Contractor may not be made prior to the Authority's approval. Once notified of the Authority's approval, the substitute subcontract must be executed within five (5) calendar days, and a copy submitted to the General Manager, DBE Program.
- **D.** The Authority will not approve extra payment for escalated costs incurred by the Contractor when a substitution of subcontractors becomes necessary in order to comply with the DBE requirements of the contract.

XI. NON-COMPLIANCE

- A. Failure to comply with the DBE requirements of the contract or failure to use DBEs as stated in the bid constitutes a material breach of contract. The General Manager, DBE Program, shall have the discretion to recommend to the Authority's Purchasing Agent that the Purchasing Agent apply suitable sanctions to the Contractor if the Contractor is found to be in non-compliance with the DBE requirements. Such sanctions include, but are not limited to, withholding payment to the Contractor until corrective action is taken; suspension and/or termination of the contract, in whole or in part; and debarring or suspending the Contractor from entering into future contracts with the Authority.
- B. The failure by the Contractor to use a DBE subcontractor to the extent the Contractor committed to use said DBE, gives the underutilized DBE specific contract remedies, including the right to damages, the right to resolve the dispute by binding arbitration before an independent arbitrator and the right to recover its reasonable expenses, including attorneys' fees, if the DBE is the prevailing party, as follows:
 - 1. <u>Damages.</u> In the event the Contractor has not complied with the contractual DBE percentage and the change to the contractual DBE usage has not been approved by the Authority, an affected DBE may recover from the Contractor damages suffered by said DBE as a result of being underutilized. This provision is intended for the benefit of any DBE affected by underutilization and grants such entity third party beneficiary rights. Any rights conferred by this provision are non-waivable and take precedence over any conflicting provisions in the agreement between the Contractor and the DBE.

- 2. Arbitration procedures. If requested by the DBE, the DBE shall have the right to initiate binding arbitration of any dispute concerning damages suffered as a result of being underutilized. A DBE desiring to arbitrate must notify the Contractor in writing to initiate the arbitration process. Unless the affected parties agree to a different schedule in writing, within ten (10) days of receipt by the Contractor of the intent to arbitrate from the DBE, the above-described disputes must be arbitrated in accordance with the Commercial Arbitration Rules of the American Arbitration Association ("AAA"), a not-for-profit agency, with an office at 225 North Michigan Avenue, Suite 2527, Chicago, Illinois 60601-7601. All such arbitrations must be initiated by the DBE filing a demand for arbitration with the AAA; must be conducted by the AAA; and must be held in Chicago, Illinois.
- 3. Fees. All fees of the arbitrator are the initial responsibility of the DBE; provided, however, that the arbitrator is authorized to award reasonable expenses, including attorneys' and arbitrator fees, as damages to a prevailing DBE.
- 4. Entry of judgment. Judgment upon the award rendered by the arbitrator may be entered in any court of competent jurisdiction.
- C. In addition, federal and state laws apply to false representations, deception and fraud:
 - 1. <u>Illinois Law.</u> Under Illinois law, it is a Class 2 felony to make certain false representations as to the status of a person or entity in obtaining a governmental contract. In addition, any person convicted of this felony offense must pay to the governmental unit that issued the contract a penalty equal to one and a half times the amount of the contract. 720 ILCS 5/17-29.
 - 2. <u>Federal Law.</u> False, fraudulent, or deceitful statements made in connection with DBE participation in federal Department of Transportation assisted programs could also result in liability under 49 CFR Part 31, Program Fraud and Civil Remedies and possible prosecution under 18 U.S.C. 1001.
- D. If the Contractor does not pay any subcontractor listed on a pay request or return a subcontractor's retainage within the time limits required under the prompt payment provision set forth in Section VIII hereof, the Contractor must pay the subcontractor an additional amount for interest at the lower of one percent (1%) per month or the highest lawful rate on the outstanding balance, for each month, prorated per diem for any partial month, that the Contractor fails or refuses to pay the subcontractor. All agreements between the Contractor and its subcontractors must provide for interest as set forth herein.
- E. The Contractor, sub recipient or subcontractor shall not discriminate on the basis of race, color, national origin, or sex in the performance of this contract. The Contractor shall carry out applicable requirements of 49 CFR Part 26 in the award and administration of DOT-assisted contracts. Failure by the Contractor to carry out these requirements is a material breach of this contract, which may result in the termination of this contract or such other remedy as the Authority deems appropriate.

The Contractor agrees to include this assurance in all subcontracts.

XII. RECORD KEEPING

The Contractor shall maintain records of all relevant data with respect to the utilization of DBEs and shall retain these records for a period of at least three (3) years after final acceptance of the work. Full access to said records shall be granted to the Authority and its Inspector General, its Federal and/or State funding agencies, the U.S. Department of Justice, the USDOT and any duly authorized representatives thereof. In addition, the Contractor shall, at all times, cooperate with the Authority's Inspector General.

The bidder must also create a bidders list, consisting of information about all subcontractors that submitted a bid or quote. The bidders list will include the name, address, DBE/non-DBE status, age of firm and the appropriate range of annual gross receipts. Failure to submit this information will result in the firm being deemed non-responsible for the contract.

XIII. MINORITY FINANCIAL INSTITUTIONS

The proposer is encouraged to utilize financial institutions owned and controlled by socially and economically disadvantaged individuals. Use of such institutions may be considered by the Authority as evidence of proposer's willingness to do business with DBEs. Information about such institutions is available in the Authority's DBE Program Directory, which is available on-line at http://www.federalreserve.gov/releases/mob/current/default.htm.

DBE Assistance Agencies
The following agencies are available to prospective bidders for assistance.

Alliance of Business Leaders & Entrepreneurs (ABLE)	Black Contractor United
) \' \===/	(BCU)
150 N. Michigan Ave., Suite 2800 Chicago, IL 60601	400 W. 76 th St., Suite 200
Contact: Donna Gaines	Chicago, IL 60620
Phone: (312) 624 7700	Contact: Belinda Henderson
Phone: (312) 624-7733	Phone: (773) 483-4000
Fax: (312) 275-7841	Fax: (773) 483-4150
Email: dgaines@ablechicago.com	Email: belinda bcu@att.net
Website: www.ablechicago.com Services	Website: www.blackcontractorsunited.com
	Services
Business Development Chather B.	I
Chatham Business Association	Business Development Chicago Minority Business
(CBA)	Chicago Minority Business Development Council, Inc. (CMBDC)
8441 S. Cottage Grove Ave.	105 W. Adams
Unicago, IL 60619	Chicago, IL 60603
Contact: Melinda Kelly	
Phone: (773) 994-5006	Contact: Shelia C. Hill Morgan
Fax: (773) 994-9871	Phone: (312) 755-8880
Email: melkelcba@sbcglobal.net	Fax: (312) 755-8890
vvebsite: www.cbaworks.org	Email: shillmorgan@chicagomsdc.org
Services	Website: www.cmbdc.org Services
Business Development	1
Certification Assistance	Business Development
Technical Assistance	Certification Assistance
Chicago Urban League (CUL)	Technical Assistance
45 TU S. Michigan Ave.	Federation of Women Contractors (FWC)
Chicago, IL 60653	5050 S. Archer Ave.
Contact: Kenya Spann	Chicago, IL 60638
Phone: (773) 285-5800	Contact: Joan Anderse
Fax: (773) 285-7772	Phone: (312) 360-1122
Email: kspann@thechicagourhanloague	Fax: (312) 360-0239
Website: www.thechicagourbanleague.org	Email: joan@andersenpump.com
Services	veosite: www.twcchicago.com
Business Development	Services
Hispanic-American Construction Industry	Business Development
Association (HACIA)	Illinois Hispanic Chamber of Commerce
901 West Jackson Blvd., Suite 205	(Incc)
Chicago, IL 60607	855 W. Adams, Suite 100
Contact: Jorge Perez	Chicago, IL 60607
Phone: (312) 666-5910 ext. 22	Contact: Omar Duque
ax: (312) 666-5692	Phone: (312) 425-9500
mail: jperez@haciaworks.org	Fax: (312) 425-9510
Vebsite: <u>www.haciaworks.org</u>	Email: oduque@hccbusiness.net
ervices	Website: www.ihccbusiness.net
	Services
2 doi: 1039 Development	Business Development
Certification Assistance	Certification Assistance
 Technical Assistance 	Technical Assistance Technical Assistance

DBE Assistance Agencies (Continued)

Philippine American Chamber of Commerce of

Greater Chicago (PACCGC) 3413 N. Milwaukee Ave.

Chicago, IL 60641 Contact: James Villar Phone: (773) 545-4330 Fax: (773) 545-4373

Email: <u>iamesvillar@paccgc.org</u> Website: <u>www.paccgc.org</u>

Services

Business DevelopmentCertification AssistanceTechnical Assistance

Women's Business Development Center (WBDC)

8 S. Michigan Ave., 4th Floor

Chicago, IL 60603 Contact: Danae Kovac Phone: (312) 853-3477 Fax: (312) 853-0145 Email: dkovac@wbdc.org Website: www.wbdc.org

Services

Business DevelopmentCertification AssistanceTechnical Assistance

Project information and current DBE directory of certified local and out-of-state companies are available.

Chicago Transit Authority

Project Information c/o Marina Popovic Purchasing Department

567 W. Lake St.

Chicago, IL 60661-1498 Phone: (312) 681-2400 Fax: (312) 681-2405

E-mail: mpopovic@transitchicago.com

Chicago Transit Authority

DBE Directory

c/o Gloria M. Camarena

Diversity Programs Department

567 W. Lake St.

Chicago, IL 60661-1498 Phone: (312) 681-2600 Fax: (312) 681-2605

E-mail: gcamarena@transitchicago.com

Schedule B AFFIDAVIT OF DBE/NON-DBE JOINT VENTURE

This Schedule B need not be submitted if all joint venturers are DBEs. In such a case, however, the written joint venture agreement and a copy of the current IL UCP Letter of Certification for each DBE must be submitted.

ALL INFORMATION REQUESTED BY THIS SCHEDULE MUST BE ANSWERED IN THE SPACES PROVIDED BY JOINT VENTURERS AT ANY TIER. ADDITIONAL SHEETS MAY BE ATTACHED.

Name of joint venture:
Address of joint venture:
Phone number of joint venture:
Identify each non-DBE venturer(s):
Name of Firm:
Address:
Phone:
Contact person for matters concerning DBE compliance:
Identify each DBE venturer(s):
Name of Firm:
Address:
Phone:
Contact person for matters concerning DBE compliance:
Attach a copy of the joint venture agreement. In order to demonstrate the DBE venturer's share in the
ownership, control management responsibilities, risks and profits of the joint venture, the proposed joint venture agreement must include specific details related to: (1) the contributions of capital and equipment; (2) work items to be performed by the DBE's own forces. (3) work items to be performed under the supervision of
ownership, control management responsibilities, risks and profits of the joint venture, the proposed joint venture agreement must include specific details related to: (1) the contributions of capital and equipment; (2) work items to be performed by the DBE's own forces, (3) work items to be performed under the supervision of the DBE venturer; and (4) the commitment of management, supervisory and operative personnel employed by
ownership, control management responsibilities, risks and profits of the joint venture, the proposed joint venture agreement must include specific details related to: (1) the contributions of capital and equipment; (2) work items to be performed by the DBE's own forces, (3) work items to be performed under the supervision of the DBE venturer; and (4) the commitment of management, supervisory and operative personnel employed by the DBE to be dedicated to the performance of the project.
ownership, control management responsibilities, risks and profits of the joint venture, the proposed joint venture agreement must include specific details related to: (1) the contributions of capital and equipment; (2) work items to be performed by the DBE's own forces, (3) work items to be performed under the supervision of the DBE venturer; and (4) the commitment of management, supervisory and operative personnel employed by the DBE to be dedicated to the performance of the project. Attach a copy of the current IL UCP Letter of Certification for each DBE joint venturer.
ownership, control management responsibilities, risks and profits of the joint venture, the proposed joint venture agreement must include specific details related to: (1) the contributions of capital and equipment; (2) work items to be performed by the DBE's own forces, (3) work items to be performed under the supervision of the DBE venturer; and (4) the commitment of management, supervisory and operative personnel employed by the DBE to be dedicated to the performance of the project. Attach a copy of the current IL UCP Letter of Certification for each DBE joint venturer. Ownership of the Joint Venture:

Schedule B AFFIDAVIT OF DBE/NON-DBE JOINT VENTURE

VII.	0	Ownership of the Joint Venture (continued):				
	В.	 Specify DBE/non-DBE percentages for each of the following (provide narrative descriptions and other detail as applicable): 				
		1.	Sharing of profit and loss:			
		2.	Capital contributions:			
			(a) Dollar amounts of initial contribution:			
			(b) Dollar amounts of anticipated on-going contributions:			
		3.	Contributions of equipment (specify types, quality and quantities of equipment to be provided by each venturer):			
		4.	Other applicable ownership interests, including ownership options or other agreements, which restrict or limit ownership and/or control:			
		5 .	Provide copies of all written agreements between venturers concerning this project.			
		6.	Identify each current Chicago Transit Authority contract and each contract completed during the past two (2) years by either of the joint venture partners participating in this joint venture:			
VIII.	AAIII	ne, n	of and Participation in the Joint Venture. Identify by name and firm those individuals who are, or esponsible for and have the authority to engage in the following management functions and policy s. (Indicate any limitations to their authority such as dollar limits and co-signatory requirements.):			
	A.	Join	t venture check signing:			
	В.	Auth	ority to enter contracts on behalf of the joint venture:			

Schedule B AFFIDAVIT OF DBE/NON-DBE JOINT VENTURE

C.	C. Signing, co-signing and/or collateralizing loans:				
	_				
D.	— А	equisition of lines of credit:			
Ε.	Ac	equisition and indemnification of payment and performance bonds:			
_					
F.	NE	egotiating and signing labor agreements:			
_					
G.	Ma	anagement of contract performance. (Identify by name and firm only):			
	1.	Supervision of field operations:			
	2.	Maior purphase			
	۷.	Major purchases:			
	3.	Estimating:			
	4.	Engineering:			
Fina	nci	al Controls of Joint Venture:			
,	A.	Which firm and/or individual will be responsible for keeping the books of account?			
I	В.	Identify the "managing partner," if any, and describe the means and measure of their compensation:			
(3.	What authority does each venturer have to commit or obligate the other to insurance and bonding companies, financing institutions, suppliers, subcontractors, and/or other parties participating in the			
	-	performance of this contract or the work of this project?			

IX.

	Trade	Non-DBE Firm (number)	DBE (number)	Joint Venture (number)
	Professional			
	Administrative/Clerical			
	Unskilled Labor			
If a	ny personnel proposed for this proje	ect will be employees of the jo	oint venture:	
A.	Are any proposed joint venture en	nployees currently employed b		
	Employed by non-DBE (number):	vidual who will be responsible	Employed by	DBE:

Schedule B AFFIDAVIT OF DBE/NON-DBE JOINT VENTURE

NOTE:

The undersigned affirm that the foregoing statements are correct and include all material information necessary to identify and explain the terms and operations of our joint venture and the intended participation of each venturer in the undertaking. Further, the undersigned covenant and agree, under which work is done for CTA by the venturers. to provide to CTA current, complete and accurate information regarding actual joint venture work and the payment therefor, and any proposed changes to any provision of the joint venture, or those of each venturer relevant to the joint venture by authorized representatives of CTA, its Inspector General or any of its funding agencies.

Any misrepresentation regarding the status of a person or an entity in order to qualify for DBE status may result in conviction for a Class 2 felony, including a penalty for one and a half times the value of the contract. Material misrepresentation on any matter will also be grounds for terminating any contract which may be awarded, and for initiating action under federal or state laws concerning false statements.

if, after filing this Schedule B and before the completion of the joint venture's work on the project,

subcont	gram directly in writing or through ractor.	the prime contractor if the joint venture is a	
Name o	f DBE Partner Firm		
		Name of Non-DBE Partner Firm	-
Sign	nature of Affiant		
		Signature of Affiant	-
Name and Title o	f Affiant (Type or Print)		
		Name and Title of Affiant (Type or Print)	
	Date -		
		Date	•
On this	day of	, 20, the above-signed Off	icers of
-	(Name of	Joint Venture)	
personally known to executed the same i	me as the persons described in the capacity therein stated and	the foregoing Affidavit, acknowledged that they for the purpose therein contained.	
IN WITNESS OF, I h	ereunto set my hand and offic	ial seal.	
		Signature of Notary Public	_
My Commission Exp	pires:		
		SEAL	

Schedule C:

LETTER OF INTENT FROM DBE TO PERFORM AS SUBCONTRACTOR, SUPPLIER AND/OR CONSULTANT

Bidder's or Proposer's failure to submit both pages of this form with its bid will result in the bid being rejected in its entirety

	Name of Project/Contra	act:
	Requisition No.:	
From:		
(Name of DBE Firm)		
To:(Name of Prime Contractor)	and the Chicago Tran	sit Authority
The DBE status of the undersigned is condated (If proposing to perfrom the DBE venturer is attached along with undersigned is prepared to provide the goods in connection with the above named	rform as a DBE/non-DBE Ji vith a completed Schedule e following described servi	oint Venture, the Letter of Certification B and joint venture agreement).
Description/Type of Work (In Detail)	Quantity/Unit Price	Dollar Amount of DBE Contract
	Sub (or Grand)) Total: \$
Multi-Phase Project(s). For those projects DBE will be performing work:		se indicate the phase in which the

Schedule C: LETTER OF INTENT FROM DBE

Sub-Contracting Levels

% of the dollar ar	mount of the DBE's	subcontract will be su	ublet to non-E	DBE contractors.
% of the dollar ar				
NOTICE: IF THE DBE W	VILL NOT BE SUB- RO (0) MUST BE S	SUBCONTRACTING SHOWN IN EACH BL	ANY OF THE	E WORK DESCRIBED IN
NOTICE: IF MORE THA OF WORK WILL BE SUI SUBLET MUST BE ATT	BLET. A BRIEF EXI	PLANATION AND DE	OLLAR AMOU SCRIPTION	JNT OF THE DBE's SCOPE OF THE WORK TO BE
the contract. Material mi	iction for a Class 2 srepresentation on	felony, including a pe any matter will also b	nalty for one e grounds for	in order to qualify for DBE and a half times the value of terminating any contract cerning false statements.
The undersigned will enter conditioned upon your ex- five calendar days of you	ecution of a contra	ct with the Chicago Ti	ransit Authori	with you as Prime Contractor ty, and will do so within (5) t Authority.
		(Signature of Owr	ner, President o	or Authorized Agent of DBE)
			Name/Title (P	Print)
		Date		Phone
If proposing to perform	as a DBE/non-DB			
		(Signature of Owner, I	President or Au	uthorized Agent of non-DBE)
	-		Name/Title (P	rint)
	-	Date		Phone
On this	day of		20	
	uay oi		, 20	, the above-signed Officer
	(N	lame of DBE company)	-	
personally known to me a				nowledged that hishe
executed the same in the	capacity therein sta	ated and for the purpo	se therein co	ntained.
IN WITNESS OF, I hereui	nto set my hand a	nd official seal.		
		Cia	nature of Noton	y Public
My Commission Funished		Sig	nature of Notar	y Public
My Commission Expires:		Sigi	nature of Notar	y Public

Schedule D: DBE UTILIZATION PLAN

Bidder's or Proposer's failure to submit both pages of this form with its bid will result in the bid being rejected in its entirety

		Name of Project/Contra	act:
		Requisition No.:	
		Job Order No.:	
State of			
County (City) of		_	
In connection with the	above captioned con	tract, I HEREBY DECLAF	RE AND AFFIRM that I am the
(Title	of Affiant)	and duly authors	orized representative of
	(Name	of Prime Contractor)	
Disadvantaged Busines	ss Enterprises (DBE) I the Schedule C sub) Schedules for each DBE mitted by each DBE and l	and submitted with the attached Listed below is/are the agreement(s) listed separately for each DBE
DBE Firm(s)	Description/Typ	oe of Work (In Detail)	Dollar Amount of DBE Contract
·			
		W 1	
	-		
·			
Total	Dollar Amount for	All DRE Contracte Lieter	d Abayas - E

Schedule D: AFFIDAVIT OF PRIME CONTRACTOR

I hereby acknowledge that I have been advised of the following: Any misrepresentation regarding the status of a person or an entity in order to qualify for DBE status may result in conviction for a Class 2 felony, including a penalty for one and a half times the value of the contract. Material misrepresentation on any matter will also be grounds for terminating any contract which may be awarded, and for initiating action under federal or state laws concerning false statements.

To the best of my knowledge, information and belief, the facts and representations contained in the aforementioned attached Schedules are true and no material facts have been omitted.

The undersigned will enter into formal agreements with all listed DBE firms for work as indicated by this Schedule D and accompanying Schedules, and will enter into such agreements within five (5) calendar days after receipt of the contract executed by the Chicago Transit Authority. In the event the Prime Contractor cannot meet said five (5) day schedule, it must provide a written explanation for the delay and an estimate date by which the written agreement will be completed. The Prime Contractor designated the following person as their DBE Liaison Officer: (Name - Please Print or Type) (Phone) I do solemnly declare and affirm under penalty of perjury that the contents of the foregoing document are true and correct, and that I am authorized on behalf of the Prime Contractor to make this affidavit. (Name of Prime Contractor - Print or Type) (Signature) (Name and Title of Affiant - Print or Type) (Date) _day of_____, 20____, the (Title of Affiant) (Name of Company) personally known to me as the person described in the foregoing Affidavit, acknowledged that he/she executed the same in the capacity therein stated and for the purpose therein contained. IN WITNESS OF, I hereunto set my hand and official seal.

SEAL

Signature of Notary Public

My Commission Expires:

NAME OF PRIME BIDDER

BIDDERS LIST

BID NO.					
		DATI	E:		
JOB ORDER N	0				
BUS. PHONE NO ADDRESS:					
CITY:			STATE:		
CONTACT PER	RSON:				
	der, listed below is the inform				
quote as a subcon their own. Under: \$1,000,000, \$1,00	the following list are all firm stractor. Furthermore, include gross receipt column list ran 10,000-\$2,000,000, \$2,000,0 10,000-\$4,000,000, over \$4,0	ded on the list are all firm age using the following: 100-\$2.500.000, \$2.500.0	ns who submitted a bid	or quote on	
FIRM NAME	FIRM ADDRESS	DBE OR NON-DBE	AGE OF FIRM	GROSS RECEIPT RANGE	
			+		

STANDARD GOVERNMENT REQUIREMENTS FOR MATERIAL AND EQUIPMENT PURCHASES

This contract is subject to financial assistance contracts between the U.S. Department of Transportation (DOT), Federal Transit Administration (FTA), the State of Illinois Department of Transportation (IDOT), Division of Public Transportation (DPT), and the Chicago Transit Authority (CTA).

The following clauses shall be included as part of the specification for the proposed contract and for each of its related subcontracts.

- A. CONTRACT CHANGES. "Any proposed change in this contract shall be submitted to the Chicago Transit Authority for its prior written approval."
- B. INTEREST OF MEMBERS OF CONGRESS. No members of, or delegate to, the Illinois General Assembly or the Congress of the United States shall be admitted to any share or part of this contract or to any benefit arising therefrom.
- C. PROHIBITED INTERESTS. "No member, or officer, or employee of Chicago Transit Authority or a local public body with financial interest or control in this contract during his tenure or for one year thereafter shall have any interest, direct or indirect, in this contract or the proceeds thereof."
- D. INELIGIBLE CONTRACTORS. Contractors are required to certify that they ARE NOT included on the U.S. Comptroller General's Consolidated List of persons or firms currently debarred for violations of various Public Contracts incorporating labor standards provisions.
- E. NONDISCRIMINATION. "In connection with the execution of this contract, the contractor shall not discriminate against any employee or applicant for employment because of race, religion, color, sex, national origin, ancestry or handicap. The contractor shall take affirmative actions to insure that applicants are employed and that employees are treated during their employment, without regard to their race, religion, color, sex, national origin, ancestry or handicap. Such actions shall include, but not be limited to, the following: employment, upgrading, demotion or transfer; recruitment or recruitment advertising; layoff or termination; rates of pay or other forms of compensation; and selection of training, including apprenticeship."
- F. ILLINOIS HUMAN RIGHTS ACT Equal Employment Opportunity. During the performance of this contract, the contractor agrees as follows.
 - 1. That it will not discriminate against any employee or applicant for employment because of race, color, religion, sex, marital status, national origin or ancestry, age, physical or mental handicap unrelated to ability, or an unfavorable discharge from military service; and further that it will examine all job classifications to determine if minority persons or women are under utilized and will take appropriate affirmative action to rectify any such underutilization.
 - 2. That it will submit reports as required by the Department's Rules and Regulations, furnish all relevant information as may from time to time be requested by the Department or the contracting agency, and in all respects comply with the Illinois Human Rights Act and the Department's Rules and Regulations.
 - 3. That it will permit access to all relevant books, records, accounts and work sites by personnel of the contracting agency and the Department for purposes of investigation to ascertain compliance with the Illinois Human Rights Act and the Department's Rules and Regulations.
 - 4. That it will include verbatim or by reference the provisions of this clause in every subcontract it awards under which any portion of the contract obligations are undertaken or assumed, so that such provisions will be binding upon such subcontractor. In the same manner as with other provisions of this contract, the contractor will be liable for compliance with applicable provisions of this clause by such subcontractors; and further it will promptly notify the contracting agency and the Department in the event any subcontractor fails or refuses to comply therewith. In addition, the contractor will not utilize any subcontractor declared by the Illinois Human Rights Commission to be ineligible for contracts or subcontracts with the State of Illinois or any of its political subdivisions or municipal corporations."
- G. ENVIRONMENTAL AND ENERGY PROTECTION AND CONSERVATION REQUIREMENTS. All facilities and equipment will meet the criteria for air and water pollution control and energy conservation as follows:
 - "All facilities and equipment acquired, constructed, reconstructed, or improved using FTA and DPT grant funds, shall be designed and equipped to prevent or control air and water pollution in accordance with criteria issued by the Department of Health, Education and Welfare. However, in those locations where State or local air and water pollution regulations are in force, the more restrictive criteria shall govern."

"All contractors and suppliers must submit evidence to CTA that the governing air and water pollution criteria will be met. This evidence and related documents will be retained by the sponsor for on site examination by FTA and DPT representatives."

"All contractors and suppliers shall recognize mandatory standards and policies relating to energy efficiency which are contained in the State energy conservation plan issued in compliance with the Energy Policy and Conservation Act (42 U.S.C. § 6321 et seq.)."

- H. SPECIFIC MATERIALS AND/ OR SPECIFIC EQUIPMENT. Wherever in these Specification an article, equipment or material is defined by describing a proprietary product or by using the name of a manufacturer or vendor or trade name including catalogue numbers and/ or part numbers and/ or drawing numbers, the term "or equal" if not inserted shall be implied. The specific article, equipment or material mentioned shall be understood as establishing the type, function and minimum standard of design, efficiency, quality and performance desired and shall not be construed in such a manner as to exclude manufacturer's products or comparable design, efficiency, quality and performance. CTA engineers shall decide whether or not the article, equipment or material proposed by the bidder or contractor is equal to that specified in the Specification.
- I. TERMINATION OF CONTRACT. Chicago Transit Authority reserves the right to terminate this contract at any time after date of contract, with or without cause, by giving the contractor, in writing, a notice of termination. The notice shall be mailed certified to the contractor at his business address, and the effective date of termination shall be the date of receipt of the notice as shown on the certified mail return receipt. The Chicago Transit Authority shall pay the contractor for the sums then due for acceptable services performed in accordance with this contract and costs incurred in connection therewith up to the termination date.

J. CARGO PREFERENCE – USE OF UNITED STATES-FLAG VESSELS. The contractor agrees:

- To utilize privately owned United States-flag commercial vessels to ship at least 50 percent of the gross tonnage (computed separately for dry bulk carriers, dry cargo liners, and tankers) involved, whenever shipping any equipment, materials or commodities pursuant to this Contract, to the extent such vessels are available at fair and reasonable rates for United States-flag commercial vessels.
- 2. To furnish within 20 days following the date of loading for shipments originating within the United States, or within 30 working days following the date of loading for shipments originating outside the Untied States, a legible copy of a rated, "on-board" commercial ocean bill-of-lading in English for each shipment of cargo described in paragraph (1) above to the Grantee (through the prime contractor in the case of subcontractor bill-of-lading) and to the Division of National Cargo, Office of Market Development, Maritime Administration, 400 Seventh Street, S.W., Washington, D.C. 20590, marked with appropriate identification of the Project.

K. PATENT RIGHTS

- 1. Contractors may reserve a revocable, nonexclusive, royalty-free license in each patent application filed in any country or each invention subject to this clause and resulting patent in which the government acquires title. The license shall extend to the third-party contractor's domestic subsidiaries and affiliates, if any, within the corporate structure of which the third-party contractor is a part and shall include the right to grant sublicenses of the same scope to the extent the third-party contractor was legally obligated to do so at the time the contract was awarded. The license shall be transferable only with approval of FTA except when transferred to the successor of that part of the third party contractor's business to which the invention pertains.
- 2. The third-party contractor's nonexclusive domestic license retained pursuant to paragraph (1) of this clause may be revoked or modified by FTA to the extent necessary to achieve expeditious practical application of the subject invention under 41 C.F.R. 101-4. 103-3 pursuant to an application for exclusive license submitted in accordance with 41 C.F.R. 101-4. 104-3. This license shall not be revoked in that field of use and/or the geographical areas in which the third-party contractor has brought the invention to the point of practical application and continues to make the benefits of the invention reasonably accessible to the public. The third-party contractor's nonexclusive license in any foreign country reserved pursuant to paragraph (1) of this clause may revoked or modified at the discretion of FTA to the extent the third-party contractor or his domestic subsidiaries or affiliates have failed to achieve the practical application of the invention in that foreign country.
- 3. Before modification or revocation of the license, pursuant to paragraph (2) of this clause, FTA shall furnish the third-party contractor a written notice of its intention to modify or revoke the license and the third-party contractor shall be allowed 30 days (or such longer period as may be authorized by FTA for good cause shown in writing by the third-party contractor) after the notice to show cause why the license should not be modified or revoked. The third-party contractor shall have the right to appeal, in accordance with procedures prescribed by FTA any decision concerning the modification or revocation of his license.

U.S. DEPARTMENT OF TRANSPORTATION FEDERAL TRANSIT ADMINISTRATION REQUIREMENTS

In addition to the Standard Government Requirements for Material and Equipment Purchases, the Contractor is also required to comply with the following clauses required by the U.S. Department of Transportation Federal Transit Administration as applicable.

- 1. <u>Seismic Safety Requirements</u> The Contractor agrees that any new building or addition to an existing building will be designed and constructed in accordance with the standards for Seismic Safety required in Department of Transportation Seismic Safety Regulations 49 CFR Part 41 and will certify to compliance to the extent required by regulation. The Contractor also agrees to ensure that all work performed under this contract including work performed by a subcontractor is in compliance with the standards required by the Seismic Safety Regulations and the certification of compliance issued on the project.
- 2. Recycled Products The Contractor agrees to comply with all the requirements of Section 6002 of the Resource Conservation and Recovery Act (RCRA), as amended (42 U.S.C. 6962), including but not limited to the regulatory provisions of 40 CFR Part 247, and Executive Order 12873, as they apply to the procurement of the items designated in Subpart B of 40 CFR Part 247.
- 3. No Obligation by the Federal Government The Contractor acknowledges and agrees that, notwithstanding any concurrence by the Federal Government in or approval of the solicitation or award of the underlying contract, absent the express written consent by the Federal Government, the Federal Government is not a party to this contract and shall not be subject to any obligations or liabilities to the Contractor, or any other party pertaining to any matter resulting from the underlying contract.
- 4. <u>Privacy Act</u> The following requirements apply to a Contractor and its employees that administer any system of records on behalf of the Federal Government under any contract.
 - A) The Contractor agrees to comply with, and assure the compliance of its employees with, the information restrictions and other applicable requirements of the Privacy Act of 1974, 5 USC subsection 552a. The Contractor agrees to obtain the express consent of the Federal Government before the Contractor or its employees operate a system of records on behalf of the Federal Government. The Contractor understands that the requirements of the Privacy Act, including the civil and criminal penalties for violation of the Act, apply to those individuals involved, and that failure to comply with the terms of the Privacy Act may result in termination of the underlying contract.
 - B) The Contractor also agrees to include these requirements in each subcontract to administer any system of records on behalf of the Federal Government financed in whole or in part with FTA funding.
- 5. Access to Records and Reports The following access to records requirement apply to this Contract.
 - A) The Contractor agrees to provide the Authority, the FTA Administrator, the Comptroller General of the United States or any other authorized representatives access to any books, documents, papers and records of the Contractor which are directly pertinent to this Contract for the purposes of making audits, examination, excerpts and transcriptions. Contractor also agrees, pursuant to 49C.F.R. 633.17 to provide the FTA Administrator or his authorized representatives access to Contractor's records and construction sites pertaining to a major capital project, defined at 49U.S.C. 5302(a)1, which is receiving federal financial assistance through the programs described at 49U.S.C. 5307, 5309, or 5311. By definition, a major capital project excludes contracts of less than the simplified acquisition threshold currently set at \$100,000.
 - B) For any contract for a capital project or improvement entered into which was not the result of competitive bidding, the Contractor shall make available records related to the Contract to the Authority, the FTA and the Comptroller General or any authorized officer or employee of any of them for the purposes of conducting an audit and inspection.
 - C) The Contractor agrees to permit the authorized representatives to reproduce by any means whatsoever or to copy excerpts and transcriptions as reasonable needed.

- D) The Contractor agrees to maintain all books, records, accounts and reports required under this contract, except in the event of litigation or settlement of claims arising from the performance of this contract, in which case Contractor agrees to maintain same under the Authority, the FTA Administrator, the Comptroller General, or any of their dully authorized representatives, have disposed of all such litigation, appeals, claims or exceptions related thereto.
- 6. Fraud and False or Fraudulent Statements or Related Acts The Contractor acknowledges that the provisions of the Program Fraud Civil Remedies Act of 1986, as amended, 31 U.S.C. subsection 3801 et seg and U.S. Department of Transportation and FTA regulations, "Program Fraud Civil Remedies", 49 C.F.R. Part 31, apply to its actions pertaining to this Contract.

By submitting a proposal and execution of the Contract, the Contractor certifies or affirms the truthfulness and accuracy of any statement it has made, it may make, or causes to be made, pertaining to the Contract Documents. In addition to other penalties that may be applicable the Contractor further acknowledges that if it makes, or causes to be made, a false, fictitious, or fraudulent claim, statement, submission, or certification, the Federal Government reserves the right to impose the penalties of the Program Fraud Civil Remedies Act of 1986 on the Contractor. The Contractor also acknowledges that it makes, or causes to be made, a false, fictitious, or fraudulent claim, statement, submission, or certification to the Federal Government under a contract connected with a project that is financed in whole or in part with Federal assistance originally awarded by FTA under the authority of 49 U.S.C. subsection 5307, the Government reserves the right to impose the penalties of 18 U.S.C. subsection 5307, the Government reserves the right to impose the penalties of 18 U.S.C. subsection 1001 and 49 U.S.C. subsection 5307(n)(1) on the Contractor, to the extent the Federal Government deems appropriate. The Contractor agrees to include the above language in each subcontract without modification, except to identify the subcontractor who will be subject to the provisions.

- 7. Incorporation of Federal Transit Administration (FTA) Terms The preceding provisions include, in part, certain Standard Terms and Conditions required by DOT, whether or not expressly set forth in the preceding contract provisions. All contractual provisions required by DOT, as set forth in the latest revision of FTA Circular 4220.1 are hereby incorporated by reference. Anything to the contrary herein notwithstanding, all FTA mandated terms shall be deemed to control in the event of a conflict with other provisions contained in this Agreement. The Contractor shall not perform any act, fail to perform any act, or refuse to comply with any Authority requests which would cause the Authority to be in violation of the FTA terms and conditions.
- 8. Clean Air (1) The Contractor agrees to comply with all applicable standards, orders or regulations issued pursuant to the Clean Air Act, ads amended, 42 U.S.C. (7401et seq.). The Contractor agrees to report each violation to the Purchaser and understands and agrees that the Purchaser will, in turn, report each violation as required to assure notification to FTA and the appropriate EPA Regional Office. (2) The Contractor also agrees to include these requirements in each subcontract exceeding \$100,000 financed in whole or in part with Federal assistance provided by FTA
- 9. Federal Changes Contractor shall at all times comply with all applicable FTA regulations, policies, procedures and directives, including without limitation those listed directly or by reference in the Agreement (Form FTA MA (4) dated October 1, 1997) between Purchaser and FTA, as they may be amended or promulgated from time to time during the term of this contract. Contractor's failure to so comply shall constitute a material breach of this contract.

BID PROTEST PROCEDURES

SECTION I – AUTHORITY BID PROTEST PROCEDURE

A. The Chicago Transit Authority (CTA/ Authority) will hear and consider a bona fide bid protest regarding its procurement actions. It is anticipated that the majority of protests will be evaluated and finally decided by the Authority. Accordingly, the Authority intends to provide a thorough review of all bona fide bid protests. The Authority's primary concern, however, is the timely procurement of needed capital equipment, supplies or services. It does not intend to allow the filing of bid protests to unnecessarily delay the procurement process, especially if the protest involved is vexatious or frivolous in nature.

Notwithstanding the availability of these protest procedures, any interested party is encouraged to exhaust all methods described in the Contract Documents of resolving a procurement issue before filing a formal protest with the Authority. In its consideration of a bid protest, the Authority reserves the right to give due consideration to the good faith efforts of the protestor to resolve the issue involved through informal methods.

Note – The Federal Transit Administration (FTA) will be notified by the Authority of all formal, written protests, when FTA funds are involved.

B. Definitions for purposes of this section -

- 1. The term "days" refers to working days of the Authority.
- 2. The term "interested party" means any person (a) who is an actual bidder or prospective bidder in the procurement involved, and (b) whose direct economic interest would be affected by the award of the contract or by a failure to award the contract.

C. Submission of Protest

Any interested party may file a bid protest with the Authority on the basis that the Authority has failed to comply with applicable Federal or State law or with the Authority's Procurement Regulations. The protest must be filed in accordance with the timing requirements set forth in subsection D. "Types of Protests and Timing" of this section, and must include:

- 1. The name and address of the protestor.
- 2. The number of the contract solicitation.
- 3. A statement of the grounds for the protest, and in particular the Federal or State law or Authority Regulation alleged to have been violated. This statement should be accompanied by any supporting documentation the protesting party desires the Authority to consider in making its decision.

Protest should be submitted to:

General Manager Purchasing Chicago Transit Authority 567 W. Lake Street Chicago, IL 60661-1498

D. Types of Protests and Timing

The requirement for timely filing of a bid protest with the Authority will depend upon the type of protests involved. The Authority will consider the following three types of protest by interested parties:

1. Protest regarding solicitation

Any bid protest regarding the solicitation by the Authority must be filed <u>no later than five (5) days before the opening of bids</u>. Any protest filed after that date which raises issues regarding the solicitation will not be considered by the Authority.

This type of protest would include any claim that the bid solicitation contained exclusionary or discriminatory specifications, any challenge to the basis of award, or any claim that the solicitation documents or the solicitation process violated applicable Federal or State law, or that the Authority failed to follow its Procurement Regulations in the solicitation of bids.

2. Protests regarding bid evaluation

Any bid protest regarding the evaluation of bids by the Authority must be filed with the Authority no later than twenty (20) days after the opening of bids. Any protest filed after such date which raises issues regarding the bid evaluation will not be considered by the Authority.

This type of protest would include any challenge to determinations by the Authority of the responsiveness of a bid or the responsibility of a bidder, or any claim that the evaluation of bids violated federal or State law or the Authority's Procurement Regulations.

3. Protests Regarding Award of Contract

Any protest regarding the award of the contract must be filed <u>no later than ten (10) days after the date of award</u>. Any protest regarding the award of the contract filed after that date will not be considered by the Authority.

This type of protest will only be entertained by the Authority if the protestor is able to demonstrate that the party awarded the contract fraudulently represented itself as a responsible bidder or that the Authority violated Federal or State law or its Procurement Regulations in the award of the contract.

E. Authority Response

1. Types of Protests

The Authority will notify the protestor upon timely receipt of a bid protest and may, where appropriate, request additional information from the protestor. The Authority may, at its discretion, meet with the protestor to review the matters raised by the protest. The Authority's consideration of the particular types of protests will, except as otherwise provided in subsection 2. "Decisions by Authority" of this section, be in accordance with the following provisions:

a. Protest regarding solicitation

Upon receipt of a timely filed protest regarding the solicitation, the Authority will postpone the opening of bids until resolution of the protest. No additional bids will be accepted during the period of postponement.

If the protest regarding the solicitation involves a claim of unduly restrictive or exclusionary specifications, the Authority will, in evaluation of the protest, consider both the specific need of the Authority for the feature or item challenged and any effects on competition of including the specification regarding that feature or item. If the Authority determines that such feature or item was included in the specification in order to meet justified and valid transit needs of the Authority, and was not unduly restrictive of competition or designed to exclude a particular competitor, then the Authority will have grounds to deny the protest.

b. Protests regarding bid evaluation

Upon receipt of a timely filed protest regarding the evaluation of bids, the Authority will suspend its evaluation of all bids submitted until resolution of the protest if the Authority determines that the protestor has established that there are reasonable doubts regarding the responsiveness of a bid or the responsibility of a bidder or regarding the Authority's compliance with Federal or State law or its Procurement Regulations.

c. Protests after award

Upon receipt of a timely filed protest regarding the award of a contract, the Authority will issue a stop work order, if necessary, until the resolution of the protest if the Authority determines that the protestor has established a prima facie case that the contract was awarded fraudulently or in violation of that Federal or State law or the Authority's Procurement Regulations.

2. Decisions by Authority

As indicated above, in most instances the Authority will suspend the procurement process upon receipt of a bona fide bid protest. However, the Authority reserves the right, notwithstanding the pendency of a protest, to proceed with the appropriate action in the procurement process or under the contract in the following cases:

- a. where the item to be procured is urgently required;
- b. where the Authority determines that the protest was vexatious or frivolous; and
- c. where delivery or performance will be unduly delayed, or other undue harm will occur, by failure to make the award promptly.

After review of a bid protest submitted under this section, the Authority will issue a written decision of the basis of the information provided by the protestor, the results of any meetings with the protestor, and the Authority's own investigation. If the protest is upheld, the Authority will take appropriate action to correct the procurement process and protect the rights of the protestor, including resolicitation of bids, revised evaluation of bids or Authority determinations, or termination of the contract. If the protest is denied, the Authority will lift any suspension imposed and proceed with the procurement process or the contract, as the case may be.

The availability of review of bid protest by FTA is described in Section II. As noted in that section, under FTA's revised procurement guidelines the role of the Federal government in bid protest review is quite limited.

SECTION II - FTA BID PROTEST PROCEDURE

Reviews of protests by FTA will be limited to claims that the CTA failed to have or follow protest procedures, or claims that CTA failed to review a complaint or protest. A protestor must exhaust all administrative remedies with the CTA before pursuing a protest with FTA. An appeal to FTA must be received by the cognizant FTA regional or Headquarters Office within five (5) working days of the date the protester knew or should have known of the violation.

Violations of Federal law or regulation will be handled by the complaint process stated within that law or regulation. Violations of State or local law or regulations will be under the jurisdiction of State or local authorities.

SPECIAL CONDITIONS SPECIFICATION NO. CTA 633-06(R11); 3370-04(R11); 4758-08(R11) CONTRACT NO. B12OP00854

ELECTRONIC FUND TRANSFER

CTA has adopted Electronic Fund Transfer (EFT) as the preferred method of payment for vendor invoices. An EFT enrollment form is provided and must be completed to enable payment of vendor accounts by this method. If awarded, provide completed EFT form to CTA Purchasing Administrator identified on title page.

DELIVERY: RELEASE NOTICE

Periodic Release Notices will be issued against the Contract which will be the Contractor's authority to perform the work. Contractor is not to start performance without first receiving a release from CTA. CTA's primary method of issuing releases will be via e-mail. No paper release(s) will be generated. The Contractor is to provide a dedicated e-mail address on the proposal page, P-1 for receipt of the release(s). The Contractor is to confirm receipt of release(s) to PurchasingDepartment@transitchicago.com. The Contractor is to deliver services within the time stated in the release.

PERFORMANCE BOND

None required.

INSURANCE

None required

DELIVERY

Delivery shall be made to the Storeroom designated on each individual release. Deliveries to be on weekdays between the hours of 7:00 a.m. and 3:30 p.m.(no holidays). Delivery shall be made within ten days after receipt of a purchase order release.

DURATION OF CONTRACT

This Contract shall become effective on the date of the Contract and will remain in effect for a period of up to thirty-six (36) months.

ESTIMATED EXPENDITURES

Based on previous expenditures, CTA anticipates an expenditure of \$60,000.00 on this Contract. This figure is provided for your information only and in no way represents a commitment from CTA to purchase any specific dollar value of washers. Periodic releases will be issued over the period of this Contract.

The Contract issued to the successful Bidder will state the total expenditure authorization on the signed acceptance page. Contractor shall notify the Authority in writing when ninety percent (90%) of the total authorization has be expended. Contractor shall not accept any requests for material and/or service in excess of the total contract expenditure authorization unless authorized in writing by the General Manager, Purchasing. Contractor shall be liable for any costs incurred as a result of this failure to notify the Authority or accepting requests not authorized by the General Manager, Purchasing.

SPECIAL CONDITIONS (continued)

SPECIFICATION NO. CTA 633-06(R11); 3370-04(R11); 4758-08(R11) CONTRACT NO. B12OP00854

PAYMENT

The Contractor shall submit an invoice for each release for acceptable and approved material delivered. Payment to the Contractor shall be made within 30 days after final acceptance of material received or within the time stated by the contractor on the proposal page if a cash billing discount is offered. (see CASH BILLING DISCOUNT, on page G-3 of the General Conditions).

PROPOSAL PREPARATION

The Bidder is to state on the Proposal the name of the manufacturer(s) whose product is proposed, part number (if applicable) unit price, cash billing discount (if any) to the terms of payment, and whether his prices are firm or subject to escalation. The Bidder to with his proposal literature as may be required to clarify the bid. Bid price shall include all applicable charges and represent the delivered price.

Due to the inconsistency of the CTA units of measure (UOM) particular attention must be paid to the UNIT PRICE that is quoted. Please note that the UOM determines whether the UNIT PRICE will be for each piece, for a package, or per pound. Where the UOM is listed as package please refer to PCK. INFO to determine the number of units in each package.

ESCALATION

CTA encourages Bidders to quote prices that are firm for the contract period. If the bidder cannot offer firm prices, then the bidder may quote an escalated percentage for the second and/or third twelve (12) months of the contract. This escalation will be considered during bid analysis. This escalation must be substantiated by a notice of increase and the CTA reserves the right to require evidence satisfactory to the CTA which justifies any and all price increases. Note: Escalation, if quoted is not automatically applied to the second and/or third 12 month period of the contract. Contractors must provide to the Authority a request for and documentation justifying said request. Escalation will not be applied until the request and acceptable documentation are received by the CTA.

SPECIFICATION INTERPRETATION

The specification is intended to be descriptive but not restrictive. It is solely for the purpose of establishing the type and quality of the material which will meet the approval of the CTA. Whenever brand, manufacturer, and product names are indicated in the specification and/or proposal pages they are included only for the purpose of establishing identification and a general description of the item. Whenever such names appear, the term "or approved equal" is considered to follow.

Any proposed alternate from the referenced product specification must be documented by the bidder as to its compatibility and performance as being "equal to" the referenced item. Deviations from the listed Component Specifications will be judged in regard to their effect on the ability of the proposed unit to perform and meet the purchasers needs. The Authority retains exclusive right to determine acceptability of alternate proposals.

SPECIAL CONDITIONS (continued)

SPECIFICATION NO. CTA 633-06(R11); 3370-04(R11); 4758-08(R11) CONTRACT NO. B12OP00854

ALTERNATE BRANDS

Alternate brands will be considered if equal to the examples listed on the proposal pages. Bidder to submit a technical specification sheet for evaluation of each item that varies from that listed in the specifications and/or proposal pages. The specification sheet must list in detail the capacities and performance associated with that item. CTA reserves the right to determine if a substitution is acceptable or not acceptable. The CTA may also direct that a sample be furnished for testing and evaluation. In order to issue a contract in a reasonable amount of time, items requiring extensive testing prior to approval will not be considered for an award on this contract.

INSPECTION, SAMPLING, REJECTION AND TESTING

<u>Inspection</u>--Final inspection by the CTA will be made at the point of delivery.

<u>Sampling</u>-- For purpose of information to Bidder, CTA may test samples from each shipment of delivered supplies.

<u>Rejection</u>--CTA reserves the right to reject supplies which do not comply with this Specification in particular and to return the rejected supplies to the Contractor. The rejected supplies shall be replaced by the Contractor, with acceptable supplies within a time limit mutually agreed upon by the CTA and the Contractor and at no additional charge. The Contractor shall assume all testing and shipping expense on rejected supplies.

TERMINATION FOR CONVENIENCE

The Authority may terminate this Agreement, in whole or in part, without cause, at any time, by written notice to the Contractor whenever the Authority determines that such termination is in the best interest of the Authority. Upon receipt of written notice of termination, all services and other performance hereunder by the Contractor shall cease to the extent specified in the notice of termination. In the event of termination in whole, the Contractor shall prepare a final invoice within thirty (30) days of such termination reflecting the services actually furnished pursuant to this Agreement to the satisfaction of the Authority and for which no previous invoice was submitted to the Authority.

The Contractor shall be paid costs, including closeout costs, and profit for the services performed up to the time of termination. The Contractor shall promptly submit, in accordance with the terms hereof, a termination claim to the Authority and the parties shall negotiate a termination settlement to be paid the Contractor. If the Contractor has any property in his possession belonging to the Authority, the Contractor will account for same, and dispose of it in the manner the Authority directs.

SPECIAL CONDITIONS (continued)

SPECIFICATION NO. CTA 633-06(R11); 3370-04(R11); 4758-08(R11) CONTRACT NO. B12OP00854

WARRANTY

Material furnished shall be covered by the manufacturer's Standard Warranty. In the event that a vendor fails to pay approved or partially approved warranty claims within 60 days of submission, the Authority shall send the vendor written notice seeking immediate payment of the outstanding claims. If the vendor fails to pay the outstanding claims within 5 days of vendor's receipt of the written notice, the Purchasing Department shall issue a notice to cure letter providing the vendor with 10 days to cure the default. If the vendor fails to cure the default, the Authority may, at its discretion, deduct the Authority's costs from 1) any unpaid contract funds, 2) any contract retainage amounts or 3) a maintenance or performance bond. If the deductions do not fully satisfy the outstanding claims, the Authority may seek additional remedies. All remedies shall be inclusive of applicable interest payments.

PACKAGING

All material shall be packaged in accordance with good commercial practice. All packages shall be marked with contractors name, and CTA's contract number, and manufacturers product number.

INVENTORY REQUIREMENT

A minimum quantity inventory is to be calculated for each line item from the quantity stipulated in the Prior Demand column listed on the applicable Bid Proposal page(s).

The vendor/seller must maintain an inventory level for each line item, as applicable, which is equal to a two (2) month supply for each item (as derived from the Prior Demand quantity) at all times subsequent to the implementation of the contract. The minimum quantity inventory must be maintained for which releases against an item will be provided. If the release quantity for an item is greater than the required inventory quantity the vendor/seller shall ship the on-hand quantity and it is to be received by the Authority no later than ten (10) days after receipt of the notice of release. CTA encourages vendor/seller to provide partial shipments, if applicable. The balance required to complete a release, including re-stocking of the minimum quantity order amount shall comply with the requirements stipulated in the "Delivery" section of the contract. The initial minimum quantity inventory for each line item must be stocked and available no later than the period stipulated in the "Delivery" section of the contract. In addition, any release(s) against an item(s) processed during the initial minimum quantity inventory period is to be received by the Authority no later than the period stipulated in the "Delivery" section of the contract.

However, if an item has a minimum order quantity, as specified in the contract or has been agreed to by the Authority, that is greater than the two month minimum inventory quantity, vendor/seller must maintain an inventory of at least the minimum order quantity amount. (unless otherwise specified).

CTA has the right under this requirement to adjust (up or down) the minimum quantity inventory for an item at six month intervals subsequent to the execution of the contract. The procurement administrator listed on the cover page of the contract or designee will update/review the previous twelve (12) month Prior Demand quantity at six month intervals after execution of the contract.

SPECIAL CONDITIONS (continued) SPECIFICATION NO. CTA 633-06(R11); 3370-04(R11); 4758-08(R11) CONTRACT NO. B12OP00854

INVENTORY REQUIREMENT (continued)

Notification will be provided to the vendor/seller if the minimum quantity inventory for an item needs to be adjusted for the subsequent six month period.

If vendor/seller is notified the quantity is to be adjusted upward, the vendor/seller must increase its two month inventory quantity accordingly. Likewise, if the quantity is adjusted downward the vendor/seller may adjust its two month inventory quantity accordingly.

CTA reserves the right, at its sole discretion, and with a 48-hour written notice to conduct site visits to audit the required two-month minimum quantity inventory on items under a specific contract. CTA accepts no obligation and shall not be liable to purchase any residual stock that may remain in vendor/seller inventory at the conclusion of the contract term, unless otherwise stipulated between the parties.

BASIS OF AWARD

Award shall be made to the lowest responsive and responsible bidder based upon the unit price per item including escalation, if any. CTA also reserves the right not to make an award for any and/or all items.

CTA ETHICS ORDINANCE

The Contractor agrees to comply with the CTA Code of Ethics, CTA Ordinance No. 004-99, as amended from time to time, the provisions of which are hereby incorporated into this Agreement. The Contractor further agrees that any contract negotiated, entered into or performed in violation of the Code of Ethics shall be voidable as to the CTA.

ACCESS TO RECORDS AND REPORTS

The Contractor shall permit and agree to cooperate with the authorized representatives of the CTA, including, but not limited to, the CTA's Inspector General and auditors, who may inspect and audit all data and records of the Contractor relating to the Contractor's performance and Subcontractor contracts under this Contract from the date of this Contract through and until the expiration of five years after completion of this Contract.

PROMPT PAYMENT TO SUBCONTRACTORS

- A) Prime Contractors are required to pay all subcontractors, both DBE and non-DBE, for all work which the subcontractor has satisfactorily completed, no later than five (5) business days after the prime Contractor received payment from CTA.
- B) In addition, all retainage amounts must be returned by the prime Contractors to the subcontractor no later than fourteen (14) business days after the subcontractor has satisfactorily completed its portion of the contract work, including punch list items, whether or not CTA has paid the prime Contractor.

SPECIAL CONDITIONS (continued) SPECIFICATION NO. CTA 633-06(R11); 3370-04(R11); 4758-08(R11) CONTRACT NO. B12OP00854

PROMPT PAYMENT TO SUBCONTRACTORS (continued)

- C) A delay in or postponement of payment to the subcontractor requires good cause and prior written approval of the Purchasing Agent.
- D) All prime Contractors are required to include, in each subcontract, a clause requiring the use of appropriate arbitration mechanisms to resolve all payment disputes.
- E) CTA will not reimburse prime Contractors for work performed unless and until the prime Contractor ensures that the subcontractors are promptly paid for the work they have performed to date as evidenced by the filing with CTA of lien waivers and canceled checks.
- F) CTA will consider failure to comply with these prompt payment requirements a contract violation which may lead to any remedies permitted under law, including but not limited to, contract debarment.

MINIMUM QUANTITY PER RELEASE

In an effort to achieve reduced pricing, the CTA will release material covered under the terms of this contract in the minimum amount of \$100.00 per release.

BIDDER INOUIRIES

Any questions regarding the content of the Contract Documents must be submitted in writing at least seven (7) days prior to the bid opening. Inquiries can be fax'd to the Procurement Administrator as identified on the cover sheet of the Contract documents at (312) 681-2495.

CHICAGO TRANSIT AUTHORITY

DETAIL SPECIFICATION FOR WASHERS, PLAIN FLAT AND LOCK, METALLIC - METRIC

SPECIFICATION NO. CTA 633-06(R11)

1 SCOPE

1.1 This specification details the requirements for metallic metric flat and lock washers used to maintain Chicago Transit Authority vehicles, equipment and facilities throughout the service region.

2 REQUIREMENTS – GENERAL

- 2.1 The Contractor shall furnish new metric flat and lock washers as requested in each contract release.
- 2.2 Washers shall be of the type, size, material and finish requested.
- 2.3 Plain flat (plain) washers shall comply with the dimensions and geometry of American National Standards Institute (ANSI) standard B18.22M, *Metric Plain Washers*. In addition, for the requested type, the standard listed below shall also apply. Included in this requirement are all limits (tolerances) stated within the standard.
- 2.3.1 Standard washers: International Organization for Standardization (ISO) 7089, *Plain Washers Normal Series Product Grade A.*
- 2.3.2 Large inside diameter washers: ISO 7091, *Plain Washers Normal Series Product Grade C.*
- 2.3.3 Small outside diameter washers: ISO 7092, *Plain Washers Small Series Product Grade A*.
- 2.3.4 Large outside diameter washers: ISO 7093, *Plain Washers Large Series Product Grade A*.
- 2.3.5 Heavy washers: Deutsches Institut fur Normung (DIN) standard 7349, *Plain Washers for Bolts with Heavy Clamping Sleeves*.
- 2.4 Lock washers shall comply with the dimensions and geometry of American Society of Mechanical Engineers (ASME) B18.21.2M, *Lock Washers (Metric Series)*. In addition, based on the requested type, the standard listed below shall also apply. Included in this requirement are all limits (tolerances) stated within the standard(s).

- 2 REQUIREMENTS GENERAL (Cont.)
- 2.4.1 Helical spring lock washers: DIN 128, Curved Spring Lock Washers.
- 2.4.2 Serrated lock washers: DIN 6798, Serrated Lock Washers.
- 2.5 Washers shall be free of burrs, loose scale, sharp edges and protuberances that detract from their use or pose a potential hazard to bare human hands.
- 2.6 The version of each standard referenced by this specification that is current on the date of the Invitation for Bid shall apply.

3 REQUIREMENTS - MATERIALS

- 3.1 Materials used to compose the washers shall conform to one or more of the standards listed below for the requested material. Chicago Transit Authority (CTA) acknowledges that deliveries of washers may be of homogeneous or heterogeneous composition.
- 3.1.1 Carbon steel any of the following:
- 3.1.1.1 American Society for Testing and Materials (ASTM) standard A 512, *Cold-Drawn Buttweld Carbon Steel Mechanical Tubing*, grade MT1015.
- 3.1.1.2 ASTM A 568/A568M, General Requirements for Steel, Sheet, Carbon, and High-Strength, Low-Alloy, Hot-Rolled and Cold-Rolled.
- 3.1.1.3 DIN EN 10029, Hot Rolled Steel Plate 3 mm Thick or Above Tolerances on Dimensions, Shape and Mass, code St 37-2.
- 3.1.1.4 Unified Numbering System (UNS) G10550 G10650, as determined by ASTM standards, heat treated to Rockwell C scale hardness (HRc) 44 51.
- 3.1.2 Stainless steel any of the alloy numbers listed below, as determined by ASTM standards.
- 3.1.2.1 UNS \$30100
- 3.1.2.2 UNS \$30400
- 3.1.2.3 UNS S31600
- 3.1.3 Brass (medium leaded) UNS C35000, as determined by Copper Development Association (CDA) standards
- 3.1.4 Phosphor Bronze UNS C51000, as determined by CDA standards

4 REQUIREMENTS – PROTECTIVE COATINGS

- 4.1 All washers shall be furnished with a protective coating, as requested in the contract release. Unless otherwise requested, the coating type and class (thickness) shall be as indicated herein. Should a unique coating be requested, the detailed specifications will be identified in the contract documents.
- 4.1.1 Black Oxide Military standard MIL-DTL-13924D, Coating, Oxide, Black, for Ferrous Metal, class 1 with supplementary water displacing preservative coating per MIL-PRF-16173E, grade 3 or MIL-PRF-32033 or comparable material applied to the clean and dry fasteners immediately following the hot dilute chromic acid dip.
- 4.1.2 Zinc Electrodeposited ASTM B 633, *Electrodeposited Coatings of Zinc on Iron and Steel*, type II (with supplementary colored chromate treatment), class Fe/Zn 8.
- 4.1.3 Zinc Mechanically Deposited Society of Automotive Engineers/Aerospace Materials Specification (SAE/AMS) standard C-81562, Coatings, Cadmium, Tin-Cadmium and Zinc (Mechanically Deposited), or ASTM B 695, Coatings of Zinc Mechanically Deposited on Iron and Steel, type II (with supplementary colored chromate treatment), class 8.
- 4.2 CTA acknowledges suitably constructed zinc plated fasteners as a substitute for cadmium plated fasteners. Should a contract release request a cadmium plated washer, the Contractor may substitute an electro-deposited or mechanically-deposited zinc plated washer, provided all other washer properties are equivalent to that of the requested washer.

5 <u>CERTIFICATION</u>

- 5.1 Unless otherwise requested, plain flat washers need not be subjected to tests of mechanical properties. CTA acknowledges that washer hardness may vary within any production lot.
- 5.2 Lock washers shall comply with the mechanical property requirements of ASME B18.21.2M as indicated below for the type requested.
- 5.2.1 Helical lock washers shall pass the temper and twist tests.
- 5.2.2 Serrated lock washers shall pass the temper, clamping and twist tests.
- 5.3 The Contractor shall furnish a certificate of conformance with each delivery associated with said request. Should the delivery be composed of multiple production lots, a certificate shall be furnished for each lot represented.

5 <u>CERTIFICATION (Cont.)</u>

5.4 Certificates shall state the washers have been manufactured and tested per the standards identified herein and as requested. Applicable hydrogen or caustic embrittlement relief tests are included in this requirement.

6 CONTRACT INFORMATION

- 6.1 Refer to the contract documents for a list of items upon which Bidders shall base their proposals.
- 6.2 CTA reserves the right to request, review and examine documentation and samples of proposed washers without cost or obligation.
- 6.3 Bidders requiring additional information shall contact the Procurement Administrator listed on the front page of this contract document. Potential bidders requiring additional information from person(s) listed in the Special Conditions must route their requests through the Procurement Administrator. Potential bidders who contact any CTA personnel other than the Procurement Administrator will be considered in violation of the provisions of the contract document.

Distribution: Manager, Bus Technical Services

Manager, Rail Technical Services

Manager, Technical Support - West Shops

MD/sh - Initial Specification - 11/14/95 CE/che - 5th Revision - 11/2/06 JSC/jsc - Reviewed - 06/06/11

CHICAGO TRANSIT AUTHORITY

DETAIL SPECIFICATION FOR BOLTS, NUTS, WASHERS: STRUCTURAL STEEL, HIGH STRENGTH

SPECIFICATION NO. CTA 3370-04(R11)

1. SCOPE

1.1 This specification covers high strength, heavy hexagon head, or slotted flathead structural steel bolts, heavy hex nuts and hardened steel washers (circular, circular clipped, and beveled square) in various trade sizes.

2. DETAILED REQUIREMENTS

- 2.1 The bolts, nuts and washers furnished under this specification shall be in full compliance with the applicable ASTM, ANSI/ASME, and Military standards, indicated throughout this specification.
- 2.1.1 The latest revision at the time of opening of bid proposals shall take precedence.

2.2 Bolts

- 2.2.1 <u>120/105 ksi Minimum Tensile Strength Bolts</u> Bolts furnished as having a minimum tensile strength of 120/105 ksi shall meet the mechanical and chemical requirements specified in ASTM A 325 for Type 1 structural bolts.
- 2.2.2 <u>150 ksi Minimum Tensile Strength Bolts</u> Bolts furnished as having a minimum tensile strength of 150 ksi shall meet the mechanical and chemical requirements specified in ASTM A 490 for Type 1 structural bolts.
- 2.2.3 Both 120/105 ksi and 150 ksi minimum tensile bolts shall be either full-bodied, heavy hex head, conforming to the dimensions and tolerances specified in ANSI B18.2.1, or slotted flat countersunk head bolts conforming to dimensions and tolerances specified in ANSI/ASME B18.6.2, the threads shall conform to the dimensions and tolerances specified in ANSI/ASME B1.1 for Class 2A Unified National Coarse cut or rolled (UNC or UNCR) threads.

2.3 Washers

2.3.1 Hardened flat washers either circular, circular clipped or beveled square shall meet the dimensions and tolerances, and the mechanical and chemical requirements specified in ASTM F 436.

2. <u>DETAILED REQUIREMENTS</u> (Cont.)

2.4 Nuts

- 2.4.1 Nuts to be used with ASTM A 325 bolts (120/105 ksi) shall be heavy hex and shall meet the mechanical and chemical requirements specified in ASTM A 194 for Grade 2 nuts (2H when heat treated) or ASTM A 563 for Grade C nuts. Dimensions and tolerances shall comply with those given in ANSI/ASME B18.2.2, the threads shall conform to the dimensions and tolerances specified in ANSI/ASME B1.1 for Class 2B Unified National Coarse cut or rolled (UNC or UNCR) threads.
- 2.4.2 Nuts to be used with ASTM A 490 bolts (150 ksi) shall be heavy hex and shall meet the mechanical and chemical requirements specified in ASTM A 194 for Grade 3 nuts or ASTM A 563 for Grade DH nuts. Dimensions and tolerances shall comply with those given in ANSI/ASME B18.2.2, the threads shall conform to the dimensions and tolerances specified in ANSI/ASME B1.1 for Class 2B Unified National Coarse cut or rolled (UNC or UNCR) threads.

3. PROTECTIVE COATING

- 3.1 Unless otherwise specified in the Contract Document, bolts, nuts and washers shall be furnished plain (non-coated).
- 3.1.1 The plain (non-coated) bolts, nuts and washers furnished under this specification shall be clean, free of loose metal particles, foreign matter or any injurious defects and shall have a light coat of oil or an equivalent product to prevent rusting while in storage.
- 3.2 When a zinc protective coating is specified in the Contract Document for bolts, nuts and/or washers, the coating shall be in compliance with ASTM A 153, Class "C" or B 695, Class 5. ASTM method and class shall be indicated in the Contract Document.
 - NOTE: When a cadmium protective coating is called for in the Contract Document, a zinc coating shall be applied instead.
- 3.3 When a black oxide coating is specified in the Contract Document, the coating shall be in accordance with Military standard MIL-DTL-13924D, Coating, Oxide, Black, for Ferrous Metal, class 1 with supplementary water displacing preservative coating per MIL-PRF-16173E, grade 3 or MIL-PRF-32033 or comparable material applied to the clean and dry fasteners immediately following the hot dilute chromic acid dip.
- 3.4 All bolts, nuts and washers furnished with a protective coating shall meet all dimensional requirements after the protective coating is applied. Threading shall be performed prior to coating and the threads shall be completely coated.

4. MARKING

- 4.1 Bolts furnished under this specification shall be marked as follows.
- 4.1.1 Bolts hex head and slotted flathead bolts having a minimum tensile strength of 120/105 ksi shall be legibly marked with the characters *A 325* and the manufacturer's name or mark on top of the bolt head. Additionally, the bolts may be identified with three (3) radial lines 120° apart on the head.
- 4.1.2 Bolts having a minimum tensile strength of **150 ksi** shall be legibly marked with the characters **A 490** and the manufacturer's name or mark on top of the bolt head. Additionally, the bolts may be identified with six (6) radial lines 30° apart on the head.
- 4.2 Nuts furnished under this specification shall be marked as follows.
- 4.2.1 Nuts fabricated to ASTM A 194, Grade 2 shall be identified on one face with the numeral **2** (**2B** or **2HB** when machined from bar stock) and the manufacturer's identification.
- 4.2.2 Nuts fabricated to ASTM A 194,Grade 3 shall be identified on one face with the numeral **3** (**3B** when machined from bar stock) and the manufacturer's identification.
- 4.2.3 Nuts fabricated to ASTM A 563, Grade C shall be marked with three (3) circumferential marks 120^o apart on one face and the manufacturer's identification.
- 4.2.4 Nuts fabricated to ASTM A 563, Grade DH shall be marked with the grade symbol **DH** on one face and the manufacturer's identification.
- 4.3 Washers furnished under this specification shall be marked in accordance with ASTM F 436, section 15 Product Marking.

5. SURFACE DISCONTINUITY

- 5.1 Bolts and Nuts furnished under this specification shall meet the surface discontinuity limits of the following ASTM specifications.
 - Bolts ASTM F 788
 - Nuts ASTM F 812
- Washers shall be free of excess mill scale, excess coatings and foreign material on bearing surfaces. Arc and gas cut washers shall be free of metal splatter.
- 5.2.1 Washers shall not have burrs that exceed 0.01 inch in height.

6. CERTIFICATION

When specified in the Contract Document, the manufacturer shall furnish with each item number shipment received by the CTA, a copy of the test report, certified to be the test report, of the results of the last completed set of tests performed on the specific type, size and grade of bolt, nut, or washer furnished.

7. ADDITIONAL INFORMATION FOR POTENTIAL BIDDERS

7.1 Bidders requiring additional information shall contact the Procurement Administrator listed on the front page of the Contract Document. Potential Bidders requiring additional information from a person or persons listed in the Special Conditions must route their requests through the Procurement Administrator. Potential Bidders who contact any Authority personnel other than the Procurement Administrator will be considered in violation of the provisions of the Contract Document.

Distribution:

Mgr., Substation/Power Maintenance

Mgr., Structure Maintenance

Mgr., Track & Structure Engineering

Mgr., Track Maintenance Mgr., Technical Services-Rail

Sr. Road Master, Track Maintenance

FJM/jb - Initial Specification - 7/21/67 MD/md - 19th Revision - 08/18/04

MD/Mgr. Struct. Maint./md - Reviewed & Re-Approved - 09/13/06

JSC/jsc - Reviewed - 04/05/11

CHICAGO TRANSIT AUTHORITY

DETAIL SPECIFICATION FOR WASHERS: PLAIN AND LOCK (INCH SERIES)

SPECIFICATION NO. CTA 4758-08(R11)

1. SCOPE

- 1.1 This specification covers requirements for inch series plain flat washers, and lock washers, for use in the maintenance and repair of vehicles and equipment throughout the Chicago Transit Authority.
- 2. GENERAL The washers included within this specification are as follows.
- 2.1 Plain Flat Washers Type A & B, or special, made from Carbon Steel, Stainless Steel, Brass, Bronze, or Copper.
- 2.2 Lock Washers Helical Spring, Toothed (Type A & B Internal, External & combination internal/external) and Countersunk Toothed (Type A & B), made from Carbon Steel, Stainless Steel, Brass, or Bronze.
- 2.3 This specification <u>DOES NOT</u> cover Hardened Steel Washers.
- 2.4 Washers shall be furnished in the size, type, material, protective coating, and per any special conditions specified in the description of the individual CTA item number listed in the bid proposal pages of the Contract Document, individual release, or the Request For Quotation (RFQ).

3. <u>DETAILED SPECIFICATIONS</u>

- 3.1 All washers shall have a quality finish, free from burrs, loose scale, sharp edges and any other defects that might affect their serviceability or cause injury to the handler.
- 3.2 The latest revision to the standards referenced herein, at the time of Invitation For Bid shall apply.

- 3. <u>DETAILED SPECIFICATIONS</u> (Cont.)
- 3.3 Plain Flat Washers
- 3.3.1 Geometry Plain flat washers shall meet the following geometric requirements
- 3.3.1.1 Type A plain flat washers shall be in accordance with the dimensions and tolerances shown in Tables 1A (preferred) or 1B (select) of ANSI/ASME B18.22.1 for SAE "N" (narrow) and Standard Plate "W" (wide) washers. Type B plain flat washers shall be in accordance with the dimensions and tolerances shown in Table 2 of ANSI/ASME B18.22.1 for narrow, regular, and wide washers. All plain flat washers shall meet the requirements specified in ASTM F844 for parallelism, flatness and runout.
- 3.3.1.2 Special plain flat washers shall be in accordance with ANSI/ASME B18.22.1 except the inside diameter, outside diameter and thickness dimensions shall meet those indicated in the contract document or RFQ. Unless otherwise specified in a CTA drawing referenced in the contract document or RFQ, special washers shall meet ASTM F 844 for parallelism, flatness and runout,
- 3.3.2 <u>Material</u> Plain flat washers shall meet the following material requirements.
- 3.3.2.1 Carbon Steel Washers- Carbon steel plain flat washers shall, at the manufacturer's option, be punched from hot-rolled, hot-rolled and pickled, or cold-rolled steel conforming to ASTM A 568. Manufacturer may opt to forge or machine washers from bar stock or tubing made from steel conforming to ASTM A 29 or ASTM A 512.
- 3.3.2.2 Stainless Steel Washers Acceptable materials for the manufacture of stainless steel plain flat washers include Austenitic grade UNS No. S3XX00 and Martensitic grade UNS No. S4XX00 stainless steel sheet, strip or plate conforming to ASTM A 167 or ASTM A 176. Manufacturer may opt to forge or machine washers from bar stock or tubing made from stainless steel conforming to ASTM A 276, ASTM A 666, or ASTM A 511.
- 3.3.2.3 Brass Washers Acceptable materials for the manufacture of brass flat washers include UNS No. C46X00 Naval Brass per ASTM B 21, UNS No. C27000 Yellow Brass per ASTM B 134, UNS C26000 Cartridge Brass per ASTM B 36, and UNS C35000, Medium-Leaded Brass per ASTM B 121.
- 3.3.2.4 Bronze Washers Acceptable materials for the manufacture of bronze plain flat washers include UNS C5XX00 Phosphor Bronze per ASTM B 103 and UNS C65X00, Low-Silicone Bronze per ASTM B 98.
- 3.3.2.5 Copper Washers Acceptable material for the manufacture of copper plain flat washers is UNS C11000 Electrolytic Tough Pitch (ETP) per ASTM B 152.

- 3. <u>DETAILED SPECIFICATIONS</u> (Cont.)
- 3.3 Plain Flat Washers (Cont.)
- 3.3.3 <u>Mechanical Properties</u> Plain flat washers shall meet the following mechanical properties requirements.
- 3.3.3.1 Carbon Steel and Ferrous Washers Unless otherwise specified in the contract document, or RFQ, carbon steel and non-ferrous plain flat washers are not required to be furnished to mechanical requirements and the hardness may vary in any production lot.
- 3.3.3.2 Stainless Steel washers Stainless steel plain flat washers shall meet the mechanical requirements for the given ANSI Type or UNS designation called for in the contract document, or RFQ (e.g.: Type 30X and Type 4XX, or UNS S3XX00 and UNS S4XX00) as specified in ASTM A 167 and ASTM A 176.
- 3.4 Helical Spring Lock Washers
- 3.4.1 <u>Geometry</u> Helical spring lock washers shall meet the following geometric requirements.
- 3.4.1.1 The cross section of finished helical spring lock washers shall be slightly trapezoidal in shape and shall comply with ANSI/ASME B18.21.1.
- 3.4.2 <u>Material</u> Material used in the fabrication of helical spring washers shall meet the following requirements.
- 3.4.2.1 Carbon steel helical spring lock washers shall be made from carbon steel lock washer wire, heat treated to HRc 45 51 and shall meet the limits of decarburization shown in Table 1 of ANSI/ASME B18.21.1.
- 3.4.2.2 Stainless Steel Helical Spring Washers Acceptable materials for the manufacture of stainless steel helical spring lock washers include UNS S3XX00 Austenitic grade stainless steel spring wire conforming to ASTM A 313 or ASTM A 580, and UNS S4XX00 Martensitic grade stainless steel wire conforming to ASTM A 580.
- 3.4.2.3 Bronze Helical Spring Washers Acceptable materials for the manufacture of bronze helical spring lock washers include UNS C5XX00 Phosphor Bronze conforming to ASTM B 103, and UNS C65X00 Silicon-Bronze conforming to B 96, fabricated and cold worked to a minimum hardness of Rockwell B90 or equivalent.

- 3. <u>DETAILED SPECIFICATIONS</u> (Cont.)
- 3.5 <u>Toothed Lock Washers</u>
- 3.5.1 <u>Geometry</u> Toothed lock washers shall meet the following geometric requirements.
- 3.5.1.1 Toothed lock washers shall comply with ANSI/ASME B18.21.1, and shall be either Type A or Type B. Common types & construction that can be included in the contract document, or RFQ are internal, external, or a combination internally/externally toothed style, in either flat or conical pattern.
- 3.5.2 <u>Material</u> Toothed lock washers shall meet the following material requirements.
- 3.5.2.1 Carbon Steel Toothed Lock Washers Carbon steel toothed lock washers shall be made from carbon steel, fabricated and heat treated to HRc 40 to 50 (Rockwell A 70.4 to 75.9 for thin sectioned washers).
- 3.5.2.2 Stainless Steel Toothed Lock Washers Acceptable materials for the manufacture of stainless steel toothed lock washers include Austenitic grade UNS No. S3XX00 and Martensitic grade UNS No. S4XX00 stainless steel sheet conforming to ASTM A 666 or ASTM A 895.
- 3.5.2.3 Bronze Toothed Lock Washers Acceptable materials for the manufacture of bronze toothed lock washers include UNS C5XX00 Phosphor Bronze conforming to ASTM B 103, and UNS C65X00 Silicon-Bronze conforming to ASTM B 96, fabricated and cold worked to a minimum hardness of Rockwell B90 or equivalent.

4. PROTECTIVE COATING

- 4.1 The following list includes, but is not restricted to, the various protective coatings approved by the CTA, the particular coating and Class (thickness) required shall be specified in the respective CTA Item description located in the bid proposal pages of the contract document or RFQ.
 - NOTE: The Contractor shall substitute zinc plating for cadmium plating when cadmium is called for in the Contract document.
- 4.1.1 Zinc Electrodeposited Coating Per ASTM specification B 633, Type II (with supplementary colored chromate treatment),
- 4.1.2 Hot Dipped Zinc Coating Per ASTM A 153, Class C or D.

4. PROTECTIVE COATING (Cont.)

- 4.1.3 Black Oxide Coating per military standard MIL-DTL-13924D, Coating, Oxide, Black, for Ferrous Metal, class 1 with supplementary water displacing preservative coating per MIL-PRF-16173E, grade 3 or MIL-PRF-32033 or comparable material applied to the clean and dry fasteners immediately following the hot dilute chromic acid dip.
- 4.1.4 Passivation Treatments When indicated in the contract document or RFQ, stainless steel washers shall be cleaned and descaled per the practices, recommendations and precautions detailed in ASTM A 380 and then passivated per ASTM A 967. The particular passivation treatment used (i.e. Nitric 1, Nitric 2, etc.) shall be per that recommended in Table X1.1 located in ASTM A 967-Appendix.
- 4.1.5 Engineering Nickel Electroplating When nickel electroplating is called for in the CTA item description for non-ferrous washers, the plating shall meet the requirements specified in ASTM B 689.
- 4.1.6 Tin Plating When tin plating is called for in the CTA item description for non-ferrous washers, the plating shall meet the requirements specified in ASTM B 545.
- 4.1.7 Washers shall meet all dimensional requirements after plating.

5. <u>TESTING AND CERTIFICATION</u>

- 5.1 Lock washers shall comply with requirements listed below inclusive of ANSI/ASME B18.21.1 specification for lock washers.
- 5.2 Helical spring lock washers shall pass the temper and twist tests.
- 5.3 Toothed lock washers shall pass the temper, clamping and twist test.
- When requested, certification of manufacture and tests specified within the Federal, Military, ANSI/ASME and ASTM standards referenced in this specification shall be included for each lot shipment.

CTA 4758-08(R11)

- 6. <u>ADDITIONAL INFORMATION FOR POTENTIAL BIDDERS</u>
- 6.1 Bidders requiring additional information shall contact the Procurement Administrator listed on the front page of the Contract Document, or the Commodity Buyer listed on the front page of the Request For Quotation (RFQ). Potential Bidders requiring additional information must route their inquiries through the Procurement Administrator, or Commodity Buyer. Potential Bidders who contact any Authority personnel other than the Procurement Administrator, or Buyer will be considered in violation of the provisions of the Contract Document, or RFQ.

Distribution: Mgr., Technical Services - Bus.

Mgr., Technical Services-Rail Mgr., Technical Support

Mgr., Track & Structures Engineering.

Mgr., Track Maintenance

Initial Specification - 08/26/85 MD/md - 12th Revision - 04/11/08 JSC/jsc - Reviewed - 04/01/11

PROPOSAL

SPECIFICATION NO. CTA 633-06(R11); 3370-04(R11); 4758-08(R11) CONTRACT NO. B12OP00854

By execution of this Proposal the undersigned offers, in accordance with the terms of the Contract Documents of which this Proposal is a part, to furnish and deliver washers to be released as required, f.o.b. destination, as described in these General and Special Conditions and Detailed Specifications No. CTA 633-06(R11); 3370-04(R11); 4758-08(R11) at the prices set forth on pages 1 thru 20. This Contract shall become effective as soon as the Contract is executed, and will continue in effect for a period of up to thirty-six (36) months.

<u>NOTE</u>: Prices quoted shall be firm for the entire contract duration and any additional time that this contract may be extended by mutual agreement between the CTA and the contractor unless escalation is stated below.

Prices firm for the first year with escalated price second 12 months and any additional time that the CTA and the contractor.			
Escalated prices with% maximum ceiling approved for the second 12 months) starting with be extended by mutual agreement between the C	h the third 12 months as	nd any additional tir	
E-mail address for releases: General e-mail address if different from above:			
PROPOSED MANUFACTURER(S)	Aller agents		***************************************
PERSON TO CONTACT:		_ PHONE NO.:	
COMPANY BIDDING:			····
ADDRESS:			
CITY:			
TERMS: DISCOUNT: %	DAYS N	FT 30 D.	AYS

Due to the inconsistency of the CTA units of measure (UOM) particular attention must be paid to the UNIT PRICE that is quoted. Please note that the UOM determines whether the UNIT PRICE will be for each piece, for a package, or per pound. Where the UOM is listed as package please refer to PCK. INFO to determine the number of units in each package.

H œ 0 × H > 4 н S z R A H 0 Ö 4 ပ H I; υ

11/09/11

Run Date: Run Time: PURCHASING/WAREHOUSING DEPARTMENT BID PROPOSAL SHEET

Unit Price Part No. Offered Manufacturer's Manufacturer's Buyer Phone: WASHER: FLAT, 1/4 BOLT SIZE, TYPE A, WIDE, STEEL, PER ANSI/ASME B18.22.1,, ZINC ELECTROPLATED., SPEC. NO: 4758, PCK. INFO: PK 5 LB WASHER: FLAT, 1-1/8 BOLT SIZE, TYPE A, WIDE, STEEL, PER ANSI/ASME B18.22.1, ZINC Description: ELECTROPLATED., SPEC. NO: 4758, PCK. INFO: PK 5 LB WASHER: FLAT, 7/8 BOLT SIZE, TYPE A, WIDE, STEEL, PER ANSI/ASME B18.22.1,, ZINC ELECTROPLATED., PCS. 153 LBS., SPEC. NO: 4758, PCK. INFO: PK 5 LB WASHER: FLAT, 3/8 BOLT SIZE, TYPE A, WIDE, STEEL, PER ANSI/ASME B18.22.1, ZINC Description: ELECTROPLATED., SPEC. NO: 4758, PCK. INFO: PK 5 LB WASHER: FLAT, 1/2 BOLT SIZE, TYPE A, WIDE, STEEL, PER ANSI/ASME B18.22.1, ZINC Bescription: ELECTROPLATED., SPEC. NO: 4758, PCK. INFO: PK 5 LB WASHER: FLAT, 5/8 BOLT SIZE, TYPE A, WIDE, STEEL, PER ANSI/ASME B18.22.1, ZINC Description: ELECTROPLATED., SPEC. NO: 4758, PCK. INFO: BX 5 LB WASHER: FLAT, 1" BOLT SIZE, TYPE A, WIDE, STEEL, PER ANSI/ASME B18.22.1, ZINC Description: ELECTROPLATED., SPEC. NO: 4758, PCK. INFO: PK 5 LB WASHER: FLAT, 3/16 BOLT SIZE, TYPE A, STEEL, PER ANSI/ASME B18.22.1, ZINC Description: ELECTROPLATED, SPEC. NO: 4758, PCK. INFO: PK 5 LB Requisition Num: B120P00854 Number Part Buyer Name: Kutkowski, Leonard S Manufacturer's Description: ELECTROPLATED., PCS. 153 LBS., Demand Prior 112 366 185 47 20 0 Description: ELECTROPLATED., Š 9 E 9 æ EP 9 EP 3 78418 Item No. 1120001 1120008 1120010 1120011 RFQ Number: Line No. Н

COMPANY BIDDING

CHICAGO TRANSIT AUTHORITY

11/09/11 10:15:41

Run Date: Run Time:

PURCHASING/WAREHOUSING DEPARTMENT BID PROPOSAL SHEET

Buyer Phone: Manufacturer's Manufacturer's Name Name Name Name Name OD I D I LB B I LB OD X 0.086"	
Buyer Name: Kutkowski, Leonard S Buyer Phone: Prior Prior Manufacturer's Part Manufacturer's Part Manufacturer's Number Number Number Name Number Name Number Name Number Name Number Name Number Number	
Prior Prior Manufacturer's Part Manufacturer's Part Manufacturer's Manufacturer's Number Number Name	Buyer Phone:
112 escription: 112 escription: 112 scription:	facturer's
escription: 112 escription: 112 escription:	
112 escription: 112 escription:	
escription: 112 secription;	
112 escription:	
WASHER: FLAT, 3/8 BOLT SIZE, STEEL, TYPE A, WIDE, DIA. 7/16" ID X 1" OD X 0.086"	
4758, PCK. INFO: PK 5 1B.	
12 1120034 LB 70 BUDD A99-58731	
WASHER: FLAT, 3/4 BOLT, 2" OD, TYPE A, WIDE, STEEL, PER ANSI/ASME B18.22.1, ZINC Description: ELECTROPLATED., SPEC. NO: 4758, MUST BE PACKAGED IN 1 LB. BOXES, PCK. INFO: LB	
13 1120052 LB 50	
WASHER: FLAT, #10 BOLT SIZE, TYPE A, STEEL, PER ANSI/ASME B18.22.1, ZINC Description: ELECTROPLATED., SPEC. NO: 4758, PCK. INFO: PK 5 LB	
WASHER: FLAT, 1/4 BOLT SIZE, TYPE A, NARROW, STEEL, PER ANSI/ASME B18.22.1,, ZINC Description: ELECTROPLATED., SPEC. NO: 4758, PCK. INFO: PK 5 LB	
WASHER: FLAT, 5/16 BOLT SIZE, STEEL, TYPE A, NARROW, PER ANSI/ASME B18.22.1, ZINC Description: ELECTROPLATED WITH BLUE CHROMATE. ROD END, ENTRANCE DOOR ASSEMBLY., REF: BOOK B- 03-05-34, SPEC. NO: 4758, PCK. INFO: PK 5 LB	

COMPANY BIDDING

PURCHASING/WAREHOUSING DEPARTMENT BID PROPOSAL SHEET

Line No. Less No. Use Prince Marcia Marcia	Tagmar Asy	/8418		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Requis	Requisition Num: B120P00854	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		
1120055				Buyer N		ard S	Buyer Phone		
escription: escription: 112 112 112 112 112 112 112 112 112 11	:	Item No.	WON	Prior Demand	Manufacturer's Name	Part Number	, wi	1	Unit Price
escription: 112		120055	E 3	434			1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		
1120056 LB 50	Description	WASHER:	FLAT, 3	/8 BOLT SIZE, TY SPEC. NO: 479	PE A, NARROW, STEEL, 58, PCK. INFO: PK	PER ANSI/ASME B18.22.1,, 5 I.B	ZINC		
WASHER: FLAT, 7/16 BOLT SIZE, TYPE A, NARROW, SECTIPTION: ELECTROPLATED., SPEC. NO: 4758, PCK. INFO: 1120057		120056	3	20					
1120057 LB 390	Description	WASHER:	FLAT, 7,	/16 BOLT SIZE, T. SPEC. NO: 479	YPE A, NARROW, STEEL, 58, PCK. INFO: PK	, PER ANSI/ASME B18.22.1, 5 LB	ZINC		
WASHER: FLAT, 1/2 BOLT SIZE, TYPE A, NARROW, STEEL, escription: ELECTROPLATED., SPEC. NO: 4758, PCK. INFO: CRIN 5 1120058 LB 30 WASHER: FLAT, 9/16 BOLT SIZE, TYPE A, NARROW, STEEL, escription: ZINC ELECTROPLATED., SPEC. NO: 4758, PCK. INFO: 1120059 LB 252 OPTIMA WASHER: FLAT, 5/8 BOLT SIZE, TYPE A, NARROW, STEEL, escription: ELECTROPLATED., SPEC. NO: 4758, PCK. INFO: BOX 5 LB 1120060 LB 92 WASHER: FLAT, 3/4 BOLT SIZE, TYPE A, NARROW, STEEL, escription: ELECTROPLATED., SPEC. NO: 4758, PCK. INFO: PK 5 LB 1120061 PC 704 WASHER: FLAT, SPECIAL, 1.0625 ID X, 1.750 OD X 0.187 PACK 100PC 1120064 PC 47 WASHER: FLAT, SPECIAL, 0.53 ID X 0.85 OD X 0.09 THIC ANSI/ASME B18.22.1, ZINC ELECTROPLATED., STOCK., PACK 100PC 1120064 PC 47 WASHER: FLAT, SPECIAL, 0.53 ID X 0.85 OD X 0.09 THIC ANSI/ASME B18.22.1, ZINC ELECTROPLATED, POR GROUND B secription: AXLE ASSEMBLY MOUNTING, B-2 AND B-3 TRUCKS., SPEC.		120057	E	390					
HASHER: FLAT, 9/16 BOLT SIZE, TYPE A, NARROW, STEEL, ESCTIPLION: ZINC ELECTROPLATED., SPEC. NO: 4758, PCK. INFO: 1120059	Description	WASHER: : ELECTROP	FLAT, 1, LATED.,	/2 BOLT SIZE, TYI SPEC. NO: 4758,	E A, NARROW, STEEL, PCK. INFO: CRIN 5	PER ANSI/ASME B18.22.1, 1 LB	ZINC		
WASHER: FLAT, 9/16 BOLT SIZE, TYPE A, NARROW, STEEL, SINC ELECTROPLATED. SPEC. NO: 4758, PCK. INFO. 1120059 LB 252 OPTIMA WASHER: FLAT, 5/8 BOLT SIZE, TYPE A, NARROW, STEEL, SPEC. NO: 4758, PCK. INFO: BOX 5 LB 1120060 LB 92 WASHER: FLAT, 3/4 BOLT SIZE, TYPE A, NARROW, STEEL, BECTROPLATED., SPEC. NO: 4758, PCK. INFO: PK 5 LB 1120061 PC 704 WASHER: FLAT, SPECIAL, 1.0625 ID X, 1.750 OD X 0.187 PACK 100PC. 1120064 PC 47 WASHER: FLAT, SPECIAL, 0.53 ID X 0.85 OD X 0.09 THIC ANSI/ASME B18.22.1, ZINC ELECTROPLATED., STOCK., PACK 100PC. 1120064 PC 47 WASHER: FLAT, SPECIAL, 0.53 ID X 0.85 OD X 0.09 THIC ANSI/ASME B18.22.1, ZINC ELECTROPLATED, FOR GROUND B39Cription: AXLE ASSEMBLY MOUNTING, B-2 AND B-3 TRUCKS., SPEC. 100 PC SPEC.	19 1	120058	E.	30					
1120059 LB 252 OPTIMA	Description	WASHER: : ZINC ELE	FLAT, 9, CTROPLAT	/16 BOLT SIZE, TY FED., SPEC. NC	ω.		; ; ; ;		
WASHER: FLAT, 5/8 BOLT SIZE, TYPE A, NARROW, STEEL, 1120060 1B 92 WASHER: FLAT, 3/4 BOLT SIZE, TYPE A, NARROW, STEEL, ESCTIPUTOR ELECTROPLATED., SPEC. NO: 4758, PCK. INFO: PK 5 LB 1120061 WASHER: FLAT, 3/4 BOLT SIZE, TYPE A, NARROW, STEEL, ELECTROPLATED., SPEC. NO: 4758, PCK. INFO: PK 5 LB 1120061 WASHER: FLAT, SPECIAL, 1.0625 ID X, 1.750 OD X 0.187 PACK 100PC 1120064 PACK 100PC 1120064 WASHER: FLAT, SPECIAL, 0.53 ID X 0.85 OD X 0.09 THIC ANSI/ASME B18.22.1, ZINC ELECTROPLATED., SPOCK., PACK 100PC 1120064 WASHER: FLAT, SPECIAL, 0.53 ID X 0.85 OD X 0.09 THIC ANSI/ASME B18.22.1, ZINC ELECTROPLATED, FOR GROUND B SSCRIPTION: AXLE ASSEMBLY MOUNTING, B-2 AND B-3 TRUCKS., SPEC.		120059	1.8	252	OPTIMA	27641415			
MASHER: FLAT, 3/4 BOLT SIZE, TYPE A, NARROW, STEEL, ANSI/ASME B18.22.1, ZIN	Description	WASHER: : ELECTROP	FLAT, 5, LATED.,	/8 BOLT SIZE, TYI SPEC. NO: 4758,	PE A, NARROW, STEEL, PCK. INFO: BOX 5 LB		7INC		
WASHER: FLAT, 3/4 BOLT SIZE, TYPE A, NARROW, STEEL, ANSI/ASME B18.22.1, ZIN ESCription: ELECTROPLATED., SPEC. NO: 4758, PCK. INFO: PK 5 LB 1120061 PC 704 WASHER: FLAT, SPECIAL, 1.0625 ID X, 1.750 OD X 0.1875 THICK, STEEL, MAT'L, PACK 100PC 1120064 PC 47 WASHER: FLAT, SPECIAL, 0.53 ID X 0.85 OD X 0.09 THICK, STEEL, MATERIAL, PE ANSI/ASME B18.22.1, ZINC ELECTROPLATED. FOR GROUND BRUSH, HOLDER ASSEMBLY ANSI/ASME B18.22.1, ZINC ELECTROPLATED, FOR GROUND BRUSH, HOLDER ASSEMBLY 100 PC	21 1	120060	F.B	92					
MASHER: FLAT, SPECIAL, 1.0625 ID X, 1.750 OD X 0.1875 THICK, STEEL, MAT'L, escription: ANSI/ASME B18.22.1, ZINC ELECTROPLATED., STOCK., SPEC. NO: 4758, PCK. 1120064 PC 47 WASHER: FLAT, SPECIAL, 0.53 ID X 0.85 OD X 0.09 THICK, STEEL, MATERIAL, PEANSI/ASME B18.22.1, ZINC ELECTROPLATED, FOR GROUND BRUSH, HOLDER ASSEMBLY SECRIPTION: AXLE ASSEMBLY MOUNTING, B-2 AND B-3 TRUCKS., SPEC. NO: 4758, PCK. INFO:	Description	WASHER:	FLAT, 3, LATED.,	/4 BOLT SIZE, TYI SPEC. NO: 4758,	PE A, NARROW, STEEL, PCK. INFO: PK 5 LB	ANSI/ASME B18.22.1, ZINC	1		
WASHER: FLAT, SPECIAL, 1.0625 ID X, 1.750 OD X 0.1875 THICK, STEEL, MAT'L, PACK BASI/ASME B18.22.1, ZINC ELECTROPLATED., STOCK., SPEC. NO: 4758, PCK. 1120064 PC 47 WASHER: FLAT, SPECIAL, 0.53 ID X 0.85 OD X 0.09 THICK, STEEL, MATERIAL, PEANSI/ASME B18.22.1, ZINC ELECTROPLATED, FOR GROUND BRUSH, HOLDER ASSEMBLY B100 PC 100 PC	22 1	120061	ጀ	704					
1120064 PC 47 WASHER: FLAT, SPECIAL, 0.53 ID X 0.85 OD X 0.09 THICK, STEEL, MAI ANSI/ASME B18.22.1, ZINC ELECTROPLATED, FOR GROUND BRUSH , HOLDER escription: AXLE ASSEMBLY MOUNTING, B.2 AND B-3 TRUCKS., SPEC. NO: 4758, 100 PC	Description	WASHER: ANSI/ASM PACK 100	FLAT, SI E B18.22 0PC	PECIAL, 1.0625 II	D X, 1.750 OD X 0.187 DPLATED., STOCK.,		ж FO:		
.09 THICK, STEEL, MAI GROUND BRUSH , HOLDER SPEC. NO: 4758,		120064	æ	47					
	Description	MASHER: ANSI/ASMI : AXLE ASSI 100 PC	FLAT, SE E B18.22 EMBLY MC	PECIAL, 0.53 ID X 2.1, ZINC ELECTRC MUNTING, B-2 AND	K 0.85 OD X 0.09 THIC PLATED, FOR GROUND E B-3 TRUCKS., SPEC.	TK, STEEL, MATERIAL, PER REUSH, HOLDER ASSEMBLY TO NO: 4758, PCK. INFO: P	. ¥		

SUBSTITUTE BIDDING

PURCHASING/WAREHOUSING DEPARTMENT BID PROPOSAL SHEET

AUTHORITY

H

T R A N S I

RFQ Number: 7	78418		Requisition Num: B12OP00854			
1			Buyer Name: Kutkowski, Leonard S	Buyer Phone:		
Line No. Ite	Item No. UOM	Prior Demand	Manufacturer's Part Name Number	Manufacturer's Name	Manufacturer's Part No. Offered	This received
24 112	1120065 PK	m				out frice
WASHER: FLJ Description: B18.22.1.,	WASHER: FLAT, 1818.22.1.,	5/16 BOLT SIZE, TYPE SPEC. NO: 4758, PCT	WASHER: FLAT, 5/16 BOLT SIZE, TYPE A., WIDE, STAINLESS STEEL, PER ANSI/ASME, B18.22.1., SPEC. NO: 4758, PCK. INFO: PK 100 PC	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		
25 1120	1120149 PC	25				
Description: 1	WASHER: FLAT, 1 Description: ELECTROPLATED.	1/2 X 17/64 X .032, + PER ANSI B18.22.1,	WASHER: FLAT, 1/2 X 17/64 X .032, +/005. FULL HARDENED COLD ROLLED. ZINC, ELECTROPLATED. PER ANSI B18.22.1, SPEC. NO: 4758. PCK INEG. DE 1000 CO.			
26 1120	1120170 PC	1300				
Description: F	WASHER: FLAT, , B18.22.1., REF: PC	WASHER: FLAT, ,500 OD X .219 ID X .065 THICK, #1. Description: B18.22.1., REF: BOEING STND ST.72100.3, SPEC. PC	065 THICK, #10, STEEL, TYPE A, PER ANSI 0-3, SPEC. NO: 4758, PCK. INFO: PKG 500			
27 1120	1120251 LB	0				
M Description: B	WASHER: FLAT, 2 318.22.1. FOR U	WASHER: FLAT, 2·1/4 1·9/32 X 1/16,, WROUGHT STL. Description: B18.22.1. FOR USE ON BRAKE RIGGING., SPEC. NO:	WROUGHT STL. ZINC ELECTROPLATED. PER, ANSI SPEC. NO: 4758, PCK. INFO. IB 1 TO	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		
28 1120	1120253 PC	23				
M Z Description: S	WASHER: FLAT, 1 ZINC ELECTROPLA SUPPORT, TRANS, INFO: PC 1 PC	WASHER: FLAT, 1/2 BOLT SIZE, TYPE B, WIDE, WROUGH ZINC ELECTROPLATED WITH YELLOW CHROWATE PER ASTM Description: SUPPORT, TRANS, POWER PLANT, REF: BOOK R-8-30, INFO: PC 1 PC	WASHER: FLAT, 1/2 BOLT SIZE, TYPE B, WIDE, WROUGHT STEEL, PER ANSI B18.22.1,, ZINC ELECTROPLATED WITH YELLOW CHROWATE PER ASTM B695, CLASS 50, TYPE II,, SUPPORT, TRANS, POWER PLANT, REF: BOOK R-8-30, SPEC. NO: 4571, 4758, PCK.			
1120255	255 PC	185	DELTASCR 1120255			
M Description: F	WASHER: FLAT, 1- FOR UPGRADING TI PC 1 PC	WASHER: FLAT, 1.3/4 X .531 X 1/4, STAINLESS ST Description: FOR UPGRADING THE NUMBER 1 END SAFETY CHAINS., PC 1 PC	EEL, TYP SPEC	1		
30 1120258)258 PC	0				
H Description: R	WASHER: FLAT, 5, RETAINING WASHER NO: 4758, PCK.	WASHER: FLAT, 5/16 X 1 X 3/32, WROUGHT, STEEL ZIN Description: RETAINING WASHER ON PINION PILOT BEARING, ON B-2 NO: 4758, PCK. INFO: PKG 50 PC	WASHER: FLAT, 5/16 X 1 X 3/32, WROUGHT, STEEL ZINC ELECTROPLATED. USED AS, RETAINING WASHER ON PINION PILOT BEARING, ON B-2 AND B-3 TRUCK AXELS., SPEC. NO: 4758, PCK. INFO: PKG 50 PC	4 1 4 9 1		

COMPANY BIBBING

PURCHASING/WAREHOUSING DEPARTMENT BID PROPOSAL SHEET

Buyer Name: Kutkowski, Line No. Item No. UOM Prior Manufacturer 31 1120259 PC 0 WASHER: FLAT, 2 OD X 13/16 ID X 5/32, THICK, 3/ 100 PC 32 1120503 PK 16 GE WASHER: FLAT, 5/16 OD X .148 ID X .025 THICK, 6 PKG 100 PC 33 1120504 LB 0 WASHER: FLAT, 3/8 OD X .145 ID X .032 THICK, 6L, PKG 100 PC 34 1120505 PK 17 WASHER: FLAT, 3/8 OD X .172 ID X .032 THICK, 8S, Description: SPEC. NO: 4758, PCK. INPO: PKG 1 LB 34 1120506 LB 0 WASHER: FLAT, 7/16 OD X .172 ID X .036 THICK, 8S, Description: SPEC. NO: 4758, PCK. INPO: PKG 1 LB 35 1120506 LB 0 WASHER: FLAT, 7/16 OD X .172 ID X .036 THICKM 8I Description: SPEC. NO: 4758, PCK. INPO: PKG 1 LB 36 1120507 LB 34 WASHER: FLAT, 7/16 OD X .00 ID X .00	Requi utkowski, leo mufacturer's me BOLT., SPE FIHICK. 6S, B ITEM 44., THICK, 6L, BR	Buyer Phone: Manufacturer's Name	Manufacturer's Part No. Offered	Unit Price
Description: THOR, SPEC. NO: 4758, REV. NO: DATE TEMID:, PCK. INFO: PK 1 LB MASHER: FLAT, 1/2 OD X .200 ID X .040, THICK. Description: SPEC. NO: 4758, PCK. INFO: PKG 1 LB	SPEC. NO: 4758, TEV. NO: DATE: DRAW. NO: REV. NO: DATE: DRAW. NO: REV. NO: LTMIL. NO: REV. NO: DATE: DRAW. NO: PAT. NO: PRO. NO: LTMIL. NO: PEV. NO: DATE: PAT. NO: PRO. NO: LTMIL. NO: PEV. NO: DATE: PAT. NO: PRO. PRO. NO: PRO. N			

COMPANY BIBBING

Ħ

æ

о н

U

4

Run Date: 11/09/11 Run Time: 10:15:41

PURCHASING/WAREHOUSING DEPARTMENT BID PROPOSAL SHEET

Unit Price Part No. Offered Manufacturer's Buyer Phone: Manufacturer's WASHER: FLAT, 7/8 OD X .336 ID X .064 THICK, 20L, BRASS, PER ANSI B18.22.1., 1 LB Description: PER 100 PCS, SPEC. NO: 4758, PCK. INFO: PKG 100 PC WASHER: FINISHED, #8, BRASS, RAISED, TYPE. 1/2 OD, .100 HEIGHT. CHROMIUM, PLATED Description: PER ASTM SPECIFICATION F1136,, GRADE 1., PCK. INFO: PKG 1 PKG WASHER: FINISHED, 25/32 OD X .137 HEIGHT, 1/4 BOLT SIZE, RAISED TYPE, CHROMIUM, Description: PLATED PER ASTM SPECIFICATION, F1136, GRADE 1., PCK. INFO: PKG 50 PC WASHER: FLAT, 9/16 OD X .260 ID X .040 THICK, 14S, BRASS, PER ANSI B18.22.1, Description: SPEC. NO: 4758, PCK. INFO: PKG 100 PC WASHER: FLAT, 3/4 OD X .282 ID X .064, THICK, 16L, BRASS, PER ANSI B18.22.1, SPEC. NO: 4758, PCK. INFO: LB 1 LB Description: WASHER: FINISH, #14, STL, RAISED TYPE NICKEL PLATED., PCK. INFO: PKG 1000 PC Ä, Requisition Num: B120P00854 WASHER: FLAT, 3/4 OD X 5/16 1D X .05, THICK, 5/16 BOLT SIZE, COPPER., Description: INFO: PC 1 PC 92916A190 446202 1120560 Number Part Buyer Name: Kutkowski, Leonard S Manufacturer's GM WSTRNENG MCMASTER Demand Prior 1000 1000 100 0 0 0 Description: SPEC. NO: 4758, ğ E, ጀ 2 X 8 ጸ ¥ Item No. 78418 1120511 1120514 1120543 1120544 1120546 1120560 1120582 RFQ Number: Line No. 38 39 40 41 42 43 44

COMPANY BIBBING

PCK. INFO: PKG 100 PC

Description: WASHER: FINISH, #8, STL, RAISED TYPE. NICKLE PLATED., PCK. INFO: PKG 100 PC

Description: WASHER: FINISH, #12, BRASS, RAISED TYPE., NICKLE PLATED.,

0

Æ

1120583

45

140

퐀

1120584

46

PURCHASING/WAREHOUSING DEPARTMENT BID PROPOSAL SHEET

PEO Mumbow			1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1				
1	/0418		Requisi	Requisition Num: B120P00854			
		Buyer Nam	Buyer Name: Kutkowski, Leonard S	rd S	Buyer Phone:		
Line No. Item	Item No. UOM	Prior 4 Demand	Manufacturer's Name	Part		Manufacturer's	
	1	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1			Mante	Part No. Offered	Unit Price
47 1120	1120585 PK	67					
Description: V	WASHER: FINISH	Description: WASHER: FINISH, #10 STL, RAISED TYPE. NICKLE PLATED.,	YPE. NICKLE PLATED.,	PCK, INFO: PKG 100 PC	i 1 1 4 1 1		
48 1120	1120586 PC	0	FLXIBLE MOMASTER	92			
V Description: N	WASHER: FINISH VICKLET, PLATE	WASHER: FINISHED, 5/16 BOLT SIZE, BRASS,, RAISED TYPE, .947 OD X Description: NICKLET, PLATED., REF: MCMASTER-CARR #92922A030 AS SHOWN, PCK.	BRASS,, RAISED TYPE, .9 ARR #92922A030 AS SHOWN,	E, .947 OD X .375 ID. HOWN, PCK. INPO: PKG 250 PC	<u> </u>	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
49 1121003	1003 РК	38			7		
WASHER: LOCK, Description: ELECTROPLATED.	WASHER: LOCK, ELECTROPLATED.	.035 WIDE X .020 THICK,, #4 STEEL PER ANSI B18.21.1., SPEC. NO		SPRING TYPE, LT., ZINC, 4758, PCK. INFO: PKG 100 PC	;		
50 1121005	.005 рк	0					
w Description: E	WASHER: LOCK, ELECTROPLATED,	WASHER: LOCK, .040 WIDE X .024 THICK, #6 STEEL, Description: ELECTROPLATED, PER ANSI B18.21.1., SPEC. NO:	CK, #6 STEEL, SPEC. NO:	SPRING TYPE, LT, ZINC 4758, PCK. INPO: PKG 100 PC	1 1 3 1 1		
51 1121008	008 PK	· S					
M Description: E	ASHER: LOCK, LECTROPLATED.	WASHER: LOCK, #12 STL, SPRING TYPE, LT,L .062 WIDE X .047 THICK. ZINC Description: ELECTROPLATED., PR ANSI B18.21.1., SPEC. NO: 4758, PCK. INFO: PK	;, LT,L .062 WIDE X SPEC. NO: 4758,	.047 THICK. ZINC PCK. INFO: PKG 100 PC	!		
52 1121009	009 PK	54					
WASHER: LOCK, 1/4 S' Description: PER ANSI B18.21.1.,	ASHER: LOCK, 3 ER ANSI B18.21	WASHER: LOCK, 1/4 STL, SPRING TYPE, LT, .107 X PER ANSI B18.21.1., SPEC. NO: 4758, PCK. 1		.047 THICK. ZINC ELECTROPLATED., NFO: PKG 100 PC	1		
53 1121010	010 PK	117					
W Description: El	ASHER: LOCK, ELECTROPLATED.,	WASHER: LOCK, 5/16 STEEL, SPRING TYPE, LT, .117 Description: ELECTROPLATED., PER ANSI B18.21.1., SPEC. NO: 47		WIDE X .056 THICK. ZINC 158, PCK. INPO: PKG 100 PC	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		
54 1121011	011 PK	23					
WASHER: 14 Description: B18.21.1,	ASHER: LOCK, 3 18.21.1, SF	WASHER: LOCK, 3/8 STEEL, SPRING TYPE, REF. ZINC B18.21.1, SPEC. NO: 4758, PCK. INFO: PKG 10	3 TYPE, REF. ZINC ELECTF PCK. INFO: PKG 100 PC	ELECTROPLATED. PER ANSI 10 PC	; ; ; ; ;		

11/09/11 10:15:41 Run Date: Run Time:

UTHORITY

×

TRANSIT

0

PURCHASING/WAREHOUSING DEPARTMENT BID PROPOSAL SHEET

RFQ Number:	78418			Requisit	Requisition Num: B120P00854			
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1	1	Buyer Name	Buyer Name: Kutkowski, Leonard	rd S	Buyer Phone:		
Line No. I	Item No.	MON	Prior Demand	Manufacturer's Name	Part Number	Manufacturer's Name	Manufacturer's Part No. Offered	Unit Price
55 1	1121012	Æ	16			1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		
Description	WASHER: LOCK, n: ELECTROPLATED.	LOCK, 7,	WASHER: LOCK, 7/16 STL, SPRING TYPP Description: ELECTROPLATED. PER ANSI B18.21.1.,	SPRING TYPE, LT,, .154 WIDE X B18.21.1., SPEC. NO: 4758,	K .085 THICK. ZINC, , PCK. INFO: PKG 100 PC	; ; ; ; ;		
56 1	1121013	PK	21					
Description	WASHER:	LOCK, 1, LATED.	WASHER: LOCK, 1/2 STEEL, SPRING TYPE, LT., Description: ELECTROPLATED. PER ANSI B18.21.1, SPEC.	PE, LT., .170 SPEC. NO:	X .099 THICK. ZINC 4758, PCK. INPO: PKG 100 PC	3 5 1 1 1 2 1		
57 1	1121015	PK	32					
Description	WASHER: :: ELECTROP PCK. INF	WASHER: LOCK, 5/8 STL, ELECTROPLATED. PER ANS PCK. INFO: PKG 100 PC	WASHER: LOCK, 5/8 STL, SPRING TYPE, LT, .201 WIDE X .126 THICK. ZINC ELECTROPLATED. PER ANSI B18.21.1., REF: FIG. R-8-19, ITEM 69, SPEC. I PCK. INFO: PKG 100 PC	, LT, .201 WIDE X . REF: FIG. R-8-19,	WASHER: LOCK, 5/8 STL, SPRING TYPE, LT, .201 WIDE X .126 THICK. ZINC Description: ELECTROPLATED. PER ANSI B18.21.1., REF: FIG. R.8-19, ITEM 69, SPEC. NO: 4758, PCK. INFO: PKG 100 PC			
58 1:	1121021	¥	0					
Description:	WASHER: : .202 THI INFO: PK	WASHER: LOCK, 1 F .202 THICK. ZINC INFO: PKG 100 PC	WASHER: LOCK, 1 BOLT SIZE STL, HELICAL, SPRING TYPE, .202 THICK. ZINC ELECTROPLATED. PER ANSI, B18.21.1., INFO: PKG 100 PC	CAL, SPRING TYPE, ANSI, B18.21.1.,	WASHER: LOCK, 1 BOLT SIZE STL, HELICAL, SPRING TYPE, LIGHT, 1.578 OD X 1.0 ID X, .202 THICK. ZINC ELECTROPLATED. PER ANSI, B18.21.1., SPEC. NO: 4758, PCK. INFO: PKG 100 PC) 		
59 13	1121025	Α̈́	0					
Description	WASHER: : 9/32 ID : 4758,	LOCK, 1- X .250 T PCK.	WASHER: LOCK, 1-1/4 BOLT SIZE STEEL, HELICAL SPR Description: 9/32 ID X .250 THICK. ZINC ELECTROPLATED., PER 4758, PCK. INFO: PKG 100 PC	, HELICAL SPRING T	WASHER: LOCK, 1-1/4 BOLT SIZE STEEL, HELICAL SPRING TYPE,, LIGHT, 1-31/32 OD X 1-9/32 ID X .250 THICK. ZINC ELECTROPLATED., PER ANSI B18.21.1., SPEC. NO: 4758, PCX. INFO: PKG 100 PC	;		
60 11	1121054	ΡK	12					
Description	WASHER: LOCK, #6 BOLT: ID X .031 THICK ZINC B PCK. INFO: PKG 100 PC	LOCK, #6 1 THICK 7: PKG 1	WASHER: LOCK, #6 BOLT SIZE STEEL, HELL-, CAL SPRING TYPE Description: ID X .031 THICK ZINC ELECTROPLATED., PER ANSI B18.21.1., PCK. INFO: PKG 100 PC	HELI-, CAL SPRING T.	WASHER: LOCK, #6 BOLT SIZE STEEL, HELI-, CAL SPRING TYPE, MED., .232 OD X .138, ID X .031 THICK ZINC ELECTROPLATED., PER ANSI B18.21.1., SPEC. NO: 4758, PCK. INFO: PKG 100 PC) - - - - -		
61 11	1121055	ЪК	26					
Description:	WASHER: LOCK, #8 : .040 THICK. ZINC INFO: PKG 100 PC	LOCK, #8 TK. ZINC	WASHER: LOCK, #8 BOLT SIZE STL, HELICAL SPRING TYPE, MED, Description: .040 THICK. ZINC ELECTROPLATED. PER ANSI B18.21.1., SPI INFO: PKG 100 PC	ICAL SPRING TYPE, N : ANSI B18.21.1.,	MED, .274 OD X .164 ID X SPEC. NO: 4758, PCK.			

COMPANY BIBBING

PURCHASING/WAREHOUSING DEPARTMENT BID PROPOSAL SHEET

KrQ Number: 78418	1		Requisi	Requisition Num: B120P00854		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
	1	Buyer Nam	Buyer Name: Kutkowski, Leonard S	rd S	Buyer Phone:		
Line No. Item No.	MON	Prior Demand	Manufacturer's Name	Part Number	Manufacturer's Name	Manufacturer's Part No. Offered	Unit Price
62 1121056	ÞΚ	286			1		
WASHE Description: .047 ' PKG 10	WASHER: LOCK, 0.047 THICK., Z. PKG 100 PC	#10 BOLT SIZE STEEL INC ELECTROPLATED	WASHER: LOCK, #10 BOLT SIZE STEEL, HELICAL SPRING TYPE, MED., .314 (Description: .047 THICK., ZINC ELECTROPLATED PER ANSI B18.21.1, SPEC. NO: 4758, PKG 100 PC	PE, MED., .314 OD X .191 ID X SPEC. NO: 4758, PCK. INFO:	*		
63 1121058	Ъ¥	702					
WASHER: LOCK Description: .062 THICK. PKG 100 PC	R: LOCK, THICK. Z. 30 PC	WASHER: LOCK, 1/4 BOLT SIZE STL, HELICAL SPRING .062 THICK. ZINC ELECTROPLATED. PER ANSI B18.2 PKG 100 PC		TYPE, MED, .468 OD X .250 ID X 1.1, SPEC. NO: 4758, PCK. INFO:	;		
64 1121059	Жd	256					
WASHER: LOCK, Description: X .078 THICK INFO: PKG 100	WASHER: LOCK, 5/1 X .078 THICK ZIN INFO: PKG 100 PC	5/16 BOLT SIZE STEEL ZINC ELECTROPLATED. PC	WASHER: LOCK, 5/16 BOLT SIZE STEEL, HELICAL SPRING TYPE, X .078 THICK ZINC ELECTROPLATED. PER ANSI B18.21.1, INFO: PKG 100 PC	YPE, MED, .5625 OD X .3125 ID , SPEC. NO: 4758, PCK.			
65 1121060	¥	635					
WASHEI Description: .094 1 INFO:	WASHER: LOCK, 3/6 .094 THICK. ZINC INFO: PKG 100 PC	WASHER: LOCK, 3/8 BOLT SIZE STL, HELICAL SPRING Description: .094 THICK. ZINC ELECTROPLATED. PER ANSI B18.21. INFO: PKG 100 PC	WASHER: LOCK, 3/8 BOLT SIZE STL, HELICAL SPRING TYPE, MED, .094 THICK. ZINC ELECTROPLATED. PER ANSI B18.21.1., SPECINO: PKG 100 PC	, MED, .657 OD X .375 ID X, SPEC. NO: 4758, PCK.			
66 1121061	Σď	19					
WASHER Description: B18.21	R: LOCK, T	7/16 BOLT SIZE, STEE SLECTROPLATED., SPEC	WASHER: LOCK, 7/16 BOLT SIZE, STEEL, HELICAL SPRING TYPE, REGULAR, 1 Description: B18.21.1 ZINC ELECTROPLATED., SPEC. NO: 4758, PCK. INFO: PKG 100 PC	WASHER: LOCK, 7/16 BOLT SIZE, STEEL, HELICAL SPRING TYPE, REGULAR, PER ANSI/ASME B18.21.1 ZINC ELECTROPLATED., SPEC. NO: 4758, PCK. INFO: PKG 100 PC	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		
67 1121062	¥	127					
WASHER Description: .125 T INFO:	WASHER: LOCK, 1/2 .125 THICK. ZINC INFO: PKG 100 PC	WASHER: LOCK, 1/2 BOLT SIZE STL, HELICAL SPRING 1 Description: .125 THICK. ZINC ELECTROPLATED. PER ANSI B18.21.1 INFO: PKG 100 PC	WASHER: LOCK, 1/2 BOLT SIZE STL, HELICAL SPRING TYPE, MED, .125 THICK. ZINC ELECTROPLATED. PER ANSI B18.21.1., SPE INFO: PKG 100 PC	MED, .842 OD X .500 ID X SPEC. NO: 4758, PCK.			
68 1121063	PK	33					
WASHEF Description: ID X . PCK. I	WASHER: LOCK, 9/16 BOI ID X .141 THICK. ZINC PCK. INFO: PKG 100 PC	WASHER: LOCK, 9/16 BOLT SIZE STEEL,, HEL Description: ID X .141 THICK. ZINC ELECTRO-, PLATED. PCK. INFO: PKG 100 PC	ICAL SPRIN PER ANSI	KG TYPE, MED, .9385 OD X, .5625 B18.21.1., SPEC. NO: 4758,	; ; ;		

COMPANY BIDDING

PURCHASING/WAREHOUSING DEPARTMENT BID PROPOSAL SHEET

RFQ Number:	78418			Requisi	Requisition Num: B12OP00854				1
1	, , , , , , , , , , , , , , , , , , ,		Buyer Na	Buyer Name: Kutkowski, Leonard S	rd s	Buyer Phone:			
Line No.	Item No.	MON	Prior Demand	Manufacturer's Name	Part Number	Manufacturer's Name	Manufacturer's Part No. Offered	Unit Price	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
69	1121066	PK	21						
Description:	WASHER: LO on: .188 THICK PKG 100 PC	LOCK, 3/4 ICK, ZINC, PC	WASHER: LOCK, 3/4 BOLT SIZE STL, .188 THICK, ZINC, ELECTROPLATED. PKG 100 PC	HELICAL SPRIN PER ANSI B18	G TYPE, MED, 1.271 OD X .75 ID X .21.1, SPEC. NO: 4758, PCK. INFO:	;o			
70	1121068	PK	2						
Descripti	WASHER: on: .219 THI INFO: PK	WASHER: LOCK, 7/8 .219 THICK. ZINC E INFO: PKG 100 PC	WASHER: LOCK, 7/8 BOLT SIE STL, HELICAL SPRING Description: .219 THICK. ZINC ELECTROPLATED. PER ANSI B18.21 INFO: PKG 100 PC	HELICAL SPRING TYPE, PER ANSI B18.21.1.,	MED, 1.407 OD X .875 ID X, SPEC. NO: 4758, PCK.				
71	1121070	PK	4*						
Description:	WASHER: LOCK on: .250 THICK. PKG 100 PC	LOCK, 1 BK ICK. ZINC, PC	OLT SIZE STL, HI , ELECTROPLATED.	, 1 BOLT SIZE STL, HELICAL SPRING TYPE, MED., 1.594 ZINC, ELECTROPLATED. PER ANSI B18.21.1, SPEC. NO:	WASHER: LOCK, 1 BOLT SIZE STL, HELICAL SPRING TYPE, MED., 1.594 OD X 1.0 ID X .250 THICK. ZINC, ELECTROPLATED. PER ANSI B18.21.1, SPEC. NO: 4758, PCK. INFO: PKG 100 PC				
72	1121072	PK	0	GM	120731				•
Descripti	WASHER: on: ID X .28 PCK. INF	WASHER: LOCK, 1-1/8 E ID X .281 THICK. ZINC PCK. INFO: PKG 75 PC	WASHER: LOCK, 1-1/8 BOLT SIZE STEEL,, HELLCAL S Description: ID X .281 THICK. ZINC ELECTRO., PLATED. PER AN PCK. INFO: PKG 75 PC	WASHER: LOCK, 1-1/8 BOLT SIZE STEEL,, HELICAL SPRING TYPE, MED, ID X .281 THICK. ZINC ELECTRO., PLATED. PER ANSI B18.21.1., PCK. INFO: PKG 75 PC	PRING TYPE, MED, 1.781 OD X, 1.125 ISI B18.21.1., SPEC. NO: 4758,	25			
73	1121074	PK 1	124						
Description	WASHER: on: ID X .31 PCK. INF	LOCK, 1-1, 12 THICK. 2 70: PKG 100	WASHER: LOCK, 1.1/4 BOLT SIZE STEEL, HELICAL SE Description: ID X .312 THICK. ZINC ELECTROPLATED. PER ANSI PCK. INFO: PKG 100 PC	EEL, HELICAL SPRING TYPE, TED. PER ANSI B18.21.1.,	WASHER: LOCK, 1:1/4 BOLT SIZE STEEL, HELICAL SPRING TYPE, MED, 1.968 OD X, 1.25 ID X .312 THICK. ZINC ELECTROPLATED. PER ANSI B18.21.1., SPEC. NO: 4758, PCK. INFO: PKG 100 PC				
74	1121078	PK 0	0						
Descripti	WASHER: on: X .375 T INFO: PK	WASHER: LOCK, 1-1/ X .375 THICK. ZINC INFO: PKG 100 PC	WASHER: LOCK, 1-1/2 BOLT SIZE STL,, HELICAL SPR Description: X .375 THICK. ZINC, ELECTROPLATED. PER ANSI B18 INFO: PKG 100 PC	WASHER: LOCK, 1-1/2 BOLT SIZE STL,, HELICAL SPRING TYPE, MED, X .375 THICK. ZINC, ELECTROPLATED. PER ANSI B18.21.1., SPECINFO: PKG 100 PC	YPE, MED, 2.344 OD X, 1.50 ID ., SPEC. NO: 4758, PCK.	i e			
75	1121106	PK 5	,0						
Description:	WASHER: on: .056 THI INFO: PK	LOCK, #10 ICK. ZINC E G 100 PC	WASHER: LOCK, #10 BOLT SIZE ST, HELICAL SPRING .056 THICK. ZINC ELECTROPLATED.PER ANSI B18.21. INFO: PKG 100 PC	HELICAL SPRING TYPE, SR ANSI B18.21.1.,	TYPE, HEAVY, .330 OD X .190 ID X, 1., SPEC. NO: 4758, PCK.	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1			
								COMPANY	01.00.10

11/09/11 10:15:41

Run Date: Run Time:

PURCHASING/WAREHOUSING DEPARTMENT BID PROPOSAL SHEET

Requisition	Requisition Num: B120P00854			
Buyer Name: Kutkowski, Leonard S		Buyer Phone:		
Prior Prior Manufacturer's Part Line No. UOM Demand Name Numb	ä	Manufacturer's Name	Manufacturer's Part No. Offered	Unit Price
76 1121108 PK 0		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		
WASHER: LOCK, 1/4 BOLT SIZE STEEL, HELICAL LOCK, HEAVY SPRING, Description: AMERICAN STANDARD, CADMIUM PLATED, ZINC DICHROMATE ACCEPTABLE. 4758, PCK. INFO: PKG 100 PC	RING, CARBON STEEL,,			
77 1121109 PK 239				
WASHER: LOCK, 5/16 BOLT SIZE STL, CK,, HELICAL SPRING TYPE, HEAVY, Description: .3125 ID X .097 THICK. ZINC ELECTRO-, PLATED. PER ANSI B18.21.1 4758, PCK. INFO: PKG 100 PC	HEAVY, .5725 OD X, B18.21.1., SPEC. NO:	 		
78 1121110 PK 71 GM 12C KRODYCOL K-1	120382 K-120382	1		
WASHER: LOCK, 3/8 BOLT SIZE STL, HELICAL, SPRING TYPE, HE Description: X, .115 THICK. ZINC ELECTROPLATED. PER ANSI, B18.21.1., INFO: PKG 100 PC	TYPE, HEAVY, .665 OD X .375 ID 21.1., SPEC. NO: 4758, PCK.			
79 1121112 PK 21 WILMETTE 147 NILLAMET 134	147571071 1347571071	! ! ! !		
WASHER: LOCK, 1/2 BOLT SIZE STL, HELICAL SPRING TYPE, HEAVY, Description: .151 THICK., ZINC ELECTROPLATED. PER ANSI B18.2.1., SPEC. N PKG 100 PC	XPE, HEAVY, .852 OD X .500 ID X 1., SPEC. NO: 4758, PCK. INFO:			
80 1121114 PK 80				
WASHER: LOCK, 5/8 BOLT SIZE STEEL,, HELICAL SPRING TYPE, HEAVY, 1.045 ID X, ID X. 189 THICK, ZINC ELECTROPLAT, ED. PER ANSI B18.21.1., CERTIFICATION A Description: PROOF OF TEST MUST BE, SUPPLIED PER CTA SPEC. 4758, SPEC. NO: 4758, PCK INFO: PKG 100 PC	TYPE, HEAVY, 1.045 ID X, .625 B18.21.1., CERTIFICATION AND 3, SPEC. NO: 4758, PCK.			
81 1121116 PK 59				
WASHER: LOCK, 3/4 BOLT SIZE STL, HELICAL, SPRING TYPE, HE Description: ELECTROPLATED., PER ANSI B18.21.1., SPEC. NO: 4758,	HEAVY, ZINC PCK, INFO: PKG 100 PC			

PURCHASING/WAREHOUSING DEPARTMENT BID PROPOSAL SHEET

RFQ Number:	78418			Requis	Requisition Num: B120P00854			
		1	Buy	Buyer Name: Kutkowski, Leona	Leonard S	Buyer Phone:		
Line No.	Item No.	MOD	Prior Demand	Manufacturer's Name	Part Number	Manufacturer's Name	Manufacturer's Part No. Offered	Unit Price
82	1121151	ЪК	m			1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		
Descripti	WASHER: X .250 4758, Description: DATE;	SHER: LOCK, 1/4 BOLT .250 ID X .062 THICK. '58, REV. NO: TE:, BULL. NO:, PCK. INFO: PK 100 PC	/4 BOLT SIZE ? THICK. ASTI WO: NO:, REI	WASHER: LOCK, 1/4 BOLT SIZE, PHOSPOR, BRONZE, HELLCAL SPRING TYPE, MED, X .250 ID X .062 THICK. ASTM B159, GR-A, ROCKWELL HARDENED B90., SPI 4758, REV. NO: DATE:, DATE:, BULL. NO:, REV. NO: PRV PCK. INFO: PK 100 PC	AL SPRING TYPE, MED, .468, OD HARDENED B90., SPEC. NO: REV. NO: PRV. ITEMID:			
83	1121152	¥	0					
Descripti	WASHER: on: X, .099 INFO: P	WASHER: LOCK, 1/2 X, .099 THICK. Z1 INFO: PKG 100 PC	/2 BOLT SIZE	WASHER: LOCK, 1/2 BOLT SIZE STL, HELLCAL, SPRING TYPE, Description: X, .099 THICK. ZINC ELECTROPLATED. PER ANSI, B18.21.11., INFO: PKG 100 PC	TYPE, LIGHT, .840 OD X .500 ID 21.1., SPEC. NO: 4758, PCK.	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		
84	1121154	PK	26					
Descripti	WASHER: on: .156 TH. PCK. INI	WASHER: LOCK, 5/8 BOLT 1156 THICK. ZINC ELECT PCK. INFO: PKG 100 PC	'8 BOLT SIZE CELECTROPLA:	WASHER: LOCK, 5/8 BOLT SIZE STL, HELICAL SPRING TYPE Description: .156 THICK. ZINC ELECTROPLATED. PER ANSI B18.21.1. PCK. INFO: PKG 100 PC	TYPE, MED, 1.031 OD X .625 ID X, 1. /1220, SPEC. NO: 4758,			
85	1121160	8	200					
Descripti	WASHER: LOCK, SCREW, PER DII On: PLATED PER AS' 80, CLASS 1,	LOCK, ME PER DIN 7 PER ASTM 3S 1,	TRIC, M6 BOLT S 990/ASME B18.21 B 633, FE/ZN 12 SPEC. NO: 633,	WASHER: LOCK, METRIC, M6 BOLT SIZE, HELICAL SPRING SCREW, PER DIN 7980/ASME B18.21.2M, 9.9 MM OD X 6.1. PLATED PER ASTM B 633, FE/ZN 12., TYPE II OR BLACK 080, CLASS 1, SPEC. NO: 633, PCK. INPO: PC 1 PC	WASHER: LOCK, METRIC, M6 BOLT SIZE, HELICAL SPRING STEEL, FOR SOCKET HEAD CAP SCREW, PER DIN 7980/ASME B18.21.2M, 9.9 MM OD X 6.1 MM ID X 1.6 THICK, ZINC Description: PLATED PER ASTM B 633, FE/ZN 12,, TYPE II OR BLACK OXIDE COATED PER MIL-C-13924C. 80, CLASS 1, SPEC. NO: 633, PCK. INPO: PC 1 PC			
86	1121204	PK	15					
Description	WASHER: on: ZINC ELE PC	LOCK, #1 SCTROPLAT	WASHER: LOCK, #10 STEEL., HELICAL, SPRII Description: ZINC ELECTROPLATED. PER ANSI, B18.21.1, PC	WASHER: LOCK, #10 STEEL., HELICAL, SPRING TYPE, REG, ZINC ELECTROPLATED. PER ANSI, B18.21.1, SPEC. NO: PC	, 0.334 O.D. X .047, THICK : 4758, PCK. INFO: PKG 100	 		
87	1121210	PK	6					
Description	WASHER: on: ID, X .1 PCK. INE	WASHER: LOCK, 1/2 BOL1 ID, X .162 THICK. ZINC PCK. INFO: PKG 100 PC	2 BOLT SIZE . ZINC ELECT 00 PC	WASHER: LOCK, 1/2 BOLT SIZE STL, HELICAL SPRING TYPE, EX Description: ID, X .162 THICK. ZINC ELECTROPLATED. PER ANSI B18.21.1. PCK. INFO: PKG 100 PC	TYPE, EX-HEAVY, .908 OD X .500 18.21.1., SPEC. NO: 4758,	 		

11/09/11 10:15:41

Run Date: Run Time:

PURCHASING/WAREHOUSING DEPARTMENT BID PROPOSAL SHEET

RFQ Number:	78418			Requisit	Requisition Num: B12OP00854			
	8 9 9 2 -	* t t t t t t t t t t t t t t t t t t t	Buyer Name	Buyer Name: Kutkowski, Leonard S	d S	Buyer Phone		
Line No.	Item No.	MON	Prior Demand	Manufacturer's Name	Part Number	Manufacturer's Name	Manufacturer's Part No. Offered	Unit Price
88	1121214	Ŋ.	0			1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
Descripti	WASHER: ion: 1/4 THI INFO: P	WASHER: LOCK, 3/4 1/4 THICK. ZINC E INFO: PKG 100 PC	WASHER: LOCK, 3/4 BOLT SIZE STL, HELICAL, SPRING Description: 1/4 THICK. ZINC ELECTROPLATED. PER ANSI, B18.21. INFO: PKG 100 PC	ELICAL, SPRING TYPE, ANSI, B18.21.1.,	WASHER: LOCK, 3/4 BOLT SIZE STL, HELICAL, SPRING TYPE, HEAVY, 1.25 OD X 3/4 ID X, 1/4 THICK. ZINC ELECTROPLATED. PER ANSI, B18.21.1., SPEC. NO: 4758, PCK. INFO: PKG 100 PC			
68	1122004	8	175					
Description:		WASHER: LOCK, #8 .020 THICK. ZINC INFO: PKG 500 PC	WASHER: LOCK, #8 BOLT SIZE STL, EXT, TOOTH, SPRI .020 THICK. ZINC ELECTROPLATED. PER ANSI, B18.21 INFO: PKG 500 PC	f, TOOTH, SPRING STE R ANSI, B18.21.1.,	WASHER: LOCK, #8 BOLT SIZE STL, EXT, TOOTH, SPRING STEEL, .370 OD X .164 ID X, .020 THICK. ZINC ELECTROPLATED. PER ANSI, B18.21.1., SPEC. NO: 4758, PCK. INFO: PKG 500 PC	; ; ; ;		
06	1122007	PK	13					
Descripti	WASHER: ion: ZINC ELL PC	LOCK, #1 ECTROPLAT	WASHER: LOCK, #10 BOLT SIZE STL, EXT, TR Description: ZINC ELECTROPLATED. PER ANSI B18.21.1., PC	T, TOOTH, .403 OD X .190 .1., SPEC: NO: 4758,	WASHER: LOCK, #10 BOLT SIZE STL, EXT, TOOTH, .403 OD X .190 ID X .022 THICK., ZINC ELECTROPLATED. PER ANSI B18.21.1., SPEC. NO: 4758, PCK. INFO: PKG 100 PC	1 1 4 6 1 1		
91	1122011	PK	3					
Descripti	WASHER:	LOCK, 1/. PLATED. PI	WASHER: LOCK, 1/4 BOLT SIZE STL, EXT TOOTH, 1/2 Description: ELECTROPLATED. PER ANSI B18.21.1., SPEC. NO:		OD X 1/4 ID X .025 THICK., ZINC 4758, PCK. INFO: PKG 100 PC			
95	1122018	PK	10					
Descripti	WASHER: lon: ZINC ELA PC	LOCK, 5/ ECTROPLATI	WASHER: LOCK, 5/16 BOLT SIZE STL, EXT TOOTH, 19/32 OD X 5/16 ID X Description: ZINC ELECTROPLATED. PER ANSI B18.21.1., SPEC. NO: 4758, PCK. PC	XT TOOTH, 19/32 OD X 5/ -1., SPEC. NO: 4758,	X 5/16 ID X .033 THICK., 1758, PCK. INFO: PKG 100			
93	1122020	PK	10					
Descripti	WASHER: on: ELECTRO	LOCK, 3/1 PLATED. PE	WASHER: LOCK, 3/8 BOLT SIZE STL, EX Description: ELECTROPLATED. PER ANSI B18.21.1.,	T TOOTH, 11/16 OD X SPEC. NO: 4758,	WASHER: LOCK, 3/8 BOLT SIZE STL, EXT TOOTH, 11/16 OD X 3/8 ID X .035 THICK., ZINC ELECTROPLATED. PER ANSI B18.21.1., SPEC. NO: 4758, PCK. INFO: PKG 100 PC			
94	1122026	PK	0					
Description	WASHER: on: ELECTROI	LOCK, 1/; PLATED. PE	WASHER: LOCK, 1/2 BOLT SIZE STL, EXT TOOTH, 7/8 Description: ELECTROPLATED. PER ANSI B18.21.1., SPEC. NO:		OD X 1/2 ID X .040 THICK., ZINC 4758, PCK. INFO: PKG 100 PC			

Run Date: 11/09/11 Run Time: 10:15:41

PURCHASING/WAREHOUSING DEPARTMENT BID PROPOSAL SHEET

TRANSIT

C H I C A G O

RFQ Number: 78418 Requisition Nim. Blobbones	100000E4		
	7700004)
Buyer Name: Kutkowski, Leonard S	Buyer Phone:	1	
Line No. Item No. UCM Demand Name Name Number	Manufacturer's Name	Manufacturer's Part No. Offered	Unit Price
95 1122043 PK 0 SHAKEPRO 1136		4 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
WASHER: LOCK, 1 BOLT SIZE STL, EXT., TOOTH, 1-5/8 OD X 1 ID X .062 THICK., Description: ELECTROPLATED. PER ANSI B18.21.1., SPEC. NO: 4758, PCK, INFO: PKG 100	L ID X .062 THICK., ZINC PCK. INPO: PKG 100 PC		
WASHER: LOCK, #6 BOLT SIZE STL, INT, TOOTH, 8/31 OD X .138 ID X .01 Description: ELECTROPLATED. PER ANSI B18.21.1., SPEC. NO: 4758, PCK. INPO:	.138 ID X .018 THICK, ZINC PCK. INPO: PKG 100 PC		
WASHER: LOCK, #8 BOLT SIZE STEEL, INT TOOTH, 21,64 OD X .164 ID X . Description: ZINC ELECTROPLATED., PER ANSI B18.21.1., SPEC. NO: 4758, PCK. PC	ID X .020, THICK PCK. INFO: PKG 100		
98 1122114 PK 12			
WASHER: LOCK, 3/16 BOLT SIZE STL, INT, TOOTH, 3/8 OD X 3/16 ID X .022 THICK., Description: ZINC ELECTROPLATED. PER ANSI B18.21.1., SPEC. NO: 4758, PCK. INFO: PKG 1	.D X .022 THICK., PCK. INFO: PKG 100		
99 1122121 PK 15			
WASHER: LOCK, 1/4 BOLT SIZE STAINLESS, INT TOOTH, 15/32 OD X 1/4 ID X .025 THICK. Description: ZINC ELECTROPLATED. PER ANSI B18.21.1., SPEC. NO: 4758, PCK. INFO: PKG 100 PC	1/4 ID X .025 THICK. PCK. INFO: PKG 100		
100 1122124 PK 36			
WASHER: LOCK, SHAKE-PROOF, 5/16 BOLF SIZE STL, INT TOOTH, 19/32 OD X 5/16 ID X Description: .030 THICK., ZINC ELECTROPLATED. PER ANSI B18.21.1., SPEC. NO: 4758, PCK INFO: PKG 100 PC	OD X 5/16 ID X O: 4758, PCK.		
101 1122127 PK 0			
WASHER: LOCK, 3/8 BOLT SIZE STL, INT, TOOTH, 11/16 OD X 3/8 ID X .0. Description: ZINC ELECTROPLATED. PER ANSI B18.21.1., SPEC. NO: 4758, PCK. II	D X .035 THICK., PCK. INFO: PKG 100		

Page 15 of 20

PURCHASING/WAREHOUSING DEPARTMENT BID PROPOSAL SHEET

RFO Number:	78418	; ; ;		Requisi	Requisition Num: B120P00854			
4 4 5 1 1 4 4 5	1	1	Buyer Name	Buyer Name: Kutkowski, Leonard	ırd s	Buyer Phone:		
Line No.	Item No.	MON	Prior Demand	Manufacturer's Name	Part Number	Manufacturer's Name	Manufacturer's Part No. Offered	Unit Price
102	1122134	, A	7	SHAKEPRO	1222			
Descriptío	WASHER: LOC On: THICK., ZIN PKG 100 PC	LOCK, 7 ZINC ELL PC	WASHER: LOCK, 7/16 BOLT SIZE STL, INTCK,, TOOTH, Description: THICK., ZINC ELECTROPLATED. PER ANSI B18.21.1., PKG 100 PC		25/32 OD X 7/16 ID X .035 SPEC. NO: 4758, PCK. INPO:			
103	1122141	¥	0	PREMIUMT SHAKEPRO	PTS 7700505 1226			
Description	WASHER: on: ZINC ELE PC	LOCK, 9.	WASHER: LOCK, 9/16 BOLT SIZE STL, INT, 'Description: ZINC ELECTROPLATED. PER ANSI B18.21.11., PC	INT, TOOTH, 31/32 11.1., SPEC. NO:	WASHER: LOCK, 9/16 BOLT SIZE STL, INT, TOOTH, 31/32 OD X 9/16 ID X .040 THICK., ZINC ELECTROPLATED. PER ANSI B18.21.1., SPEC. NO: 4758, PCK. INFO: PKG 100 PC			
104	1122144	ЬЖ	10	SHAKEPRO	1228			
Descriptic	WASHER: on: ZINC ELE PC	LOCK, 5, CTROPLAT	WASHER: LOCK, 5/8 BOLT SIZE STEEL, INT, TOOTH, Description: ZINC ELECTROPLATED. PER ANSI B18.21.1., SP PC	IOOTH, 1 SPEC	-1/16 OD X 5/8 ID X .045 THICK, NO: 4758, PCK. INFO: PKG 100			
105	1122148	PK	0					
Descriptic	WASHER: nn: ELECTROP	LOCK, 3, LATED. P	WASHER: LOCK, 3/4 BOLT SIZE STL, INT TOOTH, 1-1/ Description: ELECTROPLATED. PER ANSI B18.21.1., SPEC. NO:	IT TOOTH, 1-1/ SPEC. NO:	4 OD X 3/4 ID X .050 THICK., ZINC 4758, PCK. INFO: PKG 100 PC			
106	1122153	PK		SHAKEPRO	1234			
Descriptic	WASHER: LOCK, 7, Description: ELECTROPLATED.	LOCK, 7, LATED.	/8 BOLT SIZE STL, IN PER ANSI B18.21.1.,	NT, TOOTH, 1-3/8 OD ; SPEC. NO: 4758,	WASHER: LOCK, 7/8 BOLT SIZE STL, INT, TOOTH, 1-3/8 OD X 7/8 ID X .055 THICK, ZINC ELECTROPLATED. PER ANSI B18.21.1., SPEC. NO: 4758, PCK. INFO: PC 100 PC			
107	1122154	PK	0					
Descriptic	WASHER: on: ELECTROP	LATED. F	WASHER: LOCK, 1 BOLT SIZE STL, INT, TOOTH, 1-5/8 Description: ELECTROPLATED. PER ANSI B18.21.1., SPEC. NO:	, TOOTH, 1-5/8 SPEC. NO:	OD X 1 ID X .062 THICK., ZINC 4758, PCK. INFO: PKG 100 PC			
108	1122155	ÞΚ						
Descriptic	WASHER: LOO on: THICK. ZING PKG 100 PC	LOCK, 1: INC ELEC PC	WASHER: LOCK, 1-1/8 BOLT SIZE STL, INT, TOOTH, Description: THICK. ZINC ELECTROPLATED. PER ANSI, B18.21.1., PKG 100 PC		-13/16 OD X 1-1/8 ID X .062, SPEC. NO: 4758, PCK. INFO:			

>

K

H

-

တ z K

4

H

0

CAG

Сні

16 of 20

Page

10:15:41 Run Date: Run Time:

DEPARTMENT SHEET G Z PURCHASING/WAREHOUS BID PROPOSAL

Unit Price Part No. Offered Manufacturer's Manufacturer's Buyer Phone: WASHER: LOCK, #8 BOLT SIZE, COUNTERSUNK, EXT TOOTH, STL. ZINC ELECTROPLATED. FOR, USE WITH 8-32 OVAL HD SCREW., SPEC. NO: 4758, REV. NO: DATE:, WASHER: FLAT, 1/2 BOLT SIZE, STAINLESS STEEL, TYPE B, 1 OD X 17/32 ID. PER, ANSI B18.221., SPEC. NO: 4758, PCK. INFO: PKG 25 PC WASHER: FLAT, 3/8 BOLT SIZE, STN STL, TYPE B. 1 OD X 13/32 ID X .063 THICK., PER ANSI B 18.22.1., SPEC. NO: 4758, PCK. INFO: PC 1 PC WASHER: FLAT, 1/4 BOLT SIZE, WROUGHT STEEL, .625 OD X 1/4 ID X .065 THICK. ZINC Description: ELECTROPLATED. PER ANSI B18.22.1. FRONT DOOR UPGRADE., REF: BOOK FMI #TMC-11., SPEC. NO: 4758/7363, PCK. INFO: PC 1 PC WASHER: FLAT, 3/8 BOLT SIZE, STEEL, 1-1/4 OD X 13/32 ID X .086 THICK. ZINC Description: ELECTROPLATED, PER ASTM F436 HARDENED , SPEC. NO: 3370, PCK. INFO: PKG 100 WASHER: FLAT, 1/2 BOLT SIZE, STAINLESS, STEEL, REG, TYPE B, PER ANSI B18.22.1, Description: SPEC. NO: 4758, PCK. INFO: PKG 100 PC WASHER: FLAT, 5/16 BOLT SIZE, TYPE B, WROUGHT STL, 5/8 OD X 5/16 ID. ZINC, Description: ELECTROPLATED. PER ANSI B18.22.1., SPEC. NO: 4758, PCK. INFO: PKG 100 PC REV. NO: Requisition Num: B12OP00854 1.250.0.405-086HHY JPR-3108 67123000-03 67122110-07 ST72101C38 ST72101C44 ST72101C44 REV. NO: DATE:, BULL. NO:, PAT. NO:, PAT. NO:, PRV. ITEMID:, PCK. INFO: PK 100 PC 68530900 Part Buyer Name: Kutkowski, Leonard S Manufacturer's SHAKEPRO BOEINGVR WILLIEWA RUKLICSC BOEINGVR WILLIEWA OPTIMA VAPOR Demand Prior 3600 650 100 10 0 0 Description: ANSI B 18.22.1., Š DRAW. NO:, 8 ፳ ሺ 퐀 ጀ 퐀 ጀ DATE:, Description: B18.221., Item No. 1123020 78418 1122252 1123021 1123023 1124404 1126053 1126054 Description: RFQ Number: Line No. 110 109 111 114 115 112 113

PURCHASING/WAREHOUSING DEPARTMENT BID PROPOSAL SHEET

RFQ Number:	78418	1		Requi	Requisition Num: B120P00854			
	4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	1	Buyer	Buyer Name: Kutkowski, Leonard S	onard S	Buyer Phone		
Line No.	Item No.	₩On	Prior Demand	Manufacturer's Name	Part Number	Manufacturer's Name	Manufacturer's Part No. Offered	Unit Price
116	1126055	ጸ	2567			1		
Descripti	WASHER: FLAT, #8 BOLT Description: B, PER ANSI B18.22.1 100 PC	FLAT, #1	9 BOLT SIZE, W	WASHER: FLAT, #8 BOLT SIZE, WROUGHT STEEL, 3/8 OD X B, PER ANSI B18.22.1 ZINC ELECTROPLATED., SPEC. 100 PC	3 OD X .188 ID X .040 THICK,, TYPE SPEC. NO: 4758, PCK. INFO: PKG			
117	1126063	ጸ	0					
Descripti	WASHER: FI	FLAT, #1 PER ANS1 PC	10 BOLT SIZE,	WASHER: FLAT, #10 BOLT SIZE, WROUGHT, STEEL, .500 (Description: TYPE A, PER ANSI B18.22.1 ZINC, ELECTROPLATED., PKG 50 PC	.500 OD X .219 ID X .049 THICK,, D., SPEC. NO: 4758, PCK. INFO:	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		
118	1126064	ጀ	200					
Descripti	WASHER: Description: TYPE B, 4758,		WASHER: FLAT, #6 BOLT SIZE, ST TYPE B, PER ANSI B18.22.1, REF 4759, PCK. INFO: PKG 100 PC	AINLESS STEEL, .43	8 OD X .156 ID X .040 THICK,, NO. ST 72101-C20, SPEC. NO:	; ; ; ;		
119	1126065	צ	200					
Descripti	WASHER: on: PASSIVA:	FINISHIN TED., PCK	WASHER: FINISHING, FOR #12 COUNTER: Description: PASSIVATED., PCK. INFO: PKG 100 PC	UNTERSUNK SCREW, RAIS	WASHER: FINISHING, FOR #12 COUNTERSUNK SCREW, RAISED TYPE, 18-8 STAINLESS STEEL PASSIVATED., PCK. INFO: FKG 100 PC	1 1 1 1		
120	1126069	ጀ	0					
Descripti	WASHER: on: .170 ID	LOCK, #6 X .040 T	BOLT SIZE STATHLICK. PER ANS	WASHER: LOCK, #8 BOLT SIZE STAINLESS STEEL, HELICAL SPRING TYPE, Description: .170 ID X .040 THICK. PER ANSI B18.21.1, SPEC. NO: 4758, PCK.	AL SPRING TYPE, REG, .293 OD X): 4758, PCK. INFO: PKG 100 PC			
121	1126075	ጸ	6400					
Descripti	WASHER: LOO Description: B18.21.1.,	LOCK, #1 1., SP	#10 BOLT SIZE ST SPEC. NO: 4758,	TAINLESS STEEL, HELICAL : PCK. INFO: PKG 100 PC	WASHER: LOCK, #10 BOLT SIZE STAINLESS STEEL, HELICAL SPRING TYPE, REG. PER, ANSI B18.21.1., SPEC. NO: 4758, PCK. INPO: PKG 100 PC	1		
122	1126076	ጸ	1400					
Descripti	WASHER: LOC Description: B18.21.1.,	LOCK, 1/ 1., SP	1/4 BOLT SIZE ST SPEC. NO: 4758,	TAINLESS STEEL, HELICAL S PCK. INFO: PKG 100 PC	WASHER: LOCK, 1/4 BOLT SIZE STAINLESS STEEL, HELLCAL SPRING TYPE, REG. PER, ANSI B18.21.1., SPEC. NO: 4758, PCK. INFO: PKG 100 PC		; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ;	
123	1127026	윒	0	AMGENERA	06.15013.6107			
Descripti	WASHER: FLAT, 4 MM B Description: ZINC ELECTROPLATED.,	FLAT, 4 ECTROPLAT	MM BOLT SIZE, TED., SPEC.	WASHER: FLAT, 4 MM BOLT SIZE, WROUGHT, STEEL, 8.78 ZINC ELECTROPLATED., SPEC. NO: 633, PCK. INFO.	TEEL, 8.78 OD X 4.31 ID X .75 THICK., PCK. INFO: BOX 100 PC	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		

11/09/11 10:15:41

Run Date: Run Time:

PURCHASING/WAREHOUSING DEPARTMENT BID PROPOSAL SHEET

RFQ Number:	: 78418	1 1	1	Requisit	Requisition Num: B120P00854			
	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		Buyer Nam	Buyer Name: Kutkowski, Leonard S	d S	Buyer Phone:		
Line No.	Item No.	MOM	Prior Demand	Manufacturer's Name	Part Number	Manufacturer's Name	Manufacturer's Part No. Offered	Unit Price
124	1127036	8	1469					
Descripti	WASHER: 1 B18.21.2M ion: FE/ZN 12, NO: 633,	LOCK, MI M, 14.8 , TYPE] PCK.	CK, METRIC, M 8 BOLT SIZ 14.8 MM O.D. X 8.1 MM I TYPE II OR BLACK OXIDE PCK. INFO: BOX 100 PC	WASHER: LOCK, METRIC, M 8 BOLT SIZE,, HELICAL SPRING STEEL, PER DIN 12 B18.21.2M, 14.8 MM 0.D. X 8.1 MM I.D. X, 2 MM THICK. ZINC PLATED PER A Description: FE/ZN 12, TYPE II OR BLACK OXIDE COATED, PER MIL-C-13924C-80, CLASS 1, NO: 633, PCK. INFO: BOX 100 PC	WASHER: LOCK, METRIC, M 8 BOLT SIZE,, HELICAL SPRING STEEL, PER DIN 127B/ASME, B18.21.2M, 14.8 MM O.D. X 8.1 MM I.D. X, 2 MM THICK. ZINC PLATED PER ASTM B 633, FE/ZN 12, TYPE II OR BLACK OXIDE COATED, PER MIL-C-13924C-80, CLASS 1, SPEC. NO: 633, PCK. INFO: BOX 100 PC	; ; ;		
125	1127037	Ŗ	28					
Descripti	WASHER: LOCK, M B18.21.2M, 18.1 Con: 633, FE/ZN 12, SPEC. NO: 633,	LOCK, ME 4, 18.1N ZN 12, 7	WASHER: LOCK, METRIC, M 10 BOLT SIZE,, HELICAL S B18.21.2M, 18.1MM O.D. X 10.2 NM I.D. X, 2.2 NM 633, FE/ZN 12, TYPE II OR BLACK OXIDE COATED, PE SPEC. NO: 633, PCK. INFO: PKG 100 PC		PRING STEEL, PER DIN 127B/ASNE, THICK, ZINC PLATED PER ASTM B R MIL-C-13924C-80, CLASS 1,	 		
126	1127038	X	25		- ·			
Descripti	WASHER: LOCK, M B18.21.2M, 21.1 con: 633, FE/ZN 12, SPEC. NO: 633,	LOCK, ME 4, 21.1 2N 12, T	WASHER: LOCK, METRIC, M 12 BOLT SIZE,, HELICAL & B18.21.2M, 21.1 MM O.D. X 12.2MM I.D. X, 2.5 MM 633, FE/ZN 12, TYPE II OR BLACK OXIDE COATED, PE SPEC. NO: 633, PCK. INPO: BOX 100 PC	IZE, HELICAL SPRING: 1.D. X, 2.5 MM THICK, KIDE COATED, PER MIL-(00 PC	WASHER: LOCK, METRIC, M 12 BOLT SIZE,, HELICAL SPRING STEEL, PER DIN 127B/ASNE, B18.21.2M, 21.1 MM 0.D. X 12.2MM I.D. X, 2.5 MM THICK, ZINC PLATED PER ASTM B Description: 633, FE/ZN 12, TYPE II OR BLACK OXIDE COATED, PER MIL-C-13924C-80, CLASS 1, SPEC. NO: 633, PCK. INFO: BOX 100 PC			
127	1127051	8	2320					
Descripti	WASHER: I on: B18.22M,, 633,, FE/	12.5 M	WASHER: FLAT, STANDARD, METRIC, M 6 BOLT, SIZE, B18.22M,, 12.5 MM O.D. X 6.4 MM I.D. X 1.6 MM, 3 633,, FE/ZN 12, TYPE II, SPEC. NO: 633, PC	UC, M 6 BOLT, SIZE, STEEL, MM I.D. X 1.6 MM, THICK, SPEC. NO: 633, PCK. INFO	WASHER: FLAT, STANDARD, METRIC, M 6 BOLT, SIZE, STEEL, PER DIN 125A/ASME Description: B18.22M,, 12.5 MM O.D. X 6.4 MM I.D. X 1.6 MM, THICK, ZINC PLATED PER ASTM B 633,, FE/ZN 12, TYPE II, SPEC. NO: 633, PCK. INFO: BOX 100 PC			
128	1127052	ጸ	100					
Descripti	WASHER: FLAT, STAND On: B18.22M, 17 MM O.D. FE/ZN 12, TYPE II,	LAT, ST 17 MM O TYPE I	WASHER: FLAT, STANDARD, METRIC, M 8, BOLT SIZE, B18.22M, 17 MM O.D. X 8.4 MM I.D. X 1.6, MM THICFE/ZN 12, TYPE II, SPEC. NO: 633, PCK. INF	8, BOLT SIZE, STEEL, X 1.6, MM THICK, ZIN 33, PCK. INFO: BOX	WASHER: FLAT, STANDARD, METRIC, M 8, BOLT SIZE, STEEL, PER DIN 125A/ASME, Description: B18.22M, 17 MM O.D. X 8.4 MM I.D. X 1.6, MM THICK, ZINC PLATED PER ASTM B 633,, FE/ZN 12, TYPE II, SPEC. NO: 633, PCK. INFO: BOX 100 PC			
129	1127053	æ	50					
Descripti	WASHER: FLAT, STANU On: B18.22M, 21 MM O.D. FE/ZN 12, TYPE II,	LAT, SI 21 MM C TYPE I	WASHER: FLAT, STANDARD, METRIC, M 10 BOLT SIZE, Description: B18.22M, 21 MM O.D. X 10.5 MM I.D. X 2MM THICK, FE/ZN 12, TYPE II, SPEC. NO: 633, PCK. INF		STEEL, PER DIN 125A/ASME, ZINC PLATED PER ASTM B 633,, : BOX 100 PC	4 4 9 1		

Run Date: 11/09/11 Run Time: 10:15:41

PURCHASING/WAREHOUSING DEPARTMENT BID PROPOSAL SHEET

RFO Number	704.10		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1				
	0110		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Requ	Requisition Num: B120P00854	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		
1	4 4 5 6 7 8 8 8 8	1	Buyer Nam	Buyer Name: Kutkowski, Leonard S	onard S	Buver Phone		
Line No. I	Item No. U	Prior UOM Demand	or and	Manufacturer's	Part Number	تناا		
	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	: : : : : : : : : : : : : : : : : : : :			Name	Part No. Offered	Unit Price
130 1	1127054 P	PC 150						
Description	WASHER: FLAT: 24 MM O.D. X TYPE II,	F, STANDARD, ME (13 MM I.D. X : SPEC. NO: 633,	D, X 2.5 NM; 633, PCK.	WASHER: FLAT, STANDARD, METRIC, M 12 BOLT SIZE, STE Description: 24 MM O.D. X 13 MM I.D. X 2.5 MM THICK, ZINC PLATED TYPE II, SPEC. NO: 633, PCK. INFO: BOX 100 PC	WASHER: FLAT, STANDARD, METRIC, M 12 BOLT SIZE, STEEL, PER DIN 125A/ASWE B18.22M, 24 MM O.D. X 13 MM I.D. X 2.5 MM THICK, ZINC PLATED PER ASTM B 633, FE/ZN 12, TYPE II, SPEC. NO: 633, PCK. INFO: BOX 100 PC			
131 4	4002110 PK	PC 0						
MASHER: Description: PLATED. SPECIFIE	WASHER: FLAT, FOR 3/ : PLATED. SPECIAL, HAR SPECIFIED, /, /, /,	, FOR 3/4 IAL, HARD , /, /,	" DIA. BOLT 1 ENED PER SPEC SPEC. NO: 3	DIA. BOLT 13/16", ID X 1-1/4 RED PER SPEC., ROCKWELL "C" SI SPEC. NO: 3370, PCK. INFO:	WASHER: FLAT, FOR 3/4" DIA. BOLT 13/16", ID X 1-1/4" OD X 1/8"THICK, CADMIUM, PLATED. SPECIAL, HARDENED PER SPEC., ROCKWELL "C" SCALE, NOTE: DIMENSIONS SPECIFIED, /, /, /, SPEC. NO: 3370, PCK. INFO: PK 50 PC	 		
132 4(4002111 PC	c 131						
Description:	WASHER: FLAT B18.22.1 FOR MEET THAT SPI FINISH WITH I	, FOR 1" A 1" TYP. ECIFIED II	DIA. BOLT, DI E A, NARROW, N ASTM F436 F 320 OR 320LC,	WASHER: FLAT, FOR 1" DIA. BOLT, DIMENSIONS TO MEET T B18.22.1 FOR A 1" TYPE A, NARROW, PLAIN FLAT WASHER. MEET THAT SPECIFIED IN ASTM F436 FOR A TYPE 1, THRU: FINISH WITH DACROMET 320 OR 320LC, REV. 5/4/10, SPEC PC	WASHER: FLAT, FOR 1" DIA. BOLT, DIMENSIONS TO MEET THOSE SPECIFIED IN ASME B18.22.1 FOR A 1" TYPE A, NARROW, PLAIN FLAT WASHER. MATERIAL AND HARDNESS TO MEET THAT SPECIFIED IN ASTM F436 FOR A TYPE 1, THRU HARDENED STEEL WASHER. Description: FINISH WITH DACROMET 320 OR 320LC, REV. 5/4/10, SPEC. NO: 3370, PCK. INFO: PC 1			
133 40	4002138 PC	0						
Description:	WASHER: SPECIAL 1-1/32" CADMIUM PLATED PER ASTM TRACK BRAKE SWING LINK,	IAL 1-1/3; ED PER AS; WING LINE	2" ID X 2" OD TM A 165., ZI K, SPEC. N	MASHER: SPECIAL 1-1/32" ID X 2" OD X 1/8, TH, FLAT, HARDENED STE Description: CADMIUM PLATED PER ASTM A 165., ZINC DICHROWATE PER ASTME633 ACC TRACK BRAKE SWING LINK, SPEC. NO: 3370, PCK. INPO: PK 50 PC	. HARDENED STEEL PER ASTM F436, R ASTMG633 ACCEPTABLE, USED ON INFO: PK 50 PC			
134 40	4004484 PC	2 296						
Description:	WASHER: CIRCULAR, 0.675" X 0.406" ID X 0.08: Description: 1045 OR A-4140, WASHERS TO BE FULL SECTION, 25 PC	JLAR, 0.67 10, WASHEF	75" X 0.406" RS TO BE FULL	WASHER: CIRCULAR, 0.675" X 0.406" ID X 0.089" THICK. 1045 OR A-4140, WASHERS TO BE FULL SECTION, SPEC. 25 PC	K. STEEL C38 TO C45, AISI-C-,C. NO: 3370, PCK. INFO: PK			
135 40	4004530 PC	5 661						
Description:	WASHER: STEEL CADMIUM PLATE 3370, PCK.	STEEL, 49/64" ID X : PLATED, USED ON MOTY PCK. INFO: PK 25 PC	ID X 1-5/16" ON MOTOR MOUNT 25 PC	WASHER: STEEL, 49/64" ID X 1-5/16" OD X, 3/8" THICK. Description: CADMIUM PLATED, USED ON MOTOR MOUNT, ZINC DICHROMATE 3370, PCK. INFO: PK 25 PC	K. AIS 4140, ROCKWELL 26-30C, TE ACCEPTABLE, SPEC. NO:	 		
136 40	4073021 PC	1600		BOEINGVR	ST 72101C25			
Description;	WASHER: FLAT, #1 Description: ELECTROPLATED.,	#10 BOLT	SOLT SIZE, STL, 1 SPEC. NO: 4758,	WASHER: FLAT, #10 BOLT SIZE, STL, TYPE B NARROW, PER ELECTROPLATED., SPEC. NO: 4758, PCK. INFO: PK 1	ER ANSI/ASME B18.22.1,, ZINC 100 PC	; ; ; ;		

SWIDDING / PIDDING

11/09/11 10:15:41

Run Date: Run Time:

PURCHASING/WAREHOUSING DEPARTMENT BID PROPOSAL SHEET

End of Report

CERTIFICATION REGARDING A DRUG FREE WORKPLACE

Pursuant to the definitions regarding a Drug Free Workplace provided in the Drug-Free	ee Workplace Act of 1988, the Illinois
Drug Free Workplace Act, 30 ILCS 580/1 et seg., the Illinois Substance Abuse Prevent	ion on Public Works Projects Act 820
ILCS 265/1 et seq., the Federal Acquisition Regulation System ("FAR"). Procedures	for Transportation Workplace Drug &
Alcohol Testing Programs, 49 CFR 40, and Prevention of Alcohol Misuse & Prohibite	ed Drug Use in Transit Operation, 49
CFR 655,("Contractor") certifies to the best of its ki	nowledge and belief that it and its
principals:	The same of the sa

- Maintain a workplace(s) (i.e. the site(s) for the performance of work done by the Contractor in connection with this contract) safe and free from "controlled substances" as described in the Controlled Substances Act (21 U.S.C. 812) and as further described in regulations 21 CFR 1308.11 1308.15.
- 2. Have neither been convicted, including entering a plea of 'nolo contendere,' nor had sentence imposed by any judicial body charged with the responsibility to determine violations of Federal or State criminal drug statutes.
- 3. Publish and give notice to its employees and sub-contractors that the unlawful manufacture, distribution, dispensing, possession, or use of a controlled substance is prohibited in the Contractor's workplace, and also that actions will be taken against any and all employees and sub-contractors found to be violation of same.
- 4. Provide that all employees engaged in the performance of the contract receive a copy of the above statement, that the employee will abide by the terms of this statement, and that the employee will notify the employer in writing of the employee's conviction no later than five (5) calendar days after such conviction.
- 5. Provide for appropriate action against an employee for violation of any and all of these rules and that an employee convicted of drug abuse must satisfactorily participate in a drug abuse assistance or rehabilitation program approved for such purposes by Federal, State, or local health or law enforcement or other appropriate agency.
- 6. Comply with all drug and alcohol policies, testing programs and reporting requirements set forth in 49 CFR 40 and 49 CFR 655 whenever the Contractor, its employees, or sub-contractor(s) perform one or more of the following functions considered "safety-sensitive", as defined in 49 CFR 655:
 - a. Operating a revenue service vehicle, including when not in revenue service;
 - b. Operating a non-revenue service vehicle, when required to be operated by a holder of a Commercial Driver's License:
 - c. Controlling dispatch or movement of a revenue service vehicle;
 - d. Maintaining (including repairs, overhaul and rebuilding) a revenue service vehicle or equipment used in revenue service; or
 - e. Carrying a firearm for security purposes.
- 7. Have in place a written program which meets or exceeds the program requirements of the Substance Abuse Prevention on Public Works Projects Act (820 ILCS 265/1 et seq.) to be filed with the Authority and made available to the general public, or have in place a collective bargaining agreement which deals with the subject matter of the Substance Abuse Prevention on Public Works Projects Act (820 ILCS 365/1 et seq.).
- 8. Will otherwise comply with all drug and alcohol policies set forth in applicable Federal, State and local laws and regulations, including, but not limited to the Drug-Free Workplace Act of 1988, FAR, Illinois Drug Free Workplace Act, 49 CFR 40 and 49 CFR 655 in such version, prior or subsequent to amendment or revision, as is currently enforced or enforceable at and during the execution and performance of this Contract.

In addition to other remedies, the Contractor's failure to comply with any part of the requirements of the Drug-Free Workplace Act of 1988, FAR, Illinois Drug Free Workplace Act, the Illinois Substance Abuse Prevention on Public Works Projects Act, 49 CFR 40 or 49 CFR 655, may render the Contractor subject to any or all of the following: suspension of payments, termination of contract for default, suspension or debarment.

payments, termination of contract for default, suspension or debarment.	subject to any or	an or the following.	suspension
Signature and Title of Authorized Official	Date		

Certification for Contracts, Grants, Loans and Cooperative Agreements

The undersigned certifies, to the best of his or her knowledge and belief, that:

- (1) No Federal appropriated funds have been paid or will be paid, by or on behalf of the undersigned, to any person for influencing or attempting to influence an officer or employee of an agency, a Member of Congress, an officer or employee of Congress, or an employee of a Member of Congress in connection with the awarding of any Federal contract, the making of any Federal grant, the making of any Federal loan, the entering into of any cooperative agreement, and the extension, continuation, renewal, amendment, or modification of any Federal contract, grant, loan, or cooperative agreement.
- (2) If any funds other than Federal appropriated funds have been paid or will be paid to any person for influencing or attempting to influence an officer or employee of an agency, a Member of Congress, an officer or employee of Congress, or an employee of a Member of Congress in connection with this Federal contract, grant, loan, or cooperative agreement, the undersigned shall complete and submit Standard Form-LLL, "Disclosure Form to Report Lobbying," in accordance with its instructions.
- (3) The undersigned shall require that the language of this certification be included in the award documents for all sub awards at all tiers (including subcontracts, sub grants, and contracts under grants, loans and cooperative agreements) and that all sub recipients shall certify and disclose accordingly.

This certification is a material representation of fact upon which reliance was placed when this transaction was made or entered into. Submission of this certification is a prerequisite for making or entering into this transaction imposed by section 1352, title 31, U.S. Code. Any person who fails to file the required certification shall be subject to a civil penalty of not less than \$10,000 and not more than \$100,000 for each such failure.

Executed this	day of	, 20
Ву:		
	(Type or print name of contractor)	
	(Signature of authorized officer)	
	(Title of authorized officer)	

CERTIFICATION OF PRIMARY PARTICIPANT REGARDING DEBARMENT, SUSPENSION, AND OTHER RESPONSIBILITY MATTERS

____, certifies to the best of our knowledge and belief that it and

	(Company's name)			
its principles:				
1.	Are not presently debarred, suspended, proposed for debarment, declared ineligible, or voluntarily excluded from covered transactions by any Federal department or agency;			
2.	Have not within a three-year period preceding this proposal been convicted of or had a civil judgment rendered against them for commission of frauds or a criminal offense in connection with obtaining, attempting to obtain, or performing a public (Federal, State, or local) transaction or contract under a public transaction; violation of Federal or State antitrust statutes or commission of embezzlement, theft, forgery, bribery, falsification or destruction of records, making false statements, or receiving stolen property.			
3.	Are not presently indicated for or otherwise criminally or civilly charged by charged by a government entity (Federal, State, or local) with commission of any of the offenses enumerated in paragraph (2) of this certification; and			
4.	Have not within a three-year period preceding this application/ proposal had one or more public transactions (Federal, State, or local) terminated for cause or default.			
THE P	RIMARY PARTICIPANT (APPLICANT OR POTENTIAL CONTRACTOR FOR A MAJOR THIRD			
PARTY	CONTRACT) CERTIFIES OR			
AFFIRM	(Company name) IS THE TRUTHFULNESS AND ACCURACY OF THE CONTENTS OF THE STATEMENTS			
SUBMITTED ON OR WITH THIS CERTIFICATION AND UNDERSTANDS THAT THE PROVISIONS OF				
31 U.S.C. SECTIONS 3801 ET SEQ. ARE APPLICABLE THERETO.				
	(Signature and Title of Authorized Official)			
	(Signature and Title of Addibitized Official)			

If you are unable to certify to any of the statements in this certification, the participant shall attach an

explanation to this certification.

CERTIFICATION OF LOWER TIER PARTICIPANT REGARDING DEBARMENT, SUSPENSION, AND OTHER RESPONSIBILITY MATTERS

, certifies to the best of our knowledge and belief that it and
(Company's name)
ts principles:
 Are not presently debarred, suspended, proposed for debarment, declared ineligible, of voluntarily excluded from covered transactions by any Federal department or agency;
2. Have not within a three-year period preceding this proposal been convicted of or had a civing judgment rendered against them for commission of frauds or a criminal offense in connection with obtaining, attempting to obtain, or performing a public (Federal, State, or local) transaction of contract under a public transaction; violation of Federal or State antitrust statutes or commission of embezzlement, theft, forgery, bribery, falsification or destruction of records, making false statements, or receiving stolen property.
 Are not presently indicated for or otherwise criminally or civilly charged by charged by government entity (Federal, State, or local) with commission of any of the offenses enumerated in paragraph (2) of this certification; and
 Have not within a three-year period preceding this application/ proposal had one or more public transactions (Federal, State, or local) terminated for cause or default.
THE LOWER TIER PARTICIPANT (APPLICANT OR POTENTIAL CONTRACTOR FOR A MAJOR
HIRD PARTY CONTRACT)CERTIFIES
(Company name) OR AFFIRMS THE TRUTHFULNESS AND ACCURACY OF THE CONTENTS OF THE STATEMENTS
SUBMITTED ON OR WITH THIS CERTIFICATION AND UNDERSTANDS THAT THE PROVISIONS OF
1 U.S.C. SECTIONS 3801 <i>ET SEQ.</i> ARE APPLICABLE THERETO.
(Signature and Title of Authorized Official)
you are unable to certify to any of the statements in this certification, the participant shall attach an

explanation to this certification.

IF BIDDER IS A CORPORATION – THIS PAGE MUST BE EXECUTED

PROPOSAL (Continued) TO BE EXECUTED BY A CORPORATION

The undersigned hereby acknowledges having received a full set of CONTRACT DOCUMENTS (Requirements for Bidding and Instructions to Bidders; General Conditions; Standard Government Requirements; Special Conditions Disadvantaged Business Enterprise Commitment; Special Conditions, if any, issued with the specifications; and all other forms, certificates, and documents issued with the specifications) AND ADDENDA NOS. (none unless indicated here)

BIDDER MUST INSERT ADDENDA NUMBERS HERE – IF ANY
And the undersigned agrees, if awarded the contract, to perform the contract in accordance wit the terms and conditions of the Contract Documents and Addenda, if any, thereto. Notice to the undersigned may be served by mailing to the address hereinafter set forth.
FURTHER, THE UNDERSIGNED, BEING DULY SWORN, DEPOSES AND STATES ON OATI THAT the undersigned has not entered into any agreement with any other bidder or prospective bidder or with any other person, firm or corporation relating to the price or prices named within the undersigned proposal or any other proposal, nor any agreement or arrangement under which an person, firm or corporation is to refrain from bidding, nor any agreement or arrangement for an act or omission in restraint of free competition among bidders, and has not disclosed to an person, firm or corporation the terms of the undersigned's proposal or the price or prices name herein. As required by Section 33E-11 of the Illinois Criminal Code of 1961, as amended (the "Act"), the undersigned certifies that the undersigned contractor or any agent, partner, employed or officer of the contractor is not barred from contracting with any unit of state or local government as a result of engaging in or being convicted of either bid-rigging in violation of Section 3 of Article 33E or bid-rotating in violation of Section 4 of Article 33E of the Act or any similar offenses of any state or the Untied States that contain the same elements as the offenses of bid-rigging or bid rotating.
Name of Corporation:
(Print or Type Name of Corporation)
Business Address:
(Print or Type Street, City, State and Zip Code)
BY:
SIGNATURE OF AUTHORIZED OFFICER*
Title of Signatory:
(Print or Type)
*Note: If signed by any person other than the corporate President or Vice President, a certified copy of a resolution or by —law authorizing such person to sign must accompany this Proposal.
State of
County of
Signed and Sworn to before me on:
nv
(Printed name of Authorized Officer)

(Signature of Notary Public)

IF BIDDER IS A SOLE PROPRIETOR – THIS PAGE MUST BE EXECUTED

PROPOSAL (Continued) TO BE EXECUTED BY A SOLE PROPRIETOR

The undersigned hereby acknowledges having received a full set of CONTRACT DOCUMENTS (Requirements for bidding and Instructions to Bidders; General Conditions; Standard Government Requirements; Special Conditions Disadvantaged Business Enterprise Commitment; Special Conditions, if any, issued with the specifications, and all other forms, certificates, and documents issued with the specifications) AND ADDENDA NOS. (none unless indicated here)

						
		-				··-··
		BIDDER MUST INSERT	ADDENDA NUMBERS	HERE - IF ANY		
And the under						
the terms and	signed agrees	, if awarded the	e contract, to p	perform the contra	act in acc	cordance with

undersigned may be served by mailing to the address hereinafter set forth.

FURTHER, THE UNDERSIGNED, BEING DULY SWORN, DEPOSES AND STATES ON OATH THAT the undersigned has not entered into any agreement with any other bidder or prospective bidder or with any other person, firm or corporation relating to the price or prices named within the undersigned proposal or any other proposal, nor any agreement or arrangement under which any person, firm or corporation is to refrain from bidding, nor any agreement or arrangement for any act or omission in restraint of free competition among bidders, and has not disclosed to any person, firm or corporation the terms of the undersigned's proposal or the price or prices named herein. As required by Section 33E-11 of the Illinois Criminal Code of 1961, as amended (the "Act"), the undersigned certifies that the undersigned contractor or any agent, partner, employee or officer of the contractor is not barred from contracting with any unit of state or local government as a result of engaging in or being convicted of either bid-rigging in violation of Section 3 of Article 33E or bid-rotating in violation of Section 4 of Article 33E of the Act or any similar offenses of any state or the Untied States that contain the same elements as the offenses of bid-rigging or bidrotating.

Signature of Bidder:	
	(Signature of Bidder)
Name of Bidder:	
	(Print or Type)
Business Address:	
	(Print or Type Street Address)
·	
	(Print or Type City, State and Zip Code)
State of	
County of	_
Signed and Sworn to before me on:	
	ب
(Printed name of Authorized Officer)	
(Printed name of Authorized Officer)	
(Signature of Notary Public)	

IF BIDDER IS A PARTNERSHIP OR JOINT VENTURE – THIS PAGE MUST BE EXECUTED

PROPOSAL (Continued) TO BE EXECUTED BY PARTNERSHIP OR JOINT VENTURE

The undersigned hereby acknowledges having received a full set of CONTRACT DOCUMENTS (Requirements for bidding and Instructions to Bidders; General Conditions; Standard Government Requirements; Special Conditions Disadvantaged Business Enterprise Commitment; Special Conditions, if any, issued with the specifications; and all other forms, certificates, and documents issued with the specifications) AND ADDENDA NOS. (none unless indicated here)

BIDDER MUST INSERT ADDENDA NUMBERS HERE – IF ANY				
And the undersigned agrees, if awarded the contract, to perform the contract in accordance with the terms and conditions of the Contract Documents and Addenda, if any, thereto. Notice to the undersigned may be served by mailing to the address hereinafter set forth.				
THAT the undersigned bidder or with any oth undersigned proposal person, firm or corporact or omission in resperson, firm or corporact or omission in resperson, firm or corporact or officer of the contral as a result of engaging 33E or bid-rotating in	ed has not entered ber person, firm on any other properties of free contraction is to refrail the estraint of free contraction the terms of the contraction of Section of Sectio	EING DULY SWORN, DEPOSES AND STATES ON OATH and into any agreement with any other bidder or prospective or corporation relating to the price or prices named within the oposal, nor any agreement or arrangement under which any on from bidding, nor any agreement or arrangement for any competition among bidders, and has not disclosed to any of the undersigned's proposal or the price or prices named an		
Firm Name:				
Business Address:		(Print or Type Name of Firm)		
		(Print or Type Street Address)		
		(Print or Type City, State and Zip)		
BY SIGNATURE(S):				
All Partners or Joint Ventures of the Firm must sign this bid		(Partner)		
unless one Partner or Joint Venturer is authorized to sign		(Partner)		
for the Partnership or Joint Venture		(Pariner)		
		(Partner)		
		(Partner)		
State of				
County of				
Signed and Sworn to	before me on:			
by(Printed name of Authori	zed Officer)			
(Signature of Notary	Public)			

DISCLOSURE - TO BE COMPLETED BY ALL BIDDERS

DISCLOSURE OF OWNERSHIP

All businesses submitting proposals are required to complete the appropriate portion of this form. If more space is needed attach additional pages. In signing and submitting its proposals, of which this Disclosure of Ownership form is a part, the business certifies that the information submitted on this Disclosure of Ownership form is correct as of the date of the submittal of the proposal.

1.	IF THE BUSINESS IS A CORPORATION, check this box and complete: If the shares of the Corporation are not listed on the New York Stock Exchange or any regional exchange, list then name of each person who possesses either nominal or beneficia ownership or 5% or more of the Corporation's stock (list below). If none, type or print "NONE" in space below.			
	FEIN#:			
	Corporate Headquarters Address: City, State, Zip:			
	State of Incorporation:			
	Is the Corporation listed on the New York Stock Exchange?	∕es □ No		
	If the corporation is listed on an exchange other than the New York S name of the exchange is	Stock Exchange, the		
	TYPED OR PRINTED NAME	%INTEREST		
2.	IF THE BUSINESS IS A PARTNERSHIP, check this box and con The name of each general, limited or individual partner entitled to reprofit derived from partnership activities (list below). If none, type obelow.	eceive 5% or more of the		
	TYPED OR PRINTED NAME	%INTEREST		
3.	IF THE BUSINESS IS A SOLE PROPRIETORSHIP, check this box The name of each person other than the owner entitled to receive 5 derived from the activities of the business (list below). If none, type obelow.	i% or more of the profits		
	TYPED OR PRINTED NAME	%INTEREST		

PROPOSAL (continued)

ACCEPTANCE

The undersigned, on behalf of Chicago Transit Authority, A Municipal Corporation of the State of Illinois, hereby accepts the foregoing bid items as identified in the Proposal.

Contract Number		
Total Amount of Contract	\$	
Dated this day	y of	, 2012, at Chicago, Illinois
		,
		Vice President, Purchasing & Warehousing
		President
Approved as to form and legality, for the benefit of CTA. Subject to proper authorand execution thereof:	e sole orization	
Attorney		